



QUALITY IMPROVEMENT IN DENTAL AND MEDICAL KNOWLEDGE, RESEARCH, SKILLS AND ETHICS FACING GLOBAL CHALLENGES

Edited by
Armelia Sari Widyarman, Muhammad Ihsan Rizal,
Moehammad Orliando Roeslan & Carolina Damayanti Marpaung



CRC Press
Taylor & Francis Group

QUALITY IMPROVEMENT IN DENTAL AND MEDICAL KNOWLEDGE, RESEARCH, SKILLS AND ETHICS FACING GLOBAL CHALLENGES

The proceedings of FORIL XIII 2022 Scientific Forum Usakti conjunction with International Conference on Technology of Dental and Medical Sciences (ICTDMS) include selected full papers that have been peer-reviewed and satisfy the conference's criteria. All studies on health, ethics, and social issues in the field of dentistry and medicine have been presented at the conference alongside clinical and technical presentations. The twelve primary themes that make up its framework include the following: behavioral epidemiologic, and health services, conservative dentistry, dental materials, dento-maxillofacial radiology, medical sciences and technology, oral and maxillofacial surgery, oral biology, oral medicine and pathology, orthodontics, pediatrics dentistry, periodontology, and prosthodontics. This proceeding will be beneficial in keeping dental and medical professionals apprised of the most recent scientific developments.



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON TECHNOLOGY OF DENTAL
AND MEDICAL SCIENCES (ICTDMS 2022), JAKARTA, INDONESIA, 8–10 DECEMBER 2022

Quality Improvement in Dental and Medical Knowledge, Research, Skills and Ethics Facing Global Challenges

Edited by

Armelia Sari Widyarman, Muhammad Ihsan Rizal,
Moehammad Orliando Roeslan and Carolina
Damayanti Marpaung

Universitas Trisakti, Indonesia



CRC Press

Taylor & Francis Group

Boca Raton London New York Leiden

CRC Press is an imprint of the
Taylor & Francis Group, an **informa** business

A BALKEMA BOOK

First published 2023
by CRC Press/Balkema
4 Park Square, Milton Park, Abingdon, Oxon, OX14 4RN

and by CRC Press/Balkema
2385 NW Executive Center Drive, Suite 320, Boca Raton FL 33431

CRC Press/Balkema is an imprint of the Taylor & Francis Group, an informa business

© 2024 selection and editorial matter Armelia Sari Widyarman, Muhammad Ihsan Rizal, Moehammad Orliando Roeslan & Carolina Damayanti Marpaung; individual chapters, the contributors

The right of Armelia Sari Widyarman, Muhammad Ihsan Rizal, Moehammad Orliando Roeslan & Carolina Damayanti Marpaung to be identified as the author[s] of the editorial material, and of the authors for their individual chapters, has been asserted in accordance with sections 77 and 78 of the Copyright, Designs and Patents Act 1988.

Although all care is taken to ensure integrity and the quality of this publication and the information herein, no responsibility is assumed by the publishers nor the author for any damage to the property or persons as a result of operation or use of this publication and/or the information contained herein.

British Library Cataloguing-in-Publication Data
A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data
A catalog record has been requested for this book

ISBN: 978-1-032-51441-3 (hbk)
ISBN: 978-1-032-51466-6 (pbk)
ISBN: 978-1-003-40237-4 (ebk)

DOI: 10.1201/9781003402374

Typeset in Times New Roman
by MPS Limited, Chennai, India

Table of Contents

<i>Preface</i>	xiii
<i>Acknowledgements</i>	xv
<i>Committee Members</i>	xvii

Behavioral, epidemiologic and health services

Characteristics of knowledge and attitude of Indonesian professional healthcare students toward Basic Life Support (BLS) courses <i>I. Gunardi, A. Subrata, A.J. Sidharta, L.H. Andayani, W. Poedjiastoeti & S. Suebnukarn</i>	3
Bibliometric analysis of <i>imperata cylindrica</i> papers in Scopus database (2012–2021) <i>M.O. Roeslan, S. Wulansari & P. Monthanapisut</i>	9
Development and validation of Indonesian version of OHIP-49 questionnaire using Rasch model <i>F.K. Hartanto, I. Gunardi, A. Kurniawan, A.J. Sidharta & W.M.N. Ghani</i>	17
Knowledge regarding dental and oral health among pregnant women (study at Palmerah Community Health Center, West Jakarta) <i>P.A. Salsabila, L.H. Andayani & A.G. Souliissa</i>	24
The xerostomia's effect on methadone therapy program patients' oral-health-related quality of life <i>T.T. Theresia, A.N. Fitri & W. Sudhana</i>	31
The differences in work strategy and work fatigue between female and male dentists during the COVID-19 pandemic in Indonesia <i>D. Ranggaini, W. Anggraini, A.P. Ariyani, I. Sulistyowati & M.F.C. Musa</i>	42
Dental students' perceptions and behaviors concerning oral hygiene and eating habits during the COVID-19 pandemic in Indonesia <i>A. Asia, L. Astuti, T.E. Astoeti, A.S. Widyarman & W. Sudhana</i>	49
Analyzing teledentistry consultation during the pandemic Covid-19: A challenge of images in online consultation <i>M. Chandra & R. Tjandrawinata</i>	56

Conservative dentistry

Mandibular first molar with radix entomolaris: An endodontic case report <i>F. Farasdhita, W. Widyastuti & E. Fibryanto</i>	67
Walking bleach technique on endodontically treated caninus with tetracycline discoloration <i>J.D. Susanto, A.P. Dwisaptarini & S. Wulansari</i>	73

Successful management of primary periodontal lesion with secondary endodontic involvement: A case report <i>F. Katrini, W. Widyastuti & Aryadi</i>	77
Non-surgical treatment for extensive perapical lesion: A case report <i>M.P. Darmawanti, A.P. Dwisaptarini & D. Ratnasari</i>	84
Monolithic zirconia endocrown: Indirect restoration for endodontically treated teeth <i>W. Wulandari, T. Suwartini & E. Fibryanto</i>	90
Effect of air-abrasive particle and universal bonding to shear bond strength of zirconia <i>F. Witoko, M.F. Amin, D. Ratnasari & R. Tjandrawinata</i>	95
Composite as a post-obturation restorative material on a non-vital tooth with endodontically treatment: A case report <i>R. Landy, W. Widyastuti & S. Wulansari</i>	101
Caries detection effectiveness of two techniques assessed using FACE method <i>Y. Winardi & A.P. Dwisaptarini</i>	112
<i>Pluchea indica</i> less leaves extract as a root canal irrigant against <i>Enterococcus faecalis</i> Colonies: <i>Ex vivo</i> study <i>E. Fibryanto, A. Tio, J.A. Gunawan, A. Hidayat & N.Z.M. Noh</i>	116
Differences in resin polishing technique of nanofiller and nanohybrid composites <i>E.A.W. Yanti, A.P. Dwisaptarini, Elline & M.S. Jamil</i>	124
Differences in the effect of two Nickel Titanium rotary files preparation toward the changes on root canal curvature <i>A. Darkim, W. Widyastuti, S. Wulansari & E.A. Budiyaniti</i>	129
Effect of high refractive index composite resin thickness on CIELAB value <i>A.P. Dwisaptarini, D. Ratnasari, I. Hadiutomo, R. Tjandrawinata & R. Trushkowsky</i>	136
Single-visit retreatment in underfilled root canal of mandible second premolar: A case report <i>G. Jesslyn, B.O. Iskandar & T. Suwartini</i>	141
Antibiofilm effect of avocado (<i>Persea Americana</i>) seed ethanol extract on <i>Streptococcus mutans</i> and <i>Enterococcus faecalis</i> (<i>ex vivo</i>) <i>S. Wulansari, A.S. Widyarman, R.U. Nadhifa & M.J. Fatya</i>	146
Three-dimensional obturation in maxillary first molar with MB2: A case report <i>A. Sutanto, E. Fibryanto & A.E. Prahasti</i>	154
Semi-direct composite overlay restoration as an alternative restoration for endodontically treated tooth: A case report <i>N. Brians, J.A. Gunawan, A.E. Prahasti, E. Istanto & S.M. Khazin</i>	160
Comprehensive treatment of immature necrotic permanent teeth: A case report <i>A.E. Prahasti, E. Fibryanto, E. Elline & W. Widyastuti</i>	166
Diastemas management using direct composite resin restoration: The digital smile design approach <i>E. Elline, D. Ratnasari, E. Fibryanto, A.E. Prahasti & R. Iffendi</i>	173

Removal of broken file using ultrasonics at one-third apical second molar distal: A case report <i>Y. Sutjiono, B.O. Iskandar, A.E. Prahasti, A. Subrata & S.M. Khazin</i>	178
<i>Apis mellifera</i> honey and miswak (<i>Salvadora persica</i>) effect on tooth color changes <i>N.D. Iskandar, D. Ratnasari & R. Stefani</i>	182
Fiber reinforced composite in endodontically treated tooth: A case report <i>J. Setiawan, T. Ariwibowo & M.F. Amin</i>	188
The management of post-endodontic treatment using fiber-reinforced composite: A case report <i>R. Lambertus, T. Suwartini, E. Elline, A.E. Prahasti & S.A. Asman</i>	195
Management of crown-root fracture with pulp exposure: A case report <i>Y. Susanti, B. Iskandar & T. Ariwibowo</i>	201
Management of molar with C-shape root canal configuration: Case reports <i>F. Antonius, T. Suwartini & J.A. Gunawan</i>	207
Endodontic treatment on young age molar with pulp polyp and diffuse calcification finding in a radiograph <i>P. Andriani, A.P. Dwisaptarini & J.A. Gunawan</i>	214
Cyclic fatigue of three heat-treated NiTi rotary instruments after multiple autoclave sterilization: An <i>in-vitro</i> study <i>S.A. Putri, W. Widyastuti, A. Aryadi & R. Amtha</i>	221
Endodontic management of S-shaped root canal on mandibular first molar: A case report <i>N. Tanuri, M.F. Amin & S. Wulansari</i>	226
Root canal treatment on the complex case using ultrasonics: A case report <i>L.H. Wibowo, E. Elline, E. Fibryanto, A.E. Prahasti & D. Qurratuani</i>	231
Management of iatrogenic problems during root canal treatment <i>Y.N. Argosurio, M.F. Amin & E. Elline</i>	236
Non-surgical endodontic retreatment of maxillary first premolar with direct composite restoration: A case report <i>A.R. Pradhista, B.O. Iskandar & Aryadi</i>	243
 <i>Dental materials</i>	
The effect of soft drinks containing citric and phosphoric acid toward enamel hardness <i>A. Aryadi, D. Pratiwi & C. Cindy</i>	249
Microhardness of a flowable bulk-fill resin composite in immediate and 24-hour storage <i>R. Tjandrawinata, D. Pratiwi, F.L. Kurniawan & A. Cahyanto</i>	255
The effect of halogen mouthwash on the stretch distance of the synthetic elastomeric chain <i>M. Wijaya, R. Tjandrawinata & A. Cahyanto</i>	261

Synthesis and characterization of β -tricalcium phosphate from green mussel shells with sintering temperature variation <i>M.R. Kresnatri, E. Eddy, H.A. Santoso, D. Pratiwi, D.L. Margaretta & T. Suwandi</i>	267
The effect of immersion in 75% concentration tomato juice on the mechanical properties of nanohybrid composites resin <i>J. Kamad, D. Liliany & E. Eddy</i>	277
Evaluation of setting time of glass ionomer cement mixed with ethanolic extracts of propolis <i>T.S. Putri, D. Pratiwi & A.E.Z. Hasan</i>	285
The knowledge level of dental students on adequate composite resin polymerization in the COVID-19 pandemic era <i>O. Octarina & L.A.L. Ongkaruna</i>	290
<i>Dento-maxillofacial radiology</i>	
The role of dental record data in the mass disaster identification process: A case report of the Sriwijaya SJ-182 airplane crash <i>V. Utama, R. Tanjung, A. Quendangen, A. Fauzi, A. Widagdo, M.S. Haris & A.S. Hartini</i>	299
Management of postmortem dental radiography procedure in mass disaster victim identification <i>R. Tanjung & I. Farizka</i>	305
Radiomorphometric analysis of gonion angle and upper ramus breadth as a parameter for gender determination <i>I. Farizka & R. Tanjung</i>	312
<i>Medical sciences and technology</i>	
Artificial intelligence application in dentistry: Fluid behaviour of EDDY tips <i>H.H. Peeters, E.T. Judith, F.Y. Silitonga & L.R. Zuhail</i>	321
<i>MTHFR</i> C677T, A1298C*, and its interaction in nonsyndromic orofacial cleft phenotypes among Indonesian <i>S.L. Nasroen & A.M. Maskoen</i>	328
<i>Oral and maxillofacial surgery</i>	
The effectiveness of giving forest honey (<i>Apis Dorsata</i>) and livestock honey (<i>Apis Cerana</i> and <i>Trigona</i>) on the number of fibroblast in wound healing after tooth extraction (<i>in vivo</i> research in Wistar rats) <i>T.A. Arbi, I.N. Aziza & T. Hidayatullah</i>	341
Reconstruction of large post-enucleation mandibular defect with buccal fat pad <i>N.A. Anggayanti, A.D. Sastrawan & O. Shuka</i>	348
Challenge and management of dental implant during COVID-19 pandemic: Bone formation on second stage implant surgery <i>D. Pratiwi, H. Pudjowibowo & F. Sandra</i>	354

The evaluation of maxillary sinus for implant planning through CBCT <i>A.P.S. Palupi, W. Poedjiastoeti, M.N.P. Lubis, I. Farizka, B. Claresta & J. Dipankara</i>	360
The jawbone quantity assessment of dental implant sites <i>W. Poedjiastoeti, M.N.P. Lubis, Y. Ariesanti, I. Farizka, J. Dipankara & S. Inglam</i>	366
Comparative assessment of the distance between the maxillary sinus floor and maxillary alveolar ridge in dentulous and edentulous using panoramic radiography <i>A.S.D. Audrey, W. Poedjiastoeti, M.N.P. Lubis, J. Dipankara & S. Inglam</i>	372
Comparison between impacted mandibular third molar against mandibular angle and canal <i>N. Marlina, W. Poedjiastoeti, I. Farizka, J. Dipankara & S. Inglam</i>	379
<i>Oral biology</i>	
Saliva as a diagnostic tool for COVID-19: Bibliometric analysis <i>M.I. Rizal, R.A. Hayuningtyas, F. Sandra, M.S. Djamil & B.O. Roeslan</i>	387
Cytotoxicity activity of <i>Allium sativum</i> extracts against HSC-3 cells <i>I.J. Pardenas & M.O. Roeslan</i>	393
Effectiveness of probiotic lozenges in reducing salivary microorganism growth in patients with fixed orthodontic appliances: A pilot study <i>A.S. Widyarman, S. Vilita, G.C. Limarta, S.M. Sonia & F. Theodorea</i>	399
Potential anticancer properties of <i>Apium graveolens</i> Linn. against oral cancer <i>T. Hartono, F. Sandra, R.A. Hayuningtyas, S. Jauhari & J. Sudiono</i>	407
Antibacterial activity of bromelain enzyme from pineapple knob (<i>Ananas comosus</i>) against <i>Streptococcus mutans</i> <i>D. Liliany, E. Eddy & A.S. Widyarman</i>	414
<i>Elephantopus scaber</i> Linn.: Potential candidate against oral squamous cell carcinoma <i>T. Pang, F. Sandra, R.A. Hayuningtyas & M.I. Rizal</i>	424
Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding <i>A.G. Soulissa, M. Juslily, M. Juliawati, S. Lestari, N.P. Ramli, Albert & A. Ismail</i>	429
Hydroxamate HDAC inhibitors potency in mediating dentine regeneration: A review <i>I. Sulistyowati, W. Anggraini, A.P. Ariyani & R.B. Khalid</i>	435
Various compounds that are used as oxidative stress inducers on fibroblast cell <i>Komariah, P. Trisfilha & R. Wahyudi</i>	443
Nano encapsulation of lemongrass leaves extract (<i>Cymbopogon citratus</i> DC) on fibroblast viability with oxidative stress <i>N. Ericka, K. Komariah, R. Wahyudi & T. Trisfilha</i>	450

Arumanis mango leaves (<i>Mangifera indica</i> L.) extract efficacy on <i>Porphyromonas gingivalis</i> biofilm <i>in-vitro</i> <i>S. Soesanto, Yasnill, A.S. Widyarman & B. Kusnoto</i>	461
A systematic review to evaluate the role of antibiotics in third molar extraction <i>R.A. Hayuningtyas, S. Soesanto, P. Natassya & S.B. Gutierrez</i>	468
Efficacy of epigallocatechin gallate gel on VEGF and MMP-9 expression on ulcerations <i>L.A. Porjo, R. Amtha & M.O. Roeslan</i>	472

Oral medicine and pathology

Salivary interleukin (IL)-6 in elderly people with stomatitis aphthous and gingivitis associated with the occurrence of cognitive impairment <i>D. Priandini, A. Asia, A.G. Soulissa, I.G.A. Ratih, T.B.W. Rahardjo & E. Hogervorst</i>	481
The uses of palm fruit (<i>Borassus flabellifer</i> L.) in dentistry <i>J. Sudiono & T.G.R. Susanto</i>	489
Endodontic irrigation solution administration induces oral mucosal deformity: A case report <i>R. Amtha, D. Agustini, N. Nadiah, F.K. Hartanto & R.B. Zain</i>	496
Profile of oral mucosa changes and perception of e-cigarettes smoker <i>R. Amtha, A.P. Rahayu, I. Gunardi, N. Nadiah & W.M.N. Ghani</i>	502
Potency of <i>Solanum betaceum</i> Cav. Peel skin ethanol extract towards TNF- α blood level (Study in vivo on inflammatory rats model) <i>J. Sudiono & M.T. Suyata</i>	508
Stomatitis venenata due to nickel as inlay materials in a 24-year-old woman: A case report <i>F. Mailiza, A. Bakar & U. Nisa</i>	518
Treatment challenge of oral lichenoid lesion associated with glass ionomer cement restoration: A case report <i>F.K. Hartanto, I. Gunardi, M.L. Raiyon, N. Nadiah & H. Hussaini</i>	526
Validity and reliability of the Indonesian version of COMDQ-26: A pilot study <i>J.V. Winarto, I. Gunardi, C.D. Marpaung, R. Amtha & W.M.N. Ghani</i>	531

Orthodontics

Interceptive orthodontic treatment needs and its relating demographic factors in Jakarta and Kepulauan Seribu <i>Y. Yusra, J. Kusnoto, H. Wijaya, T.E. Astoeti & B. Kusnoto</i>	539
Diastema closure and midline shifting treatment with standard technique (Case report) <i>H.F. Lubis & J.X. Ongko</i>	543
Intrusion and uprighting using TADs in mutilated four first permanent molar case <i>H.F. Lubis & F. Rhiyanthy</i>	548

Moringa and papaya leaf inhibit <i>Streptococcus mutans</i> and <i>Candida albicans</i> <i>H.F. Lubis & M.K. Hutapea</i>	554
Intruding upper first molar using double L-Loop in an adult patient: A retreatment case <i>H.F. Lubis & Joselin</i>	561
Profile changes in Class III malocclusion using protraction facemask in Indonesian patients (Cephalometric study) <i>H. Halim & I.A. Halim</i>	565
<i>Pediatric dentistry</i>	
Oral microbiome dysbiosis in early childhood caries (Literature review) <i>T. Putriany & H. Sutadi</i>	575
<i>Periodontology</i>	
Permanent splint using removable partial denture framework on reduced periodontium: A case report <i>V. Hartono, F.M. Tadjoeidin, A. Widaryono & T.A. Mahendra</i>	587
The effect of electric smoking on the severity of chronic periodontitis <i>A.P. Fathinah & M. Louisa</i>	594
Periodontitis effects toward the extent of COVID-19 severity (Scoping review) <i>S.A. Arthur & M. Louisa</i>	603
Scaffold-based nano-hydroxyapatite for periodontal regenerative therapy <i>N.A. Harsas, Y. Soeroso, N. Natalina, E.W. Bachtiar, L.R. Amir, S. Sunarso, R. Mauludin & C. Sukotjo</i>	614
Defect management using hydroxyapatite and platelet-rich fibrin in advanced periodontitis <i>V. Wibianty, V. Paramitha & N.A. Harsas</i>	621
The relationship between age with caries status and periodontal treatment needs on visually impaired individuals <i>P. Wulandari, M.A.L. Tarigan, K. Nainggolan, M.F. Amin & J. Maharani</i>	630
Effects of COVID-19 on periodontitis (Scoping review) <i>A.R. Somawihardja & M. Louisa</i>	638
Concentrated growth factor for infrabony defect in periodontitis treatment: A review <i>F.C. Maitimu & T. Suwandi</i>	643
Subcutaneous emphysema after dental stain removal with airflow: A case report and anatomical review <i>A. Albert, W. Anggraini & W. Lestari</i>	651
Bonding agents for dentine hypersensitivity treatment: A review <i>O.N. Komala, L. Astuti & F.C. Maitimu</i>	657
Advantages and disadvantages of 2017 new classification of periodontitis (Scoping review) <i>R. Anggara & K. Yosvara</i>	668

Comparison of periodontal disease severity in COVID-19 survivors and non-COVID-19 individuals <i>M. Louisa, R.A. Putranto, O.N. Komala & W. Anggraini</i>	677
Aerosol spread simulation during ultrasonic scaling and strategies to reduce aerosol contamination <i>M. Sundjojo, V. Nursolihati & T. Suwandi</i>	685
The effect of pineapple (<i>Ananas comosus</i> L.) juice on biofilm density of streptococcus sanguinis ATCC 10556 <i>T. Suwandi & Y.V. Thionadewi</i>	689
 <i>Prosthodontics</i>	
Prevalence and risk indicators of bruxism in Indonesian children <i>C. Marpaung, I. Hanin, A. Fitryanur & M.V. Lopez</i>	697
Validity and reliability of temporomandibular disorders screening questionnaire for Indonesian children and adolescents <i>C. Marpaung, N.L.W.P. Dewi & M.V. Lopez</i>	704
Effect of submersion of alginate molds in povidone iodine concentration of 0,47 % solution toward dimensional change <i>N. Adrian & I.G.P. Panjaitan</i>	710
Effect of pure basil leaf extract on surface roughness of heat cured acrylic resin <i>I.G.P. Panjaitan & N. Adrian</i>	715
Prosthetic rehabilitation after mandibular reconstruction in young adult patient with ameloblastoma history <i>I. Hanin & I. Setiabudi</i>	720
Treatment of tooth supported magnet retained maxillary complete overdenture: Case report <i>I.G.A.R.U Mayun</i>	725
Complete denture management with torus palatinus: A case report <i>E.S.I. Sari, I.K. Julianton & G.G. Gunawan</i>	730
Management of rehabilitation for partial tooth loss with immediate removable dentures in the era of the COVID-19 pandemic: A case report <i>A. Wirahadikusumah</i>	734
Management of anterior mandibular lithium disilicate crown fracture <i>J. Handojo & L.A. Halim</i>	742
Author index	747

Preface

Faculty of Dentistry Universitas Trisakti (Usakti) presents FORIL XIII 2022 Scientific Forum Usakti conjunction with International Conference on Technology of Dental and Medical Sciences (ICTDMS) on December 8th–10th 2022. The theme of the conference is “Quality Improvement in Dental and Medical Knowledge, Research, Skills and Ethics Facing Global Challenges”.

The triennial conference has served as a meeting place for technical and clinical studies on health, ethical, and social issues in field medical and dentistry. It is organized around 12 major themes, including behavioral, epidemiologic, and health services, conservative dentistry, dental materials, dento-maxillofacial radiology, medical sciences and technology, oral and maxillofacial surgery, oral biology, oral medicine and pathology, orthodontics, pediatrics dentistry, periodontology, and prosthodontics.

The most recent findings in fundamental and clinical sciences related to medical and dental research will be presented in the conference that will be published as part of the conference proceeding. This proceeding will be useful for keeping dental and medical professionals up to date on the latest scientific developments.

Dr. Aryadi Subrata
Chairman FORIL XIII conjunction with ICTDMS



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Acknowledgements

Prof. Shinya Murakami, D.D.S., Ph.D. (*Department of Periodontology, Osaka University, Japan*)
Prof. Adrian Yap (*Department of Dentistry, Ng Teng Fong General Hospital, Singapore*)
Prof. Dr. Rosnah Binti Mohd Zain (*Department of Oro-Maxillofacial Surgical & Medical Sciences, Malaya University*)
Prof. Chaminda Jayampath Seneviratne, BDS (Hons)., M.Phil., Ph.D (*University of Queensland, Australia*)
Cortino Sukotjo, DDS, Ph.D., MMSc (*Department of Restorative Dentistry, University of Illinois at Chicago, United States*)
Prof. Dr. Nicola De Angelis (*Department of Periodontology, University of Genoa, Italy*)
Prof. Hirotaka Kuwata, D.D.S., Ph.D. (*Department of Oral Microbiology and Immunology, Showa University, Japan*)
Prof. Dr. drg. Tri Erri Astoeti, M.Kes (*Universitas Trisakti, Jakarta, Indonesia*)
Prof. drg. Rahmi Amtha, MDS, Ph.D, Sp.PM(K) (*Department of Oral Medicine, Universitas Trisakti, Jakarta, Indonesia*)
Prof. Dr. Siriwan Suebnukarn, D.D.S (*Thammasat University, Bangkok, Thailand*)



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Committee Members

Scientific Committee

- Prof. Dr. drg. David Buntoro Kamadjaja, Sp.BM(K) (*Oral Maxillofacial Surgeon, Universitas Hassanudin, Makasar, Indonesia*)
- Prof. Dr. drg. Diah Savitri Ernawati, Sp.PM(K)., M.Si (*Oral Medicine, Universitas Airlangga, Surabaya, Indonesia*)
- Prof. Dr. drg. Maria Francisca Lindawati Soetanto, Sp.Pros(K) (*Prosthodontic, Universitas Indonesia, Jakarta, Indonesia*)
- Prof. drg. Boy Muchlis Bachtiar, M.S., Ph.D., PBO (*Oral Biology, Universitas Indonesia, Jakarta, Indonesia*)
- Prof. Dr. drg. Inne Suherna Sasmita, Sp.KGA(K) (*Pediatric Dentistry, Universitas Padjajaran, Bandung, Indonesia*)
- Prof. drg. Sondang Pintauli, Ph.D (*Public Health, Universitas Sumatera Utara, Indonesia*)
- Prof. Dr. drg. Miesje Karmiati Purwanegara, S.U., Sp.Orto (*Orthodontic, Universitas Indonesia, Indonesia*)
- Prof. Dr. drg. Sri Lelyati, S.U, Sp.Perio (K) (*Periodontic, Universitas Indonesia, Indonesia*)
- drg. Diatri Nari Ratih, M.Kes., Ph.D., Sp.KG(K) (*Conservative Dentistry, Universitas Gadjah Mada, Indonesia*)

Organizing Committee

- Drg. Aryadi Subrata, Sp.KG(K), (*Conservative Dentistry, Universitas Trisakti, Jakarta, Indonesia*)
- Dr. drg. Armelia Sari W., M.Kes., PBO (*Microbiology Oral, Universitas Trisakti, Jakarta, Indonesia*)
- Dr. drg. Anggraeny Putri Sekar Palupi, Sp.BM (*Oral Maxillofacial Surgeon, Universitas Trisakti, Jakarta Indonesia*)
- Dr. drg. Muhammad Ihsan Rizal, M.Kes (*Oral Biology, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Isya Hanin, Sp.Pros (*Prosthodontic, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Muhammad Orliando Roeslan, M.Kes., PhD (*Oral Biology, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Dina Ratnasari, Sp.KG(K) (*Conservative Dentistry, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Carolina Damayanti Marpaung, Sp.Pros, PhD (*Prosthodontic, Universitas Trisakti, Jakarta, Indonesia*)

Author index

- Adrian, N. 710, 715
Agustini, D. 496
Albert, A. 651
Albert 429
Amin, M.F. 95, 188, 226, 236, 630
Amir, L.R. 614
Amtha, R. 221, 472, 496, 502, 531
Andayani, L.H. 3, 24
Andriani, P. 214
Anggara, R. 668
Anggayanti, N.A. 348
Anggraini, W. 42, 435, 651, 677
Antonius, F. 207
Arbi, T.A. 341
Argosurio, Y.N. 236
Ariesanti, Y. 366
Ariwibowo, T. 188, 201
Ariyani, A.P. 42, 435
Arthur, S.A. 603
Aryadi, A. 221, 249
Aryadi 77, 243
Asia, A. 49, 481
Asman, S.A. 195
Astoeti, T.E. 49, 539
Astuti, L. 49, 657
Audrey, A.S.D. 372
Aziza, I.N. 341

Bacthiar, E.W. 614
Bakar, A. 518
Brians, N. 160
Budiyanti, E.A. 129

Cahyanto, A. 255, 261
Chandra, M. 56

Cindy, C. 249
Claresta, B. 360

Darkim, A. 129
Darmawanti, M.P. 84
Dewi, N.L.W.P. 704
Dipankara, J. 360, 366, 372, 379
Djamil, M.S. 387
Dwisaptarini, A.P. 73, 84, 112, 124, 136, 214

Eddy, E. 267, 277, 414
Elline, E. 166, 173, 195, 231, 236
Elline 124
Ericka, N. 450

Farasdhita, F. 67
Farizka, I. 305, 312, 360, 366, 379
Fathinah, A.P. 594
Fatya, M.J. 146
Fauzi, A. 299
Fibryanto, E. 67, 90, 116, 154, 166, 173, 231
Fitri, A.N. 31
Fitryanur, A. 697

Ghani, W.M.N. 17, 502, 531
Gunardi, I. 3, 17, 502, 526, 531
Gunawan, G.G. 730
Gunawan, J.A. 116, 160, 207, 214
Gutierrez, S.B. 468

Hadiutomo, I. 136
Halim, H. 565
Halim, I.A. 565
Halim, L.A. 742
Handojo, J. 742
Hanin, I. 697, 720
Haris, M.S. 299
Harsas, N.A. 614, 621
Hartanto, F.K. 17, 496, 526
Hartini, A.S. 299
Hartono, T. 407
Hartono, V. 587
Hasan, A.E.Z. 285
Hayuningtyas, R.A. 387, 407, 424, 468
Hidayat, A. 116
Hidayatullah, T. 341
Hogervorst, E. 481
Hussaini, H. 526
Hutapea, M.K. 554

Iffendi, R. 173
Inglam, S. 366, 372, 379
Iskandar, B. 201
Iskandar, B.O. 141, 178, 243
Iskandar, N.D. 182
Ismail, A. 429
Istanto, E. 160

Jamil, M.S. 124
Jauhari, S. 407
Jesslyn, G. 141
Joselin 561
Judith, E.T. 321
Julianton, I.K. 730
Juliawati, M. 429
Juslily, M. 429

Kamad, J. 277
Katrini, F. 77

- Khalid, R.B. 435
 Khazin, S.M. 160, 178
 Komala, O.N. 657, 677
 Komariah, K. 450
 Komariah 443
 Kresnatri, M.R. 267
 Kurniawan, A. 17
 Kurniawan, F.L. 255
 Kusnoto, B. 461, 539
 Kusnoto, J. 539
- Lambertus, R. 195
 Landy, R. 101
 Lestari, S. 429
 Lestari, W. 651
 Liliany, D. 277, 414
 Limarta, G.C. 399
 Lopez, M.V. 697, 704
 Louisa, M. 594, 603, 638, 677
 Lubis, H.F. 543, 548, 554, 561
 Lubis, M.N.P. 360, 366, 372
- Maharani, J. 630
 Mahendra, T.A. 587
 Mailiza, F. 518
 Maitimu, F.C. 643, 657
 Margaretta, D.L. 267
 Marlina, N. 379
 Marpaung, C. 697, 704
 Marpaung, C.D. 531
 Maskoen, A.M. 328
 Mauludin, R. 614
 Mayun, I.G.A.R.U. 725
 Monthanapisut, P. 9
 Musa, M.F.C. 42
- Nadhifa, R.U. 146
 Nadiyah, N. 496, 502, 526
 Nainggolan, K. 630
 Nasroen, S.L. 328
 Natalina, N. 614
 Natassya, P. 468
- Nisa, U. 518
 Noh, N.Z.M. 116
 Nursolihati, V. 685
- Octarina, O. 290
 Ongkaruna, L.A.L. 290
 Ongko, J.X. 543
- Palupi, A.P.S. 360
 Pang, T. 424
 Panjaitan, I.G.P. 710, 715
 Paramitha, V. 621
 Pardenas, I.J. 393
 Peeters, H.H. 321
 Poedjiastoeti, W. 3, 360, 366, 372, 379
 Porjo, L.A. 472
 Pradhista, A.R. 243
 Prahasti, A.E. 154, 160, 166, 173, 178, 195, 231
 Pratiwi, D. 249, 255, 267, 285, 354
 Priandini, D. 481
 Pudjowibowo, H. 354
 Putranto, R.A. 677
 Putri, S.A. 221
 Putri, T.S. 285
 Putriany, T. 575
- Quendangen, A. 299
 Qurratuani, D. 231
- Rahardjo, T.B.W. 481
 Rahayu, A.P. 502
 Raiyon, M.L. 526
 Ramli, N.P. 429
 Ranggaini, D. 42
 Ratih, I.G.A. 481
 Ratnasari, D. 84, 95, 136, 173, 182
 Rhiyanthy, F. 548
 Rizal, M.I. 387, 424
 Roeslan, B.O. 387
 Roeslan, M.O. 9, 393, 472
- Salsabila, P.A. 24
 Sandra, F. 354, 387, 407, 424
 Santoso, H.A. 267
 Sari, E.S.I. 730
 Sastrawan, A.D. 348
 Setiabudi, I. 720
 Setiawan, J. 188
 Shuka, O. 348
 Sidharta, A.J. 3, 17
 Silitonga, F.Y. 321
 Soeroso, Y. 614
 Soesanto, S. 461, 468
 Somawihardja, A.R. 638
 Sonia, S.M. 399
 Soulissa, A.G. 24, 429, 481
 Stefani, R. 182
 Subrata, A. 3, 178
 Sudhana, W. 31, 49
 Sudiono, J. 407, 489, 508
 Suebnukarn, S. 3
 Sukotjo, C. 614
 Sulistyowati, I. 42, 435
 Sunarso, S. 614
 Sundjojo, M. 685
 Susanti, Y. 201
 Susanto, J.D. 73
 Susanto, T.G.R. 489
 Sutadi, H. 575
 Sutanto, A. 154
 Sutjiono, Y. 178
 Suwandi, T. 267, 643, 685, 689
 Suwartini, T. 90, 141, 195, 207
 Suyata, M.T. 508
- Tadjoedin, F.M. 587
 Tanjung, R. 299, 305, 312
 Tanuri, N. 226
 Tarigan, M.A.L. 630
 Theodorea, F. 399
 Theresia, T.T. 31
 Thionadewi, Y.V. 689
 Tio, A. 116

Tjandrawinata, R. 56, 95, 136, 255, 261	Widagdo, A. 299	Wulandari, P. 630
Trisfilha, P. 443	Widaryono, A. 587	Wulandari, W. 90
Trisfilha, T. 450	Widyarman, A.S. 49, 146, 399, 414, 461	Wulansari, S. 9, 73, 101, 129, 146, 226
Trushkowsky, R. 136	Widyastuti, W. 67, 77, 101, 129, 166, 221	Yanti, E.A.W. 124
Utama, V. 299	Wijaya, H. 539	Yasnill 461
Vilita, S. 399	Wijaya, M. 261	Yosvara, K. 668
Wahyudi, R. 443, 450	Winardi, Y. 112	Yusra, Y. 539
Wibianty, V. 621	Winarto, J.V. 531	Zain, R.B. 496
Wibowo, L.H. 231	Wirahadikusumah, A. 734	Zuhal, L.R. 321
	Witoko, F. 95	

Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding

A.G. Soulissa, M. Juslily, M. Juliawati & S. Lestari

Department of Preventive and Public Health Dentistry, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

N.P. Ramli

Dental Profession Student, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

Albert

Department of Periodontic, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

A. Ismail

Department of Fundamental Dental and Medical Sciences, International Islamic University Malaysia, Kuala Lumpur, Malaysia

ABSTRACT: Background: Based on Indonesian Baseline Health Research (Riskesdas) conducted in 2018, 67.8% of Indonesians suffer from periodontal diseases. Gingivitis is marked by inflammation, bleeding, and swelling of the gums due to plaque buildup. While chemical agents can be effective in managing plaque, natural materials like coconut oil are worth considering. Coconut oil contains lauric acid, which has been shown to have anti-inflammatory and anti-microbial properties. Objectives: To investigate the efficacy of coconut oil as mouthwash in reducing gingivitis. Methods: A clinical study was conducted using a pre-post test control group design. Thirty participants with plaque-induced gingivitis were selected and distributed randomly into the experimental group (n=20) and control group (n=10). The experimental group was asked to rinse with coconut oil 100% and the control group was asked to rinse with 0.1% chlorhexidine mouthwash for 15 mL in 30s. The OHI-S and PBI scores were used to assess plaque accumulation and gingival bleeding at baseline on the 10th day. Data were analyzed using paired t-tests and independent t-tests. Results: After 10 days of treatment, both the experimental and control groups demonstrated a significant decrease in the mean OHI-S and PBI scores. However, there was no significant difference in the reduction of OHI-S and PBI scores between the two mouthwashes. Conclusion: The result of the study demonstrates using coconut oil as mouthwash can effectively decrease plaque accumulation and gingival bleeding. As a natural product, coconut oil can be used as an additional oral hygiene practice for individuals with gingivitis.

1 INTRODUCTION

Dental and oral health deserve serious attention in Indonesia, especially from dentists, as dental and oral diseases affect 90% of the population. In this country, diseases of tooth-supporting tissues and dental caries contribute to the majority of dental and oral diseases (Nurhidayat 2012; Soulissa et al. 2020). The burden of these diseases is reflected in the results of the 2004 Indonesian Household Health Survey (IHHS) that shows 96.58% of the Indonesian population suffers from periodontal diseases.

Gingivitis is a disease caused by microorganisms that form a colony and dental plaque, which then attach to the gingival margin (Page 1986). The formation of plaque, a sticky biofilm that adheres to the surface of the tooth, is a major cause of periodontal disease (Larsen & Fiehn 2017).

Thus, to reduce the prevalence and severity of periodontal diseases, simple prevention measures that can mechanically and chemically control plaque formation are essential (Haytac et al. 2013).

Mouthwash can eliminate microorganisms by destroying bacterial cell walls and inhibiting bacterial enzymatic activities in addition to controlling plaque (Sharma et al. 2004). In general, mouthwash eliminates or kills bacteria. It also works as an astringent, eliminates bad breath, and has a therapeutic effect of reducing inflammation and preventing caries formation. This therapeutic effect is obtained by adding certain ingredients to the composition, such as fluoride and antibacterial active ingredients in the form of chlorhexidine and essential oils (Marchetti et al. 2011).

Chlorhexidine-containing mouthwash is recommended by the American Dental Association (ADA) as it can inhibit plaque formation and is effective against various microorganisms. However, chlorhexidine has several side effects, such as mucosal irritation, temporary burning sensation, and staining of teeth (Kidd & Fejerskov 2004). Thus, safe, cheap, and easily accessible alternatives are needed. Coconut oil is one type of oil consumed in many tropical countries.

Coconut oil consists of 90% saturated fatty acids, with 50% lauric acid content, which has demonstrated anti-inflammatory and antimicrobial properties (DebMandal & Mandal 2011; Ogbolu et al. 2007; Verallo-Rowell et al. 2008). Research has shown that coconut oil can reduce the amount of *Streptococcus mutans* and *Candida albicans* in an in vitro oral biofilm model (Kaushik et al. 2016; Thaweboon et al. 2011). In addition, this oil also contains monolaurin, which is effective to kill *Escherichia vulneris*, *Enterobacter* spp, *Helicobacter pylori*, *Staphylococcus aureus*, and *Candida* spp., including *Candida albicans*, *Candida glabrata*, *Candida tropicalis*, *Candida parapsilosis*, *Candida stellatoidea*, and *Candida krusei* (Ogbolu et al. 2007; Verallo-Rowell et al. 2008).

Coconut is abundant in Indonesia. However, its potential uses have not been fully explored and people only use it as cooking oil. Recently, coconut oil has attracted lots of attention from the medical research field. A study conducted on the usage of 12.5% virgin coconut oil as mouthwash resulted in the possibility of plaque index decrease in patients wearing fixed prosthetic dentures (Saputra et al. 2018). Hence, this study seeks to contribute to research that explores the potential use of coconut oil in medical and dental fields by examining the effectiveness of gargling using 100% coconut oil to prevent plaque accumulation and gingival bleeding.

2 METHODS

This clinical trial study with a pre-post test control group design was conducted at the Faculty of Dentistry, Universitas Trisakti Dental Hospital, from November to December 2018. This research has received ethical approval from the Health Research Ethics Commission Faculty of Dentistry, Universitas Trisakti with reference number 199/S2/KEPK/FKG/10/2018. All patients have given their informed consent before their participation in this study. The population of this study was patients of the hospital with a sample size of 30. Samples were divided into the treatment (n=20) and positive control (n=10) groups using the simple random sampling technique. Measurements were taken before and after treatment. The Oral Hygiene Index-Simplified (OHI-S) and Papillary Bleeding Index (PBI) scores were recorded before treatment (day 0). The treatment group then received 100% coconut oil while the control group received 0.1% chlorhexidine mouthwash. Each participant also received a toothbrush, toothpaste, and a measuring cup. Participants were given instructions to gargle using 15 mL of 100% coconut oil or 15 mL of 0.1% chlorhexidine mouthwash for 30 seconds after brushing their teeth twice a day, in the morning and at night before going to bed. On the 10th day, the OHI-S and PBI scores were again measured and further data analysis was performed.

2.1 Statistical analysis

The software program SPSS version 24.0 (IBM, USA) was used to analyze data collected in this study, with a confidence level of 95%. Statistical significance was considered to be obtained if the p-value was <0.05. The paired t-test was used to assess the difference in mean OHI-S and PBI scores before and after gargling with 100% coconut oil and 0.1% chlorhexidine mouthwash on Day 0 (before) and Day 10 (after) while the unpaired t-test was applied to identify the difference in

the OHI-S and PBI score mean differences between gargling with 100% coconut oil and 0.1% chlorhexidine mouthwash on day 0 (before) and 10 (after).

3 RESULTS

More men participated in the study (n=16, 53.33%) than women (n= 14, 46.67%). In terms of age, 15 participants were in the category of 20-39 years (50%), 14 participants were aged 40-59 years (46.67%), and 1 was 60 years old (3.33%). Table 1 presents the mean and standard deviation of the OHI-S scores for the treatment and the positive control groups in this study.

Table 1. Distribution of mean OHI scores in treatment group and positive control group.

Day	Treatment (100% coconut oil)		Positive control (0.1% chlorhexidine)	
	n	$\bar{x} \pm SD$	n	$\bar{x} \pm SD$
0	20	2.44 \pm 0.47	10	2.70 \pm 0.50
10	20	1.64 \pm 0.43	10	1.85 \pm 0.68




Figure 1. Mean OHI-S scores in treatment and positive control groups.

Based on Figure 1, there was a decrease in the treatment group and the positive control group on day 10. Table 2 lists the mean and standard deviation of the PBI scores for the treatment and positive control groups.

Table 2. Distribution of mean PBI scores in the treatment group and positive control group.

Day	Treatment (100% coconut oil)		Positive control (0.1% chlorhexidine)	
	n	$\bar{x} \pm SD$	n	$\bar{x} \pm SD$
0	20	1.01 \pm 0.26	10	1.05 \pm 0.29
10	20	0.68 \pm 0.33	10	0.75 \pm 0.30

The mean and standard deviation of the PBI scores in the treatment group on day 0 and day 10 were 1.010.26 and 0.680.33, respectively, with a decrease of 0.33. The mean and standard deviation of the PBI scores for the positive control group on day 0 and day 10 were 1.050.29 and 0.750.30, respectively, with a decrease of 0.30.




Figure 2. Mean PBI scores in the treatment group and positive control group.

Based on Figure 2, there was a decrease in the treatment group and the positive control group on day 10. The Shapiro-Wilk test was used to analyze the normality of this data. The data were found to be normally distributed ($p > 0.05$).

Table 3. OHI-S score on day 0 and day 10.

Variable	n	OHI-S. Score (Day 0) $\bar{x} \pm SD$	OHI-S. Score (10th day) $\bar{x} \pm SD$	P-value
100% Coconut Oil	20	2.47 \pm 0.53	1.63 \pm 0.41	p = 0.000*
0.1% Chlorhexidine	10	2.63 \pm 0.54	2.21 \pm 0.80	p = 0.006*

Note: (*) indicates a significant paired *T*-test with a p-value < 0.05

Table 3 presents the mean and standard deviation of OHI-S scores for the treatment group (100% coconut oil) and positive control group (chlorhexidine 0.1%) on day 0 and day 10. Statistically, the difference between pre- and post-intervention for both the treatment group and the positive control group was significant with a p-value < 0.05.

Table 4. Difference in mean OHI-S scores of the treatment group and positive control group.

Variable	OHI-S. score difference $\bar{x} \pm SD$	Statistical Analysis Result
100% Coconut Oil	0.79 \pm 0.67	p = 0.980
0.1% Chlorhexidine	0.85 \pm 0.74	

The results of the unpaired t-test showed that there was no significant difference in the mean difference in OHI-S scores between the treatment group and the positive control group.

Table 5. PBI scores on day 0 and day 10.

Variable	n	PBI Score (day 0) $\bar{x} \pm SD$	PBI Score (day 10) $\bar{x} \pm SD$	P-value
100% Coconut Oil	20	1.01 \pm 0.26	0.68 \pm 0.33	p = 0.001*
0.1% Chlorhexidine	10	1.05 \pm 0.29	0.75 \pm 0.30	p = 0.001*

Notes: (*) indicates a significant paired *T*-test with a p-value < 0.05

Statistically, there was a significant difference between pre-and post-intervention for both treatment and positive control groups with a p-value of 0.001.

Table 6. Difference in mean PBI scores of the treatment group and positive control group.

Variable	PBI score difference $\bar{x} \pm SD$	Statistical Analysis Result
100% Coconut Oil	0.33 \pm 0.35	p = 0.825
0.1% Chlorhexidine	0.30 \pm 0.19	

The results of the unpaired t-test (unpaired t-test) showed no significant difference was identified in the mean difference in PBI scores between the treatment and the positive control groups.

4 DISCUSSION

Gingivitis is a commonly found disease in tooth-supporting tissues, which is usually caused by poor oral hygiene habits and precedes the onset of periodontitis. A plaque-forming microbial colony that is attached to the gingival margin is the primary cause of gingivitis (Larsen & Fiehn 2017).

This study demonstrated that participants in the treatment group who gargled with 100% coconut oil showed a significant decrease in the average OHI-S score and PBI score on day 10. This supports the findings of Peedikayil et al. (2015) who reported that participants who gargled coconut oil using the oil-pulling method experience a significant reduction in plaque score on Day 7. The decrease in score was caused by the high saponification activity of the coconut oil and its sodium laureate content, which is also the main substance of soap, making it a good and effective cleaning agent to reduce plaque adhesion and accumulation (Peedikayil et al. 2016).

This study adds to prior research's findings that suggested coconut oil is an effective agent to kill Gram-positive and Gram-negative bacteria, including *Escherichia vulneris*, *Enterobacter* spp., *Helicobacter pylori*, *Staphylococcus aureus*, *C. albicans*, *C. glabrata*, *C. tropicalis*, *C. parapsilosis*, *C. stellatoidea*, and *C. krusei* (Ogbolu et al. 2007). The positive control group that gargled 0.1% chlorhexidine mouthwash in this study also showed a significant decrease in the mean OHI-S score and PBI score on Day 10. This might be due to the mechanism of action of chlorhexidine where its cation molecule attaches to the negative part of the microbial cell wall, causing damage to the cell membrane, and triggering the cell to die.

A study by Kumar (2017) in Chennai, India, demonstrated the ability of chlorhexidine to damage cell membranes in an in vitro study where chlorhexidine effectively kills almost 100% of Gram-positive and Gram-negative bacteria within 30 seconds. Furthermore, in a comparative study of the antibacterial effectiveness of coconut oil and chlorhexidine against *S. mutans* in vivo, a significant decrease in the number of *S. mutans* is seen both in the coconut oil and chlorhexidine groups. Thus, it can be concluded that against *S. mutans*, coconut oil is just as effective as chlorhexidine due to its antibacterial ability (Peedikayil et al. 2015).

This study also presented a similar result with no significant difference in the mean difference of OHI-S and PBI score between the group that gargled 100% coconut oil and the group that gargled 0.1% chlorhexidine. The study by Owittayakul et al. (2018) about gargling coconut oil using the oil-pulling method also gave the same results; there was no difference in the reduction in the percentage of total bacteria, and it was observed that there was a reduced number of *S. mutans* in both coconut oil group and the 0.12% chlorhexidine group. Thus, to reduce plaque accumulation and the severity of gingivitis, coconut oil can be used as a substitute for mouthwash.

5 CONCLUSION

Gargling using 100% coconut oil is effective against plaque accumulation and gingival bleeding. There is a significant difference in the mean OHI-S and PBI scores before and after gargling for 10 days with 100% coconut oil. There is also no significant difference observed between the mean difference in OHI-S and PBI scores before and after gargling with 100% coconut oil and 0.1% chlorhexidine.

CONFLICT OF INTEREST

The authors declare no conflict of interest regarding the publication of this paper.

REFERENCES

- DebMandal, M., & Mandal, S. 2011. Coconut (*Cocos nucifera* L.: Arecaceae): in health promotion and disease prevention. *Asian Pacific Journal of Tropical Medicine* 4(3): 241–247.
- Haytac, M.C., Ozcelik, O., & Mariotti, A. 2013. Periodontal disease in men. *Periodontology* 2000 61(1): 252–265.
- Kaushik, M., Reddy, P., Sharma, R., Udameshi, P., Mehra, N., & Marwaha, A. 2016. The Effect of coconut oil pulling on streptococcus mutans count in saliva in comparison with chlorhexidine mouthwash. *The Journal of Contemporary Dental Practice* 17(1): 38–41.
- Kidd, E.A.M., & Fejerskov, O. 2004. What constitutes dental caries? Histopathology of carious enamel and dentin related to the action of cariogenic biofilms. *Journal of Dental Research* 83(1_suppl): 35–38.
- Kumar, S.B. 2017. Chlorhexidine mouthwash-a review. *Journal of Pharmaceutical Sciences and Research* 9(9): 1450.
- Larsen, T., & Fiehn, N. 2017. Dental biofilm infections—an update. *Apmis* 125(4): 376–384.
- Marchetti, E., Mummolo, S., Di Mattia, J., Casalena, F., Di Martino, S., Mattei, A., & Marzo, G. 2011. Efficacy of essential oil mouthwash with and without alcohol: a 3-day plaque accumulation model. *Trials* 12: 1–7.
- Nurhidayat, O. 2012. Perbandingan media power point dengan flip chart dalam meningkatkan pengetahuan kesehatan gigi dan mulut. *Unnes Journal of Public Health* 1(1).
- Ogbolu, D.O., Oni, A.A., Daini, O.A., & Oloko, A.P. 2007. In vitro antimicrobial properties of coconut oil on *Candida* species in Ibadan, Nigeria. *Journal of Medicinal Food* 10(2): 384–387.
- Owittayakul, D., Palee, K., Khongkhunthian, S., & Wanachantararak, P. 2018. Effect of coconut oil on salivary total bacterial and streptococcus mutans counts. *Chiang Mai Dental Journal* 39(1): 75–83.
- Page, R.C. 1986. Gingivitis. *Journal of Clinical Periodontology* 13(5): 345–355.
- Peedikayil, F.C., Remy, V., John, S., Chandru, T.P., Sreenivasan, P., & Bijapur, G.A. 2016. Comparison of antibacterial efficacy of coconut oil and chlorhexidine on streptococcus mutans: An in vivo study. *Journal of International Society of Preventive & Community Dentistry* 6(5): 447–452.
- Peedikayil, F.C., Sreenivasan, P., & Narayanan, A. 2015. Effect of coconut oil in plaque related gingivitis - A preliminary report. *Nigerian Medical Journal: Journal of the Nigeria Medical Association* 56(2): 143–147.
- Saputra, L., Gita, F., & Dewi, R.. 2018. Effect of 12.5% virgin coconut oil (*Cocos nucifera*) mouthwash on plaque index of fixed prosthetic denture users. *International Journal of Applied Pharmaceutics* 9: 41–44.
- Sharma, N., Charles, C.H., Lynch, M.C., Qaish, J., McGuire, J.A., Galustians, J.G., & Kumar, L.D. 2004. Adjunctive benefit of an essential oil-containing mouthrinse in reducing plaque and gingivitis in patients who brush and floss regularly: a six-month study. *The Journal of the American Dental Association* 135(4): 496–504.
- Soulissa, A.G., Afifah, J., & Widyarman, A.S. 2020. The effect of tea tree oil in inhibiting the adhesion of pathogenic periodontal biofilms in vitro. *Scientific Dental Journal* 4(3): 88.
- Thaweboon, S., Nakaparksin, J., & Thaweboon, B. 2011. Effect of oil-pulling on oral microorganisms in biofilm models. *Asia Journal of Public Health* 2(2): 62–66.
- Verallo-Rowell, V.M., Dillague, K.M., & Syah-Tjundawan, B.S. 2008. Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis. *DERM* 19(6): 308–315.

Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding

by Wita Anggraini FKG

Submission date: 13-Aug-2024 02:38PM (UTC+0700)

Submission ID: 2380818727

File name: ut_oil_to_prevent_plaque_accumulation_and_gingival_bleeding.docx (703.91K)

Word count: 2644

Character count: 14666

Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding

A.G. Souliissa, M. Juslily, M. Juliawati & S. Lestari

Department of Preventive and Public Health Dentistry, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

N.P. Ramli

Dental Profession Student, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

Albert

Department of Periodontic, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

A. Ismail

Department of Fundamental Dental and Medical Sciences, International Islamic University Malaysia, Kuala Lumpur, Malaysia

ABSTRACT: Background: Based on Indonesian Baseline Health Research (Riskesdas) conducted in 2018, 67.8% of Indonesians suffer from periodontal diseases. Gingivitis is marked by inflammation, bleeding, and swelling of the gums due to plaque buildup. While chemical agents can be effective in managing plaque, natural materials like coconut oil are worth considering. Coconut oil contains lauric acid, which has been shown to have anti-inflammatory and anti-microbial properties. Objectives: To investigate the efficacy of coconut oil as mouthwash in reducing gingivitis. Methods: A clinical study was conducted using a pre-post test control group design. Thirty participants with plaque-induced gingivitis were selected and distributed randomly into the experimental group (n=20) and control group (n=10). The experimental group was asked to rinse with coconut oil 100% and the control group was asked to rinse with 0.1% chlorhexidine mouthwash for 15 mL in 30s. The OHI-S and PBI scores were used to assess plaque accumulation and gingival bleeding at baseline on the 10th day. Data were analyzed using paired t-tests and independent t-tests. Results: After 10 days of treatment, both the experimental and control groups demonstrated a significant decrease in the mean OHI-S and PBI scores. However, there was no significant difference in the reduction of OHI-S and PBI scores between the two mouthwashes. Conclusion: The result of the study demonstrates using coconut oil as mouthwash can effectively decrease plaque accumulation and gingival bleeding. As a natural product, coconut oil can be used as an additional oral hygiene practice for individuals with gingivitis.

1 INTRODUCTION

Dental and oral health deserve serious attention in Indonesia, especially from dentists, as dental and oral diseases affect 90% of the population. In this country, diseases of tooth-supporting tissues and dental caries contribute to the majority of dental and oral diseases (Nurhidayat 2012; Souliissa et al. 2020). The burden of these diseases is reflected in the results of the 2004 Indonesian Household Health Survey (IHHS) that shows 96.58% of the Indonesian population suffers from periodontal diseases.

Gingivitis is a disease caused by microorganisms that form a colony and dental plaque, which then attach to the gingival margin (Page 1986). The formation of plaque, a sticky biofilm that adheres to the surface of the tooth, is a major cause of periodontal disease (Larsen & Fiehn 2017).

DOI: 10.1201/9781003402374-64 severity of periodontal diseases, simple prevention measures that can plaque formation are essential (Haytac et al. 2013).

Mouthwash can eliminate microorganisms by destroying bacterial cell walls and inhibiting bacterial enzymatic activities in addition to controlling plaque (Sharma et al. 2004). In general, mouthwash eliminates or kills bacteria. It also works as an astringent, eliminates bad breath, and has a therapeutic effect of reducing inflammation and preventing caries formation. This therapeutic effect is obtained by adding certain ingredients to the composition, such as fluoride and antibacterial active ingredients in the form of chlorhexidine and essential oils (Marchetti et al. 2011).

Chlorhexidine-containing mouthwash is recommended by the American Dental Association (ADA) as it can inhibit plaque formation and is effective against various microorganisms. However, chlorhexidine has several side effects, such as mucosal irritation, temporary burning sensation, and staining of teeth (Kidd & Fejerskov 2004). Thus, safe, cheap, and easily accessible alternatives are needed. Coconut oil is one type of oil consumed in many tropical countries.

Coconut oil consists of 90% saturated fatty acids, with 50% lauric acid content, which has demonstrated anti-inflammatory and antimicrobial properties (DebMandal & Mandal 2011; Ogbolu et al. 2007; Verallo-Rowell et al. 2008). Research has shown that coconut oil can reduce the amount of *Streptococcus mutans* and *Candida albicans* in an in vitro oral biofilm model (Kausik et al. 2016; Thaweboon et al. 2011). In addition, this oil also contains monolaurin, which is effective to kill *Escherichia vulneris*, *Enterobacter* spp, *Helicobacter pylori*, *Staphylococcus aureus*, and *Candida* spp., including *Candida albicans*, *Candida glabrata*, *Candida tropicalis*, *Candida parapsilosis*, *Candida stellatoidea*, and *Candida krusei* (Ogbolu et al. 2007; Verallo-Rowell et al. 2008).

Coconut is abundant in Indonesia. However, its potential uses have not been fully explored and people only use it as cooking oil. Recently, coconut oil has attracted lots of attention from the medical research field. A study conducted on the usage of 12.5% virgin coconut oil as mouthwash resulted in the possibility of plaque index decrease in patients wearing fixed prosthetic dentures (Saputra et al. 2018). Hence, this study seeks to contribute to research that explores the potential use of coconut oil in medical and dental fields by examining the effectiveness of gargling using 100% coconut oil to prevent plaque accumulation and gingival bleeding.

2 METHODS

This clinical trial study with a pre-post test control group design was conducted at the Faculty of Dentistry, Universitas Trisakti Dental Hospital, from November to December 2018. This research has received ethical approval from the Health Research Ethics Commission Faculty of Dentistry, Universitas Trisakti with reference number 199/S2/KEPK/FKG/10/2018. All patients have given their informed consent before their participation in this study. The population of this study was patients of the hospital with a sample size of 30. Samples were divided into the treatment (n=20) and positive control (n=10) groups using the simple random sampling technique. Measurements were taken before and after treatment. The Oral Hygiene Index-Simplified (OHI-S) and Papillary Bleeding Index (PBI) scores were recorded before treatment (day 0). The treatment group then received 100% coconut oil while the control group received 0.1% chlorhexidine mouthwash. Each participant also received a toothbrush, toothpaste, and a measuring cup. Participants were given instructions to gargle using 15 mL of 100% coconut oil or 15 mL of 0.1% chlorhexidine mouthwash for 30 seconds after brushing their teeth twice a day, in the morning and at night before going to bed. On the 10th day, the OHI-S and PBI scores were again measured and further data analysis was performed.

2.1 Statistical analysis

The software program SPSS version 24.0 (IBM, USA) was used to analyze data collected in this study, with a confidence level of 95%. Statistical significance was considered to be obtained if the p-value was <0.05. The paired t-test was used to assess the difference in mean OHI-S and PBI scores before and after gargling with 100% coconut oil and 0.1% chlorhexidine mouthwash on Day 0 (before) and Day 10 (after) while the unpaired t-test was applied to identify the difference in

the OHI-S and PBI score mean differences between gargling with 100% coconut oil and 0.1% chlorhexidine mouthwash on day 0 (before) and 10 (after).

3 RESULTS

More men participated in the study (n=16, 53.33%) than women (n= 14, 46.67%). In terms of age, 15 participants were in the category of 20-39 years (50%), 14 participants were aged 40-59 years (46.67%), and 1 was 60 years old (3.33%). Table 1 presents the mean and standard deviation of the OHI-S scores for the treatment and the positive control groups in this study.

Table 1. Distribution of mean OHI scores in treatment group and positive control group.

Day	Treatment (100% coconut oil)		Positive control (0.1% chlorhexidine)	
	n	$\bar{x} \pm SD$	n	$\bar{x} \pm SD$
0	20	2.44 \pm 0.47	10	2.70 \pm 0.50
10	20	1.64 \pm 0.43	10	1.85 \pm 0.68




Figure 1. Mean OHI-S scores in treatment and positive control groups.

Based on Figure 1, there was a decrease in the treatment group and the positive control group on day 10. Table 2 lists the mean and standard deviation of the PBI scores for the treatment and positive control groups.

Table 2. Distribution of mean PBI scores in the treatment group and positive control group.

Day	Treatment (100% coconut oil)		Positive control (0.1% chlorhexidine)	
	n	$\bar{x} \pm SD$	n	$\bar{x} \pm SD$
0	20	1.01 \pm 0.26	10	1.05 \pm 0.29
10	20	0.68 \pm 0.33	10	0.75 \pm 0.30

The mean and standard deviation of the PBI scores in the treatment group on day 0 and day 10 were 1.010.26 and 0.680.33, respectively, with a decrease of 0.33. The mean and standard deviation of the PBI scores for the positive control group on day 0 and day 10 were 1.050.29 and 0.750.30, respectively, with a decrease of 0.30.




Figure 2. Mean PBI scores in the treatment group and positive control group.

Based on Figure 2, there was a decrease in the treatment group and the positive control group on day 10. The Shapiro-Wilk test was used to analyze the normality of this data. The data were found to be normally distributed ($p > 0.05$).

Table 3. OHI-S score on day 0 and day 10.

Variable	n	OHI-S. Score (Day 0) $\bar{x} \pm SD$	OHI-S. Score (10th day) $\bar{x} \pm SD$	P-value
100% Coconut Oil	20	2.47 \pm 0.53	1.63 \pm 0.41	$p = 0.000^*$
0.1% Chlorhexidine	10	2.63 \pm 0.54	2.21 \pm 0.80	$p = 0.006^*$

Note: (*) indicates a significant paired *T*-test with a p -value < 0.05

Table 3 presents the mean and standard deviation of OHI-S scores for the treatment group (100% coconut oil) and positive control group (chlorhexidine 0.1%) on day 0 and day 10. Statistically, the difference between pre- and post-intervention for both the treatment group and the positive control group was significant with a p -value < 0.05 .

Table 4. Difference in mean OHI-S scores of the treatment group and positive control group.

Variable	OHI-S. score difference $\bar{x} \pm SD$	Statistical Analysis Result
100% Coconut Oil	0.79 \pm 0.67	$p = 0.980$
0.1% Chlorhexidine	0.85 \pm 0.74	

The results of the unpaired *t*-test showed that there was no significant difference in the mean difference in OHI-S scores between the treatment group and the positive control group.

Table 5. PBI scores on day 0 and day 10.

Variable	n	PBI Score (day 0) $\bar{x} \pm SD$	PBI Score (day 10) $\bar{x} \pm SD$	P-value
100% Coconut Oil	20	1.01 \pm 0.26	0.68 \pm 0.33	$p = 0.001^*$
0.1% Chlorhexidine	10	1.05 \pm 0.29	0.75 \pm 0.30	$p = 0.001^*$

Notes: (*) indicates a significant paired *T*-test with a p -value < 0.05

Statistically, there was a significant difference between pre-and post-intervention for both treatment and positive control groups with a p-value of 0.001.

Table 6. Difference in mean PBI scores of the treatment group and positive control group.

Variable	PBI score difference $\bar{x} \pm SD$	Statistical Analysis Result
100% Coconut Oil	0.33 \pm 0.35	p = 0.825
0.1% Chlorhexidine	0.30 \pm 0.19	

The results of the unpaired t-test (unpaired t-test) showed no significant difference was identified in the mean difference in PBI scores between the treatment and the positive control groups.

4 DISCUSSION

Gingivitis is a commonly found disease in tooth-supporting tissues, which is usually caused by poor oral hygiene habits and precedes the onset of periodontitis. A plaque-forming microbial colony that is attached to the gingival margin is the primary cause of gingivitis (Larsen & Fiehn 2017).

This study demonstrated that participants in the treatment group who gargled with 100% coconut oil showed a significant decrease in the average OHI-S score and PBI score on day 10. This supports the findings of Peedikayil et al. (2015) who reported that participants who gargled coconut oil using the oil-pulling method experience a significant reduction in plaque score on Day 7. The decrease in score was caused by the high saponification activity of the coconut oil and its sodium laureate content, which is also the main substance of soap, making it a good and effective cleaning agent to reduce plaque adhesion and accumulation (Peedikayil et al. 2016).

This study adds to prior research's findings that suggested coconut oil is an effective agent to kill Gram-positive and Gram-negative bacteria, including *Escherichia vulneris*, *Enterobacter* spp., *Helicobacter pylori*, *Staphylococcus aureus*, *C. albicans*, *C. glabrata*, *C. tropicalis*, *C. parapsilosis*, *C. stellatoidea*, and *C. krusei* (Ogbolu et al. 2007). The positive control group that gargled 0.1% chlorhexidine mouthwash in this study also showed a significant decrease in the mean OHI-S score and PBI score on Day 10. This might be due to the mechanism of action of chlorhexidine where its cation molecule attaches to the negative part of the microbial cell wall, causing damage to the cell membrane, and triggering the cell to die.

A study by Kumar (2017) in Chennai, India, demonstrated the ability of chlorhexidine to damage cell membranes in an in vitro study where chlorhexidine effectively kills almost 100% of Gram-positive and Gram-negative bacteria within 30 seconds. Furthermore, in a comparative study of the antibacterial effectiveness of coconut oil and chlorhexidine against *S. mutans* in vivo, a significant decrease in the number of *S. mutans* is seen both in the coconut oil and chlorhexidine groups. Thus, it can be concluded that against *S. mutans*, coconut oil is just as effective as chlorhexidine due to its antibacterial ability (Peedikayil et al. 2015).

This study also presented a similar result with no significant difference in the mean difference of OHI-S score and PBI score between the group that gargled 100% coconut oil and the group that gargled 0.1% chlorhexidine. The study by Owittayakul et al. (2018) about gargling coconut oil using the oil-pulling method also gave the same results; there was no difference in the reduction in the percentage of total bacteria, and it was observed that there was a reduced number of *S. mutans* in both coconut oil group and the 0.12% chlorhexidine group. Thus, to reduce plaque accumulation and the severity of gingivitis, coconut oil can be used as a substitute for mouthwash.

5 CONCLUSION

Gargling using 100% coconut oil is effective against plaque accumulation and gingival bleeding. There is a significant difference in the mean OHI-S and PBI scores before and after gargling for 10 days with 100% coconut oil. There is also no significant difference observed between the mean difference in OHI-S and PBI scores before and after gargling with 100% coconut oil and 0.1% chlorhexidine.

7 CONFLICT OF INTEREST

The authors declare no conflict of interest regarding the publication of this paper.

REFERENCES

- DebMandal, M., & Mandal, S. 2011. Coconut (*Cocos nucifera* L.: Arecaceae): in health promotion and disease prevention. *Asian Pacific Journal of Tropical Medicine* 4(3): 241–247.
- Haytac, M.C., Ozcelik, O., & Mariotti, A. 2013. Periodontal disease in men. *Periodontology* 2000 61(1): 252–265.
- Kaushik, M., Reddy, P., Sharma, R., Udameshi, P., Mehra, N., & Marwaha, A. 2016. The Effect of coconut oil pulling on streptococcus mutans count in saliva in comparison with chlorhexidine mouthwash. *The Journal of Contemporary Dental Practice* 17(1): 38–41.
- Kidd, E.A.M., & Fejerskov, O. 2004. What constitutes dental caries? Histopathology of carious enamel and dentin related to the action of cariogenic biofilms. *Journal of Dental Research* 83(1_suppl): 35–38.
- Kumar, S.B. 2017. Chlorhexidine mouthwash-a review. *Journal of Pharmaceutical Sciences and Research* 9(9): 1450.
- Larsen, T., & Fiehn, N. 2017. Dental biofilm infections—an update. *Apmis* 125(4): 376–384.
- Marchetti, E., Mummolo, S., Di Mattia, J., Casalena, F., Di Martino, S., Mattei, A., & Marzo, G. 2011. Efficacy of essential oil mouthwash with and without alcohol: a 3-day plaque accumulation model. *Trials* 12: 1–7.
- Nurhidayat, O. 2012. Perbandingan media power point dengan flip chart dalam meningkatkan pengetahuan kesehatan gigi dan mulut. *Unnes Journal of Public Health* 1(1).
- Ogbolu, D.O., Oni, A.A., Daini, O.A., & Oloko, A.P. 2007. In vitro antimicrobial properties of coconut oil on *Candida* species in Ibadan, Nigeria. *Journal of Medicinal Food* 10(2): 384–387.
- Owittayakul, D., Palee, K., Khongkhunthian, S., & Wanachantararak, P. 2018. Effect of coconut oil on salivary total bacterial and streptococcus mutans counts. *Chiang Mai Dental Journal* 39(1): 75–83.
- Page, R.C. 1986. Gingivitis. *Journal of Clinical Periodontology* 13(5): 345–355.
- Peedikayil, F.C., Remy, V., John, S., Chandru, T.P., Sreenivasan, P., & Bijapur, G.A. 2016. Comparison of antibacterial efficacy of coconut oil and chlorhexidine on streptococcus mutans: An in vivo study. *Journal of International Society of Preventive & Community Dentistry* 6(5): 447–452.
- Peedikayil, F.C., Sreenivasan, P., & Narayanan, A. 2015. Effect of coconut oil in plaque related gingivitis - A preliminary report. *Nigerian Medical Journal: Journal of the Nigeria Medical Association* 56(2): 143–147.
- Saputra, L., Gita, F., & Dewi, R.. 2018. Effect of 12.5% virgin coconut oil (*Cocos nucifera*) mouthwash on plaque index of fixed prosthetic denture users. *International Journal of Applied Pharmaceutics* 9: 41–44.
- Sharma, N., Charles, C.H., Lynch, M.C., Qaqish, J., McGuire, J.A., Galustians, J.G., & Kumar, L.D. 2004. Adjunctive benefit of an essential oil-containing mouthrinse in reducing plaque and gingivitis in patients who brush and floss regularly: a six-month study. *The Journal of the American Dental Association* 135(4): 496–504.
- Soulissa, A.G., Afifah, J., & Widyanman, A.S. 2020. The effect of tea tree oil in inhibiting the adhesion of pathogenic periodontal biofilms in vitro. *Scientific Dental Journal* 4(3): 88.
- Thaweboon, S., Nakaparksin, J., & Thaweboon, B. 2011. Effect of oil-pulling on oral microorganisms in biofilm models. *Asia Journal of Public Health* 2(2): 62–66.
- Verallo-Rowell, V.M., Dillague, K.M., & Syah-Tjundawan, B.S. 2008. Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis. *DERM* 19(6): 308–315.

Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding

ORIGINALITY REPORT

13%

SIMILARITY INDEX

13%

INTERNET SOURCES

5%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

1

www.jpda.com.pk

Internet Source

1%

2

jglobaloralhealth.org

Internet Source

1%

3

projects.pchrd.dost.gov.ph

Internet Source

1%

4

www.econstor.eu

Internet Source

1%

5

Armelia Sari Widyarman, Louise Anastasya Halim, Jesslyn, Heidi Amanda Irma, Mario Richi, Muhammad Ihsan Rizal. "The potential of reuterin derived from Indonesian strain of Lactobacillus reuteri against endodontic pathogen biofilms in vitro and ex vivo", The Saudi Dental Journal, 2023

Publication

1%

6

saber.ucv.ve

Internet Source

1%

academic.oup.com

7	Internet Source	1 %
8	newinera.com Internet Source	1 %
9	Submitted to Saveetha Dental College and Hospital, Chennai Student Paper	1 %
10	bmcp psychiatry.biomedcentral.com Internet Source	1 %
11	Fangli Zheng. "Biotechnology, Agriculture, Environment and Energy - Proceedings of the 2014 International Conference on Biotechnology, Agriculture, Environment and Energy (ICBAEE 2014), May 22-23, 2014, Beijing, China.", CRC Press, 2019 Publication	1 %
12	dspace.ewha.ac.kr Internet Source	1 %
13	scientific-event.fkg.trisakti.ac.id Internet Source	1 %
14	Submitted to Cebu Doctor's University Student Paper	1 %
15	pubmed.ncbi.nlm.nih.gov Internet Source	1 %
16	www.balimedicaljournal.org Internet Source	

1 %

17

meridian.allenpress.com

Internet Source

1 %

18

www.mdpi.com

Internet Source

1 %

19

www.mgv-portal.eu

Internet Source

1 %

Exclude quotes On

Exclude matches < 1 %

Exclude bibliography On