

#### **PAPER • OPEN ACCESS**

#### Preface

To cite this article: 2021 IOP Conf. Ser.: Earth Environ. Sci. 737 011001

View the article online for updates and enhancements.

#### You may also like

Sueoka

- <u>Density Functional Theory Study of the</u> <u>Stress Impact on Formation Enthalpy of</u> <u>Intrinsic Point Defect around Dopant Atom</u> <u>in Ge Crystal</u> Shunta Yamaoka, Koji Kobayashi and Koji
- <u>Sustainable urban drainage as a viable</u> <u>measure of coping with heat and floods</u> <u>due to climate change</u> N W Chan, M L Tan, A A Ghani et al.
- <u>SUDOQU, a new dose-assessment</u> methodology for radiological surface contamination Teun van Dillen and Arjan van Dijk



IOP Conf. Series: Earth and Environmental Science 737 (2021) 011001

#### **5th INTERNATIONAL SEMINAR ON SUSTAINABLE URBAN DEVELOPMENT** (5th ISoSUD) 2020

#### PREFACE

International Seminar on Sustainable Urban Development (ISoSUD) is an International Seminar held by the Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta Indonesia. The 5th ISoSUD in 2020 carried the theme "THE SUSTAINABLE DEVELOPMENT GOALS: INNOVATIONS IN ENVIRONMENTAL SUSTAINABILITY FOR BETTER WORLD". The ISoSUD has been conducted regularly every 3 years since 2008, and this year is very special because eventhough we are all facing a global pandemic, the enthusiasm of researchers and academics in Indonesia and around the world to participate is still high so that this seminar could be carried out virtually.

Due to the Covid-19 pandemic condition since early 2020 that does not allow the committee to gather many people in one place, this year ISoSUD could not be conducted like the four previous ISoSUD in the auditorium for 1-2 days. Thus the 5<sup>th</sup> ISoSUD was held virtually in 1 day, on Wednesday, August 5, 2020, using the zoom meeting facility. Although virtually, there were 200 participants in the plenary session. The call paper system that has been used since the first ISoSUD in 2008 succeeded in inviting 150 papers that selected into 100 papers were presented using digital technology via video recording. Those 100 papers were selected further to be published in IOP Proceedings Indexed by Scopus. As for the papers that do not pass the selection, they will be published in a national journal.

5th ISoSUD was also special because it involved co-hosting universities consist of eight from within the country and three from abroad: Universitas Tridinanti Palembang; STT Pekan Baru; Universitas Fajar, Makasar; IT Del, Sitoulama, Sumatra Utara; Universitas Pasundan, Bandung; Universitas Negeri Manado; IT PLN, Jakarta; Universitas Pembangunan Jaya; Institute for Spatial Planning and Environment Research, India; University Putra Malaysia and University of Baghdad. Besides that, it was supported as well by professional association Ikatan Ahli Teknik Penyehatan Indonesia (IATPI), study program cooperation body (Badan Kerja Sama Teknik Lingkungan, BAKERMA-TL) and Global Water Partnership Southeast Asia (GWP-SEA).


The advisory board consists of prominent people in the 5<sup>th</sup> ISoSUD filed. The advisory board acts as ambassadors for the 5th ISoSUD. To some extent the quality of the 5th ISoSUD is approved by the members and academic credentials of its advisory boards.

In the plenary session, there were main speakers who delivered more focused seminar themes, they were:

#### Welcoming Speaker:

Prof. Dr. Agus Setyo Budi, M.Sc - Head of Service Institutions of Higher Education 3rd Region, Jakarta

Keynote speaker:



doi:10.1088/1755-1315/737/1/011001

Prof. dr. Ali Ghufron Mukti M.Sc., Ph.D. - Rector of Universitas Trisakti, Jakarta

#### Invited speakers:

- 1. Fany Wedahuditama ST, MT, MA Regional Coordinator of Global Water Partnership Southeast Asia
- 2. Prof. Madya Lar. Dr. Suhardi Maulan Dean of Faculty of Architectural Design of Universiti Putra Malaysia, Malaysia
- 3. Prof. Dr. Kareem Hasan Alwan Centre of Urban Regional Planning University of Baghdad, Iraq

While during the class presentation session, a presentation from the participants representing the 5<sup>th</sup> ISoSUD co-host was carried out. The number of seminar participants was around 200 people consist of academics, researchers, professionals that are from universities, government, private sector, industrial practician and other related institutions. The origin of seminar participants came from New Delhi-India, Baghdad-Iraq, Malaysia, Japan, USA and several provinces in Indonesia.

There were increasing in number of participants and speakers from various countries every time the ISoSUD was held. Several papers were co-authored by authors from Indonesia and other countries.

Hopefully the Covid-19 pandemic will pass soon. The committee hopes that the 6<sup>th</sup> ISoSUD in 2023 could be carried out under normal conditions, involving more speakers from different countries interact each other in the seminar room. In addition, the network for conducting seminars between several universities in Indonesia and abroad as co-hosts could also be improved.

Until we meet again in the 6<sup>th</sup> ISoSUD in 2023.

Jakarta, September, 2020

Chair person 5<sup>th</sup> International Seminar on Urban and Sustainable Development 2020

Dr. Ir. Diana Irvindiaty Hendrawan, MSi

IOP Conf. Series: Earth and Environmental Science 737 (2021) 011001

doi:10.1088/1755-1315/737/1/011001

#### LIST OF COMMITTEE

#### Conference Chair:

Dr. Ir. Diana Irvindiaty Hendrawan, M.Si

#### International Advisory Boards:

- Prof. Dr. Agus Setyo Budi, M.Sc, LLDIKTI Region III, Jakarta, Indonesia
- Prof. dr. Ali Ghufron Mukti, M.Sc., Ph.D, Universitas Trisakti, Jakarta, Indonesia
- Fanny Wedahuditama ST., MT., MA, Global Water Partnership Southeast Asia
- Prof. Madya Lar. Dr. Suhardi Maulam, Universiti Putra Malaysia, Malaysia
- Prof. Madya. Dr. Mohd. Fairuz Shahidan, Universiti Putra Malaysia, Malaysia
- Mr. Jaswant Singh, Institut of Spatial Planning and Environment Research (ISPER), India
- Mr. K Surjit Singh, Institut of Spatial Planning and Environment Research (ISPER), India
- Prof. Dr. Kareem Hasan Alwan, University of Baghdad, Iraq
- Prof. Dr. Nada Khaleefah Alrikabi, University of Baghdad, Iraq
- Dr. Yosef Barita Sar Manik, ST., M.Sc, Institut Teknologi Del, Sumatera Utara, Indonesia
- Dr. Merry Meryam Martgrita, Institut Teknologi Del, Sumatera Utara, Indonesia Indra Hartarto Tambunan, Ph.D, Institut Teknologi Del, Sumatera Utara, Indonesia
- Muhammad Sofyan, Institut Teknologi PLN, Jakarta, Indonesia
- Dr. Harnaedi Maizir, MT, Sekolah Tinggi Teknologi Pekanbaru, Riau, Indonesia
- Dr. Sinardi, ST., SP., M.Si, Universitas Fajar, Makassar, Sulawesi Selatan, Indonesia
- Ir. Frederik Josep Putuhena, M.Sc., Ph.D, Universitas Pembangunan Jaya, Jakarta, Indonesia
- Prof. Dr. Ir. H. Hazairin Samaulah, M.Eng., P.hD, Universitas Tridinanti, Palembang

#### **Scientific Committee**


- Dr. Melati Ferianita Fachrul, MS, Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Diana Irvindiaty Hendrawan, M.Si, Universitas Trisakti, Jakarta, Indonesia
- Dr. Astri Rinanti, MT, Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ratnaningsih, MT, Universitas Trisakti, Jakarta, Indonesia
- Ir. Rustam Hakim Manan, MT., Ph.D, Universitas Trisakti, Jakarta, Indonesia
- Ir. Ina Kristantia, M.Si., P.hD, Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Hanny W Wiranegara, MT, Universitas Trisakti, Jakarta
- Yonik Meilawati ST., MT., PhD, Universitas Pasundan, Bandung, Indonesia
  - Dr. Evi Afiatun, ST., MT, Universitas Pasundan, Bandung, Indonesia
- Dr. Dra. Fadjari Lucia Nugroho, M.Sc., DEA, Universitas Pasundan, Bandung, Indonesia

#### Organizing committee

- Dr. MM. Sintorini Moerdjoko, M.Kes Universitas Trisakti, Jakarta, Indonesia
- Dr. Rositayanti Hadisoebroto, ST., MT Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ratnaningsih, MT Universitas Trisakti, Jakarta, Indonesia
- Ir. Winarni, M.Sc Universitas Trisakti, Jakarta, Indonesia
- Dr. Astri Rinanti, MT Universitas Trisakti, Jakarta, Indonesia
- Tazkiaturrizki, ST., MT Universitas Trisakti, Jakarta, Indonesia
- Lailatus Siami, ST., MT Universitas Trisakti, Jakarta, Indonesia
- Riana Ayu Kusumadewi, ST., MT Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Hanny W. Wiranegara, MT Universitas Trisakti, Jakarta, Indonesia
- Ir. Etty Indrawati, M.Si Universitas Trisakti, Jakarta, Indonesia
- Ir. Pangaribowo, M.Si Universitas Trisakti, Jakarta, Indonesia
- Marselinus Nirwan Luru, ST., M.Si Universitas Trisakti, Jakarta, Indonesia
- Anindita Ramadhani, ST., MT Universitas Trisakti, Jakarta, Indonesia
- Olivia Seanders, ST Universitas Trisakti, Jakarta, Indonesia
- Arie Yulia Prasasti, A.Md Universitas Trisakti, Jakarta, Indonesia

doi:10.1088/1755-1315/737/1/011001

- Nurkholik, S.Kom Universitas Trisakti, Jakarta, Indonesia
  Irmawati, SE., ME Universitas Trisakti, Jakarta, Indonesia



#### **PAPER • OPEN ACCESS**

## Increasing Urban Heat Island area in Jakarta and it's relation to land use changes

To cite this article: C D Putra et al 2021 IOP Conf. Ser.: Earth Environ. Sci. 737 012002

View the article online for updates and enhancements.

#### You may also like

 Interactions between urban heat islands and heat waves
 Lei Zhao, Michael Oppenheimer, Qing Zhu et al

- <u>Shifting the urban heat island clock in a</u> <u>megacity: a case study of Hong Kong</u> Xuan Chen and Su-Jong Jeong

- <u>A high density urban temperature network</u> <u>deployed in several cities of Eurasian</u> <u>Arctic</u>

Pavel Konstantinov, Mikhail Varentsov and Igor Esau



#### Increasing Urban Heat Island area in Jakarta and it's relation to land use changes

#### C D Putra<sup>1</sup>, A Ramadhani<sup>2</sup> and E Fatimah<sup>2,\*</sup>

<sup>1</sup> Student in Department of Urban and Regional Planning, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia
<sup>2</sup> Lecturer in Department of Urban and Regional Planning, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia

#### \*endrawati@trisakti.ac.id

**Abstract.** Urban Heat Island (UHI) is a phenomenon that occurs in almost all metropolitan cities in the world. The UHI phenomenon also occurs in Jakarta, the capital city of Indonesia, a metropolitan city with an area of 662 km2, 12 million inhabitants, and an average population density of 16,000 per km2. Previous research shows the area of UHI, areas with temperatures> 300, in Jakarta in 1989 reached 84.53 km2 or 0.1 % of the total area. Based on these facts, the aim of this study is to identify changes in the area of UHI areas from 2008 to 2018 and their relation to land use changes. Temperature data used in this study are from Landsat satellite images in 2008, 2013 and 2018, while the land use data used are from National Geospatial Information Agency. Similar to the previous research, the operational definition of UHI used in this study is that UHI is the area with surface temperature > 300. The method used is spatial analysis and comparison method. The results showed that the area of UHI in Jakarta had increased. The areas of UHI Jakarta were 36.5%, 84.7%, and 85.2% of the total areas respectively in 2008, 2013 and 2018. The increases of UHI's area were in line with the increases of the built areas that respectively 79.2%, 82.9% and 85.2%. Land use for housing, commercial and services, industry and warehousing and transportation facilities seem to be more significantly affecting the increases of UHI area rather other land uses.

#### 1. Introduction

Urban Heat Island (UHI) is a closed isotherm which shows a relatively warmer surface area in urban areas compared to the surrounding rural areas [1]. In parallel with the increasing number of population and the rapid process of urbanization, Urban Heat Island is increasingly becoming more significant in urban areas and has an impact on the deteriorating conditions of air quality and the quality of the environment, the higher use of energy will ultimately affect climate change [2-4].

The UHI phenomenon occurs in almost all major cities [5-7] in the world including DKI Jakarta, state capital of Indonesia. With a land area of 653 km2, the population of DKI Jakarta reaches around 12 million and with an average population density of 16,000 people/km<sup>2</sup> [8]. Research conducted by Tursilowati in 1989 showed that UHI (an area with temperature > 30°C) in DKI Jakarta was detected as large as 84.53 km2 or around 0.1% of the total area of DKI Jakarta. Other research states that the city also experienced an

increase in temperature in several locations from around 289°K - 293°K in 2007 to  $\geq$  293°K in 2013 [9]. Based on this phenomenon, this study aims to identify the development of UHI area in DKI Jakarta in 2008 - 2018 and to examine the relationship to the changes in land use.

#### 2. Methods

The data used in this research is secondary data. Temperature data are obtained from Landsat Satellite Image, while land use data are collected from the National Geospatial Information Agency. The analytical method used in this study is a spatial analysis method using ArcGIS 10.0 software. Stages of data analysis carried out to map UHI is to calculate and map land surface temperature, determining UHI and non UHI areas, and analyzing the development of UHI area [10-12].

To determine whether an area is UHI or non-UHI, the maximum limit of normal temperature is utilized with an average temperature of  $30^{\circ}$  C [13]. An area is categorized as UHI if the temperature is >  $30^{\circ}$  C. The development of UHI area is analyzed by comparing the area of UHI in 2008, 2013 and 2018. Land use change analysis is done by comparing land use patterns (composition of built and non-built areas) and calculating the rate of change in each land use. Both results can be compared to descriptively identify the relationship between UHI and land use changes.

#### 3. Results and discussion

#### 3.1. Urban Heat Islands (UHI) area development in DKI Jakarta from 2008 to 2018

By using the operational definition that UHI is an area with temperature  $> 30^{\circ}$ , the area of UHI also increases from year to year. In 2008, the UHI area still covered 36.5% of DKI Jakarta's area or 23,846 ha, while in 2013 it jumped dramatically and cover most of the area (84.7% or 55,340.4). In 2013, almost all cities in Jakarta are categorized as UHI, so the spread of UHI 2013 – 2018 was no longer as intensive as in 2013-2018. In 2018, the area of UHI have reached to 61,820.9 ha (93.7% of the total area).

Based on the figure 1, we can see that the direction of UHI distribution starts from the central part of the city which is the centre of city activity and spreaded to any direction. The spread of UHI 2008 - 2013 shows the tendency of more intensive distribution to the south. However, the expansion of UHI with temperatures above  $34^{\circ}$  is expanding in the eastern part of Jakarta from North to South and starting to form spreading spots in the western part of the city. This condition shows that the temperature in DKI Jakarta in general is getting higher.




Figure 1. Land surface temperature distribution of DKI Jakarta in 2008, 2013, and 2018 [14-16].

#### 3.2. DKI Jakarta land use change from 2008 to 2018

As the nation's capital and the largest metropolitan in Indonesia, the development of Jakarta is highly rapid, especially related to activities as the Government Center as well as the center of the national economy. As a consequence, changes in land use in DKI Jakarta are very dynamic which resulting an increasing amount of developed land. Land use data of 2008, 2013 and 2018 are presented in Table 1.

LAND USE	ARI	EA BASE	D ON LA	ND USE	CATEGO	RY	LAND USE	<b>CHANGE</b>
	200	)8	20	13	20	18	2008 - 2013	2013-2018
	(ha)	(%)	(ha)	(%)	(ha)	(%)	(ha/year)	(ha/year)
<b>Government Facility</b>	610.9	0.9%	2013.3	3.1%	1993.2	3.0%	280.48	-4.02
Social Facility	2830.9	4.3%	4468.7	6.8%	4517.0	6.9%	327.56	9.66
<b>Transportation Facility</b>	401.0	0.6%	969.4	1.5%	1202.8	1.8%	113.68	46.68
Industry, Warehouses	4857.5	7.4%	5474.7	8.4%	5875.6	9.0%	123.44	80.18
<b>Commercial and Service</b>	4377.2	6.7%	6479.7	9.9%	7154.5	10.9%	420.50	134.96
Housing	38689.1	59.2%	34802.9	53.2%	34968.1	53.5%	-777.24	33.04
DEVELOPED LAND	51766.6	79.2%	54208.7	82.9%	55711.2	85.2%		
Farm	10638.7	16.3%	6668.8	10.2%	5443.5	8.3%	-793.98	-245.06
Water	2365.4	3.6%	1724.1	2.6%	1602.3	2.5%	-128.26	-24.36
Non-Farm Green Space	592.3	0.9%	2761.2	4.2%	2606.1	4.0%	433.78	-31.02
UNDEVELOPED LAND	13596.4	20.8%	11154.1	17.1%	9651.9	14.8%		
TOTAL	65363	100%	65363	100%	65363	100%		

**Table 1.** DKI Jakarta's land use in 2008, 2013 and 2018.

The total developed area in DKI has dominated land use in 2008 and has continued to increase in 2013 and 2018. The similarity of land use patterns in 2008 – 2018 that the land use is dominated by settlements. However, settlements tends to decrease although not significantly. This condition seems not in line with the increasing population of Jakarta. There are at least two answers to this phenomenon. First, residential areas become more densely populated with or without being followed by smaller building plots, and the second, regarding to government's policy to build Apartments. This means that the need of space for settlements for each population has become smaller, nevertheless, this decrease surely still followed by an increase in population density.

#### 3.3. Linkage between UHI expansion and land use change

The tendency of UHI expansion and the increasing temperature in DKI Jakarta is estimated to be related to the increasingly intensive development of land changes. This is also stated by [17] that land use changes have a strong relationship with air temperature increase, the higher the level of developed land, the higher the air temperature. The trend of developed area and UHI increase in DKI Jakarta is illustrated in Figure 2.

Although showing a equal increasing trend, the increase of UHI area is much faster than the increase of developed area. These results indicate that although land use (developed area) has an influence on temperature increases land use is not the only one that influences or shapes UHIs. As [18] the intensity of UHI increases in line with the increase of urban area. In addition, the intensity of UHI is also influenced by economic activity factor in the region, geographical and seasonal characteristics, and population level. This shows that the intensity of activities and population in a city greatly influences the formation of UHI.

IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002




Figure 2. UHI and developed area changes overyears in 2008, 2013 and 2018.

Jakarta has a high population density of 16,000 residents/ km2 [9]. In addition, Jakarta's daily economic activities are also supported by commuter residents who inhabit surrounding cities. These economic activities which then affect the intensity of land use such as building development in Jakarta, not only horizontally but also vertically, intensity of land use for commercial and service areas, intensity of land use for transportation facilities, and so on. As stated by [19], there was a significant correlation between Surface Urban Heat Island Intensity (SUHII) and population as well as GDP in global cities. Moreover, this study suggested that the impact of population on SUHII might be stronger in the early stages of urbanization, and the GDP factor would become a critical factor at a certain development level.

Table 2 shows, the types of land use in developed areas have a more significant effect on UHI compared to the types of undeveloped areas in 2008, 2013 and 2018. However, if compared between years, it is evident that the effect all types of land use have contributed to UHI formation. This phenomenon proves that it is not only land use that affects the area of UHI. It is estimated that the intensity of each land use will increase along with the population as users and with the increase in the intensity of activities on the land.

Land Use	U	HI Area (ha	)	%	% Against Land Use		
	2008	2013	2018	2008	2013	2018	
		Develop	ed Area				
Government Facility	114.27	1749.91	1836.57	18.7	86.9	92.1	
Social Facility	703.06	3502.68	4128.18	24.8	78.4	91.4	
Transportation Facility	184.23	919.39	1117.30	45.9	94.8	92.9	
Industry and Warehouses	1848.78	5075.83	5497.36	38.1	92.7	93.6	
<b>Commercial and Service</b>	1881.61	6399.81	7014.59	43.0	98.8	98.0	
Housing	18560.31	34562.20	34714.69	48.0	99.3	99.3	
		Undevelo	ped Area				
Farm	1397.81	3709.26	4059.55	13.1	55.6	74.6	
Water	255.52	495.78	678.02	10.8	28.8	42.3	
Non-Farm Green Area	101.64	2016.84	2301.58	17.2	73.0	88.3	

Table 2. UHI area based on land use category in 2008, 2013, 2018.

IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002

If we compare between each type of land use in developed land, these results indicate that in general, residential land use is the most influential one among other uses. Four kinds of land use namely residential, commercial and service, industry and warehousing and transportation facilities affect the expansion of UHI more significantly than land use for government facilities and social facilities. Meanwhile, in the group of undeveloped land use types, non-agricultural green area (cemetery, park, sports field) has more effect on the increase in temperature than farm land and water.

The results of this study are in parallel with a study conducted by [20]. The results of the study concluded that "the industrial-commercial areas and the high density residential areas correspond to the highest values of the land surface temperature, thus contributing to the intensification of the UHI phenomenon, regardless of the season, while the water bodies and the forests have the lowest values of the land surface temperatures, also regardless of the season." Similarly, [21] with the Singapore case study also identified that "in the daytime, the order of surface temperatures in different land uses types are industrial, commercial, airport, residential, and park respectively. However, during the night time, the order is commercial, residential, park, industrial, and airport." The finding of another study also mentions that "the change in pattern of UHI intensity varies for different cities and seasons" [18].

#### 4. Conclusion

This study examines the phenomenon of urban heat island (UHI) in Jakarta from 2008 to 2018 and its relation to land use, and some findings can be concluded. First, the UHI phenomenon in Jakarta shows the expansion and increase in temperature intensity. The area of UHI increased in succession from 36.5% of the total area in 2008, to 84.7% in 2013 and finally in 2018 it reaches 93.7%. UHI that occurred in 2013 was dominated by UHI with temperature ranges between  $30.1-34^{\circ}$  C. However, in 2018 it is dominated by UHI with temperature increase is in parallel with the increase of developed area, from 79.2% of the total area in 2008, to 82.9% in 2013 and 85.2% in 2018.

This study can also prove that the developed land use has more influence on UHI intensity compared to the undeveloped land use. Among the developed land uses, land use for residential, commercial and service, industry and warehousing and transportation facilities are identified to affect the UHI expansion more significantly than land use for government and social facilities. Meanwhile, in the group of types of undeveloped land use, non-farm green area (cemetery, park, sports field) has more effect on the increase in temperature than farm land and water. This study is recommended to be continued to further explore other factors such as population density, building intensity and intensity as well as the type of socioeconomic activity in each of these land uses.

#### References

- [1] United States Environmental Protection Agency 2008 "Urban Heat Island basics," In Reducing Urban Heat Island *Compendium Of Strategies,* Chapter 1, Draft Report
- [2] Quanliang C, Changjian N, Zhan L and Jingxuan R 2009 Urban heat island effect research in Chengdu city based on MODIS data 2009 3rd International Conference on Bioinformatics and Biomedical Engineering pp 1-5
- [3] Tursilowati L 2008 Urban Heat Island and their contribution on climate change and relationship with land use change *Proceeding National Seminar on Global Warming and Global Change: Fact, Mitigation and Adaptation*
- [4] Zong-Ci Z, Yong L and Jian-Bin H 2017 Are there impacts of urban heat island on future climate change?. *Advances in Climate Change Research* **4**(2) 133-136
- [5] Ardi I R 2014 Analisis Urban Heat Island dalam Kaitannya Terhadap Perubahan Penutup Lahan di Kota Pontianak (Analysis of Urban Heat Island in Relation to Changes in Land Closure in Pontianak City) Jurnal Teknologi Lahan Basah 2(1)

IOP Conf. Series: Earth and Environmental Science **737** (2021) 012002 doi:10.1088/1755-1315/737/1/012002

- [6] Hernawati R and Naf M Z T 2018 Analisis Fenomena UHI (Urban Heat Island) Berdasarkan Hubungan Antara Kerapatan Vegetasi Dengan Suhu Permukaan (Analysis of Urban Heat Island (UHI) Phenomenon Based on the Relationship between Vegetation Density and Surface Temperature) *ITB Journal of Geospatial* 05(1) 25-36
- [7] Al-Mukmin S A, Wijaya A and Sukmono A 2016 Analisis Pengaruh Perubahan Tutupan Lahan Terhadap Distribusi Suhu Permukaan dan Keterkaitannya Dengan Fenomena Urban Heat Island (Relationship Analysis of Land Cover Changes to Surface Temperature Related to Urban Heat Island Phenomenon Using Landsat Imagery) Jurnal Geodesi Undip 5(1) 224-233
- [8] Central Bureau of Statistics 2020 *DKI Jakarta Province in Figures 2020* (Jakarta: BPS Indonesia)
- [9] Prasasti I, Febrianti N, Parwati and Sari N M 2015 Analisis Perubahan Sebaran Pulau Panas Perkotaan (Urban Heat Island di wilayah DKI Jakarta dan Hubungannya dengan Perubahan Lahan, Kondisi Vegetasi dan Perkembangan Kawasan Terbangun Menggunakan Data Penginderaan Jauh (Analysis of Changes in the Distribution of Urban Heat Island in DKI Jakarta Region and Its Relationship with Changes in Land, Vegetation and Development of Built Areas Using Remte Sensing Data) Prosiding Pertemuan Ilmiah Tahunan XX dan Kongres (Bogor: Mapin Jabodetabek)
- [10] Wiweka 2014 Pola suhu permukaan dan udara menggunakan citra satelit landsat multitemporal (Surface and Air Temperature Patterns Use Multitemporal Landsat Sattelite Imagery) Ecolab 8(1) 1-52
- [11] Wanderley R L N, Domingues L M, Joly C A and da Rocha H R 2019 Relationship between land surface temperature and fraction of anthropized area in the Atlantic forest region, Brazil *PloS one* 14(12) e0225443
- [12] Peng X, Wu W, Zheng Y, Sun J, Hu T and Wang P 2020 Correlation Analysis of Land Surface Temperature and Topographic Elements in Hangzou, China *Sci Rep* .10(10451)
- [13] Tursilowati L L, Sumantyo J T S, Kuze H and Adiningsih E S 2012 Relationship Between Urban Heat Island Phenomenon and Land Use/ Land Cover Changes in Jakarta – Indonesia *Journal of Emerging Trends in Engineering and Applied Science* 3(4) 645-653
- [14] Central Bureau of Statistics 2009 DKI Jakarta Province in Figures 2009 (Jakarta: BPS Indonesia)
- [15] Central Bureau of Statistics 2014 DKI Jakarta Province in Figures 2014 (Jakarta: BPS Indonesia)
- [16] Central Bureau of Statistics 2019 DKI Jakarta Province in Figures 2019 (Jakarta: BPS Indonesia)
- [17] Tursilowati L 2005 Pulau Panas Perkotaan Akibat Perubahan Tata Guna dan Penutup Lahan di Bandung dan Bogor (Urban Heat Island Due to Changes in Land Use and Land Cover in Bandung
- [18] Lee K, Kim Y, Sung H C, Ryu J and Jeon S W 2019 Trend Analysis of Urban Heat Island Intensity According to Urban Area Change in Asian Mega Cities *Sustainability* **12**(1) 112
- [19] Cui Y, Xu X, Dong J and Qin Y 2016 Influence of Urbanization Factors on Surface Urban Heat Island Intensity: A Comparison of Countries at Different Developmental Phases *Sustainability* **8**(8) 706
- [20] Uritescu B 2017 The Influences of Land Use On The Urban Heat Island In Bucharest *Conference: Air and Water Component of the Environment Conference*
- [21] Jusuf S K, Wong N H, Hagen E, Anggoro R and Hong Y 2007 The Influence of Land Use on the Urban Heat Island in Singapore *Habitat International* 31(2) 232-242

# IOP\_Conf.\_Ser. \_Earth\_Environ.\_Sci.\_737\_01200 2

by Endrawati Fatimah

Submission date: 10-Apr-2023 12:10PM (UTC+0700) Submission ID: 2060282233 File name: Putra\_2021\_IOP\_Conf.\_Ser.\_\_Earth\_Environ.\_Sci.\_737\_012002.pdf (528.92K) Word count: 3459 Character count: 17080 IOP Conference Series: Earth and Environmental Science

PAPER - OPEN ACCESS

Increasing Urban Heat Island area in Jakarta and it's relation to land use changes

To one this article: C D Putra et al 2021 JOP Conf. Ser.: Earth Environ. Sci. 737 012102

View the article on ine for updates and enhancements.

You may also like

Interactions between untan head blands and holi woods Lei Zhoo, Michael Opperteiliner, Ging Zhu et al.

Certify the unleaded and does in a respective process door of Proce Rong Kuan Chen and Sky-Jong Jeong

A ket denidy after sense sken novati deskret in several critic of Elimitar bits

Pavel Konstantnov, Mikoali Varentsov and gor Lans



ECS 244m Electrochemical Society Meeting

October 8 - 12, 2023 . Gothenburg, Sweden

New decidline: April 21 nil your obstract! sub

This contant was downloaded from IP address 103.43.68 13 on 10/04/2023 at 05:21

Deadline Extended!

Last chance to submit!

The 5th International Seminar on Sastainable Urban Development IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002

#### Increasing Urban Heat Island area in Jakarta and it's relation to land use changes

#### C D Putra A Ramadhani<sup>1</sup> and E Fatimah<sup>2,\*</sup>

<sup>1</sup> Student in Department of Urban and Regional Planning, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia <sup>2</sup> Lecturer in Department of Urban and Regional Planning, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia

IOP Publishing

doi:10.1088/1755-1315/737/1/012002

\*endrawati@trisakti.ac.id

Abstract. Urban Heat Island (UHI) is a phenomenon that occurs in almost all metropolitan cities in the world. The UHI phenomenon also occurs in Jakanta, the capital city of Indonesia, a metropolitan city with an area of 662 km2, 12 million inhabitants, and an average population density of 16,000 per km2. Previous research shows the area of UHI, areas with temperatures> 300, in Jakanta in 1939 reached 84.53 km2 or 0.1% of the total area. Based on these facts, the aim of this study is to identify charges in the area of UHI areas from 2008 to 2018 and their relation to land use changes. Temperature data used in this study are from Lindont strellite images in 2008, 2013 and 2018, while the land use data used in this study are from Lindont strellite images in 2008, 2013 and 2018, while the land use data used are from National Geospatial Information Agency. Similar to the previous research, the operational definition of UHI used in this study is that UHI is the area with surface temperature > 300. The method used is spatial analysis and comparison method. The results showed that the area of UHI in Jakarta hud increased. The areas of UHI Jakarta were 36.5%, 84.7%, and 85.2% of the total areas respectively in 2008, 2013 and 2018. The increases of UHIs area were in line with the increases of the built areas that respectively 79.2%, 82.9% and 85.2%. Land use for housing, commercial and services, industry and wavehousing and transportation facilities seem to be more significantly affecting the increases of UHI area rather other land uses.

#### 1. Introduction

Urban Heat Island (UHI) is a closed isotherm which shows a relatively warmer surface area in urban areas compared to the surrounding rural areas [1]. In parallel with the increasing number of population and the rapid process of urbanization, Urban Heat Island is increasingly becoming more significant in urban areas and has an impact on the deteriorating conditions of air quality and the quality of the environment, the higher use of energy will ultimately affect climate change [2-4].

The UHI phenomenon occurs in almost all major cities [5-7] in the world including DKI Jakarta, state capital of Indonesia. With a land area of 653 km2, the population of DKI Jakarta reaches around 12 million and with an average population density of 16,000 people/km<sup>2</sup> [8]. Research conducted by Tursilowati in 1989 showed that UHI (an area with temperature > 30°C) in DKI Jakarta was detected as large as 84.53 km2 or around 0.1% of the total area of DKI Jakarta. Other research states that the city also experienced an

Content from this work, may be used onder the terms of the Creative Continues. Antibiation 3.0 licence. Any further distribution of East work, maintain antibiation to the authority and the title of the work, journal extention and DOL. Publishing Ltd 1

The 5th International Seminar on Sustainable Urban Development IOP Publishing IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002

increase in temperature in several locations from around 289<sup>s</sup>K - 293<sup>o</sup>K in 2007 to  $\ge$  293<sup>o</sup>K in 2013 [9]. Based on this phenomenon, this study aims to identify the development of UHI area in DKI Jakarta in 2008 - 2018 and to examine the relationship to the changes in land use.

#### 2. Methods

The data used in this research is secondary data. Temperature data are obtained from Landsat Satellite Image, while land use data are collected from the National Geospatial Information Agency. The analytical method used in this study is a spatial analysis method using ArcGIS 10.0 software. Stages of data analysis carried out to map UHI is to calculate and map land surface temperature, determining UHI and non UHI areas, and analyzing the development of UHI area [10-12].


To determine whether an area is UHI or non-UHI, the maximum limit of normal temperature is utilized with an average temperature of 30° C [13]. An area is categorized as UHI if the temperature is > 30° C. The development of UHI area is analyzed by comparing the area of UHI in 2008, 2013 and 2018. Land use change analysis is done by comparing land use patterns (composition of built and zon-built areas) and calculating the rate of change in each land use. Both results can be compared to descriptively identify the relationship between UHI and land use changes.

#### 3. Results and discussion

#### 3.1. Urban Heat Islands (UHI) area development in DKL Jakarta from 2008 to 2018

By using the operational definition that UHI is an area with temperature >30°, the area of UHI also increases from year to year. In 2008, the UHI area still covered 36.5% of DKI Jakarta's area or 23,846 ha, while in 2013 it jumped dramatically and cover most of the area (84,7% or 55,340.4). In 2013, almost all cities in Jakarta are categorized as UHI, so the spread of UHI 2013 – 2018 was no longer as intensive as in 2013-2018. In 2018, the area of UHI have reached to 61,820.9 ha (93,7% of the total area).

Based on the figure 1, we can see that the direction of UHI distribution starts from the central part of the city which is the center of city activity and spreaded to any direction. The spread of UHI 2008 – 2013 shows the tendency of more intensive distribution to the south. However, the expansion of UHI with temperatures above 34° is expanding in the eastern part of Jakarta from North to South and starting to form spreading spots in the western part of the city. This condition shows that the temperature in DKI Jakarta in general is getting higher.





The 5th International Seminar on Sustainable Urban Development	IOP Publishing
IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002	doi:10.1088/1755-1315/737/1/012002

#### 3.2. DKI Jakarta land use change from 2008 to 2018

As the nation's capital and the largest metropolitan in Indonesia, the development of Jakarta is highly rapid, especially related to activities as the Government Center as well as the center of the national economy. As a consequence, charges in land use in DKI Jakarta are very dynamic which resulting an increasing amount of developed land. Land use data of 2008, 2013 and 2018 are presented in Table 1.

LAND USE	ARI	EA BASE	LAND USE CHANGE					
	2008		2013		2018		2008-2013	2013-2018
	(ha)	(%)	(ha)	(%)	(ha)	(%)	(ha'year)	(ha/year)
Government Facility	610.9	0.9%	2013.3	3.1%	1993.2	3.0%	286.48	-4.02
Social Facility	2830,9	4.3%	4468.7	6.8%	4517.0	6.9%	327.56	9.66
Transportation Facility	401.0	0.6%	969.4	1.5%	1202.8	1.8%	113.68	46.68
Industry, Warehouses	4857.5	7,4%	5474.7	8,4%	5875.6	9.0%	123.44	80.18
Commercial and Service	4377.2	6.7%	6479.7	9.9%	7154.5	10.9%	420.50	134.96
Housing	38689.1	59.2%	34802.9	53.2%	34968.1	53.5%	-777.24	33,04
DEVELOPED LAND	51766.6	79.2%	54208.7	82.9%	55711.2	\$5.2%		
Farm	10638.7	10.3%	6668.8	10.2%	5443.5	8.3%	-793.98	-245.06
Water	2365.4	3.6%	1724.1	2.6%	1602.3	2.5%	-128.26	-24.36
Non-Farm Green Space	592.3	0.9%	2761.2	4.2%	2696.1	4.0%	433.78	-31.02
UNDEVELOPED LAND	13596.4	20.8%	11154.1	17.1%	9651.9	14.8%		
TOTAL	65363	100%	65363	100%	65363	100%		
Construction in the second sec							-	

#### Table 1. DKI Jakarta's land use in 2008, 2013 and 2018.

The total developed area in DKI has dominated land use in 2008 and has continued to increase in 2013 and 2018. The similarity of land use patterns in 2008 – 2018 that the land use is dominated by settlements. However, settlements tends to decrease although not significantly. This condition seems not in line with the increasing population of Jakarta. There are at least two answers to this phenomenon. First, residential areas become more densely populated with or without being followed by smaller building plots, and the second, regarding to government's policy to build Apartments. This means that the need of space for settlements for each population has become smaller, nevertheless, this decrease surely still followed by an increase in population density.

#### 3.3. Linkage between UHI expansion and land use change

The tendency of UHI expansion and the increasing temperature in DKI Jakarta is estimated to be related to the increasingly intensive development of land changes. This is also stated by [17] that land use changes have a strong relationship with air temperature increase, the higher the level of developed land, the higher the air temperature. The trend of developed area and UHI increase in DKI Jakarta is illustrated in Figure 2.

Although showing a equal increasing trend, the increase of UHI area is much faster than the increase of developed area. These results indicate that although land use (developed area) has an influence on temperature increases land use is not the only one that influences or shapes UHIs. As [18] the intensity of UHI increases in line with the increase of urban area. In addition, the intensity of UHI is also influenced by economic activity factor in the region, geographical and seasonal characteristics, and population level. This shows that the intensity of activities and population in a city greatly influences the formation of UHI.

IOP Publishing

The 5th International Seminar on Sustainable Urban Development JOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002




Figure 2. UHI and developed area changes overyears in 2008, 2013 and 2018.

Jakarta has a high population density of (6.000 residents/ km2 [9]. In addition, Jakarta's daily economic activities are also supported by commuter residents who inhabit surrounding cities. These economic activities which then affect the intensity of land use such as building development in Jakarta, not only horizontally but also vertically, intensity of land use for commercial and service areas, intensity of land use for transportation facilities, and so on. As stated by [19], there was a significant correlation between Surface Urban Heat Island Intensity (SUHII) and population as well as GDP in global cities. Moreover, this study suggested that the impact of population on SUHII might be stronger in the early stages of urbanization, and the GDP factor would become a critical factor at a certain development level.

Table 2 shows, the types of land use in developed areas have a more significant effect on UHI compared to the types of undeveloped areas in 2008, 2013 and 2018. However, if compared between years, it is evident that the effect all types of land use have contributed to UH1 formation. This phenomenon proves that it is not only land use that affects the area of UHI. It is estimated that the intensity of each land use will increase along with the population as users and with the increase in the intensity of activities on the land.

Land Use	1	HI Area (ha	)	%	Against Land	Use
	2008	2013	2018	2008	2013	2018
Address of the state of the sta		Develop	ed Area	50 m AV	11122201	25570
Government Facility	114.27	1749.91	1836.57	18.7	85.9	92.1
Social Facility	703.06	3502.68	4128.18	24.8	78.4	91.4
Transportation Facility	184.23	919,39	1117.30	45.9	94,8	92.9
Industry and Warehouses	1848,78	5075.83	\$497.36	.38.1	92.7	93.6
Commercial and Service	1881.61	6399.81	7014.59	43.0	98.8	98.0
Housing	18560.31	34562.20	34714.69	48.0	00.3	99.3
22		Undevelo	ped Area	- 10 mm		
Farm	1397.81	3709.26	4059.55	13.1	55.6	74.6
Wster	255.52	495.78	678.02	16.8	28.8	42.3
Non-Farm Green Area	101.64	2015,84	2301.58	17.2	71.0	88.3

Table 2. UHI area based on land use category in 2008, 2013, 2018.

The 5th International Seminar on Sustainable Urban Development IOP Publishing IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002

If we compare between each type of land use in developed land, these results indicate that in general, residential land use is the most influential one among other uses. Four kinds of land use namely residential, commercial and service, industry and warehousing and transportation facilities affect the expansion of UHI more significantly than land use for government facilities and social facilities. Meanwhile, in the group of undeveloped land use types, non-agricultural green area (cemetery, park, sports field) has more effect on the increase in temperature than farm land and water.

The results of this study are in parallel with a study conducted by [20]. The results of the study concluded that "the industrial-commercial areas and the high density residential areas correspond to the highest values of the land surface temperature, thus contributing to the intensification of the UHI phenomenon, regardless of the season, while the water bodies and the forests have the lowest values of the land surface temperatures, also regardless of the season." Similarly, [21] with the Singapore case study also identified that "in the daytime, the order of surface temperatures in different land uses types are industrial, commercial, airport, residential, and park respectively. However, during the night time, the order is commercial, residential, park, industrial, and airport." The finding of another study also mentions that "the change in pattern of UHI intensity varies for different cities and seasons" [18].

#### 4. Conclusion

This study examines the phenomenon of urban heat island (UHI) in Jakarta from 2008 to 2018 and its relation to land use, and some findings can be concluded. First, the UHI phenomenon in Jakarta shows the expansion and increase in temperature intensity. The area of UHI increased in succession from 36.5% of the total area in 2008, to 84.7% in 2013 and finally in 2018 it reaches 93.7%. UHI that occurred in 2013 was dominated by UHI with temperature ranges between 30.1-34° C. However, in 2018 it is dominated by UHI with temperature ranges between 30.1-34° C. However, in 2018 it is dominated by UHI with temperature  $\geq$  34.10 C. This UHI increase is in parallel with the increase of developed area, from 79.2% of the total area in 2008, to 82.9% in 2013 and 85.2% in 2018.

This study can also prove that the developed land use has more influence on UHI intensity compared to the undeveloped land use. Among the developed land uses, land use for residential, commercial and service, industry and warehousing and transportation facilities are identified to affect the UHI expansion more significantly than land use for government and social facilities. Meanwhile, in the group of types of undeveloped land use, non-farm green area (cemetery, park, sports field) has more effect on the increase in temperature than farm land and water. This study is recommended to be continued to further explore other factors such as population density, building intensity and intensity as well as the type of socioeconomic activity in each of these land uses.

#### References

- United States Environmental Protection Agency 2008 "Urban Heat Island basics," In Reducing Urban Heat Island Compendium Of Strategies, Chapter 1, Draft Report
- [2] Quanliang C, Changjian N, Zhan L and Jingxuan R 2009 Urban heat island effect research in Chengdu city based on MODIS data 2009 3rd International Conference on Bioinformatics and Biomedical Engineering pp 1-5
- [3] Tursilowati L 2008 Urban Heat Island and their contribution on climate change and relationship with land use change Proceeding National Seminar on Global Warming and Global Change: Fact, Mitigation and Adaptation
- [4] Zong-Ci Z, Yong L and Jian-Bin H 2017 Are there impacts of urban heat island on future climate change?. Advances in Climate Change Research 4(2) 133-136
- [5] Ardi I R 2014 Analisis Urban Heat Island dalam Kaitannya Terhadap Perubahan Penutup Lahan di Kota Pontianak (Analysis of Urban Heat Island in Relation to Changes in Land Closure in Pontianak City) Jurnal Tehnologi Lahan Basah 2(1)

10P Publishing

IOP Conf. Series: Earth and Environmental Science 737 (2021) 012002 doi:10.1088/1755-1315/737/1/012002

The 5th International Seminar on Sustainable Urban Development

- [6] Hernswati R and Naf M Z T 2018 Analisis Fenomena UHI (Urban Heat Island) Berdasarkan Hubungan Antara Kerapatan Vogetasi Dengan Suhu Permukaan (Analysis of Urban Heat Island (UHI) Phenomenon Based on the Relationship between Vegetation Density and Surface Temperature) *ITB Journal of Geospatial* **95**(1) 25-36
- [7] Al-Mukmin S A, Wijaya A and Sukmono A 2016 Analisis Pengaruh Perubahan Tutupan Lahan Terhadap Distribusi Suhu Permukaan dan Keterkaitannya Dengan Fenomena Urban Heat Island (Relationship Analysis of Land Cover Changes to Surface Temperature Related to Urban Heat Island Phenomenon Using Landsat Imagery) *Journal Geoclesi Undip* 5(1) 224-233
- [8] Central Bureau of Statistics 2020 DKI Jakarta Province in Figures 2020 (Jakarta: BPS Indonesia)
- [9] Prasasti I, Febrianti N, Parwati and Sari N M 2015 Analisis Perubahan Sebaran Pulau Panas Perkotaan (Urban Heat Island di wilayah DKI Jakarta dan Hubungannya dengan Perubahan Lahan, Kondisi Vegetasi dan Perkembangan Kawasan Terbangun Menggunakan Data Penginderaan Jauh (Analysis of Changes in the Distribution of Urban Heat Island in DKI Jakarta Region and Its Relationship with Changes in Land, Vegetation and Development of Built Areas Using Remte Sensing Data) Prosiding Pertenuan Ibritah Tahunan XX dan Kongres (Bogor: Mapin Jabodetabek)
- [10] Wiweka 2014 Pola suhu permukaan dan udara menggunakan citra satelit landsat multitemporal (Surface and Air Temperature Patterns Use Multitemporal Landsat Sattelite Imagery) Ecolab 8(1) 1-52
- [11] Wanderley R L N, Domingues L M, Joly C A and da Rocha H R 2019 Relationship between land surface temperature and fraction of anthropized area in the Atlantic forest region, Brazil PloS one 14(12) e0225443
- [12] Peng X, Wu W, Zheng Y, Sun J, Hu T and Wang P 2020 Correlation Analysis of Land Surface Temperature and Topographic Elements in Hangzou, China Sci Rep. 10(10451)
- [13] Tursilowati L L, Sumantyo J T S, Kuze H and Adiningsih E S 2012 Relationship Between Urban Heat Island Phenomenon and Land Use/ Land Cover Changes in Jakarta – Indonesia Journal of Emerging Trends in Engineering and Applied Science 3(4) 645-653
- [14] Central Bureau of Statistics 2009 DKI Jakarta Province in Figures 2009 (Jakarta: BPS Indonesia).
- [15] Central Bureau of Statistics 2014 DKI Jakarta Province in Figures 2014 (Jakarta: BPS Indonesia)
- [16] Central Bureau of Statistics 2019 DKLJakarta Province in Figures 2019 (Jakarta: BPS Indonesia)
- [17] Tursilowati L 2005 Pulau Panas Perkotaan Akibat Perubahan Tata Guna dan Penutap Lahan di Bandung dan Bogor (Urban Heat Island Due to Changes in Land Use and Land Cover in Bandung
- [18] Lee K, Kim Y, Sung H C, Ryu J and Jeon S W 2019 Trend Analysis of Urban Heat Island Intensity According to Urban Area Change in Asian Mega Cities Sustainability 12(1) 112
- [19] Cui Y, Xu X, Dong J and Qin Y 2016 Influence of Urbanization Factors on Surface Urban Heat Island Intensity: A Comparison of Countries at Different Developmental Phases Susteinability 8(8) 706
- [20] Uritescu B 2017 The Influences of Land Use On The Urban Heat Island In Bucharest Conference: Air and Water Component of the Environment Conference
- [21] Jusuf S K, Wong N H, Hagen E, Anggoro R and Hong Y 2007 The Influence of Land Use on the Urban Heat Island in Singapore Habiter International 31(2) 232-242

## IOP\_Conf.\_Ser. \_Earth\_Environ.\_Sci.\_737\_012002

ORIGINA	ALITY REPORT	
SIMILA	4% 11% 10% 6% student party index internet sources publications 5tudent parts	\PERS
PRIMAR	Y SOURCES	
1	Submitted to Trisakti University Student Paper	3%
2	doaj.org Internet Source	2%
3	www.mdpi.com Internet Source	2%
4	Minh Tuan Le, Thi Anh Tuyet Cao, Nguyen Anh Quan Tran, Shukurov Ilkhomhon Sadriavich, Thi Khanh Phuong Nguyen, Thi Kim Cuong Le. "Case Study of GIS Application in Analysing Urban Heating Island Phenomena in Tropical Climate Country", IOP Conference Series: Materials Science and Engineering, 2019 Publication	2%
5	scholarbank.nus.edu.sg	1%
6	Submitted to The University of Manchester Student Paper	1%

7	Hui Wang, Jie Song, Jun Tao. "Big Data Analysis of the Ecological Environment in the Dianchi Watershed", Journal of Physics: Conference Series, 2020 Publication	1%
8	M F Abdulateef, H A S Al-Alwan. "Climate change risk assessment in Baghdad: examining population vulnerability", IOP Conference Series: Materials Science and Engineering, 2021 Publication	<1 %
9	Submitted to Mar Baselios Engineering College Student Paper	<1%
10	Submitted to University of Reading Student Paper	<1%
11	Patricio Pacheco, Eduardo Mera, Giovanni Salini. "Urban Densification Effect on Micrometeorology in Santiago, Chile: A Comparative Study Based on Chaos Theory", Sustainability, 2022 Publication	<1%
12	Soushi Kato, Yasushi Yamaguchi. "Chapter 16 ASTER Application in Urban Heat Balance Analysis: A Case Study of Nagoya", Springer Science and Business Media LLC, 2010 Publication	<1%

13	ejournal3.undip.ac.id	<1%
14	epdf.pub Internet Source	<1%
15	Amani Karima, Mawar DS Silalahi, Astri Rinanti. " Increasing content of lipid in tropical microalgae and sp. with variation of nitrogen content and extraction temperature ", MATEC Web of Conferences, 2018 Publication	<1 %
16	<b>journals.vgtu.lt</b> Internet Source	<1%
17	repository.futminna.edu.ng:8080	<1%
18	Shahnillah Haider Rizvi, Hira Fatima, Muhammad Jawed Iqbal, Khan Alam. "The effect of urbanization on the intensification of SUHIs: Analysis by LULC on Karachi", Journal of Atmospheric and Solar-Terrestrial Physics, 2020 Publication	<1%

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	On		

## IOP\_Conf.\_Ser. \_Earth\_Environ.\_Sci.\_737\_012002

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/0	Instructor
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	

