




Faculty of Landscape Architecture
and Environmental Technology
Jakarta, Indonesia

PROCEEDING

IDRC  CRDI

 MercyCorps

INTERNATIONAL SEMINAR on **SUSTAINABLE URBAN DEVELOPMENT**

20-21 August 2008

at Campus A of Trisakti University,
Building D, 8th Floor,
Jl. Kyai Tapa No. 1, Grogol, Jakarta, Indonesia

No. ISBN 978 - 979 - 99119 - 3 - 3

 **JAYA**
CONSTRUCTION
Strive for the Best!

DAN TV

 **matri**
104.2 fm



KEMENTERIAN KARYAKAWASAN DAN INFRASTRUKTUR
REPUBLIK INDONESIA

PROCEEDING

IDRC * CIDI

Pharos Corp

INTERNATIONAL SEMINAR on **SUSTAINABLE URBAN DEVELOPMENT**

20-21 August 2008

at Campus A of Trisakti University,
Building D, 8th Floor,
Jl. Kyai Tapa No. 1, Grogol, Jakarta, Indonesia

No. ISBN 978 - 979 - 99119 - 2 - 3



JAYA
JAYA
JAYA

TRISAKTI
UNIVERSITY

PROCEEDING

INTERNATIONAL SEMINAR ON SUSTAINABLE URBAN DEVELOPMENT (ISoSUD 2008)

Jakarta, 20-21 August 2008

ISBN 978-979-99119-3-3

FALTL PRESS TRISAKTI UNIVERSITY

Jl. Kyai Tapa No. 1, Jakarta 11440

INDONESIA

Phone. : 62-21-5663232 ext 754

Fax. : 62-21-5602575

Website : www.trisakti.ac.id

1st Edition 2008

Copyright © 2008 by FALTL Trisakti University all right reserved. Except as permitted under the Indonesian Copyright Act, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

ORGANIZING COMMITTEE REPORT

Dear all participants,

The International Seminar on Sustainable Urban Development, ISOSUD 2008, is conducted by Faculty of Landscape Architecture and Environmental Technology, Trisakti University and in cooperation with Mercycorps. The aims of this seminar is to share and to discuss all ideas, experiences, concepts and regulations on sustainable urban development amongst researchers, practitioners, and decision makers.

Within two days, we will listen and discuss with some keynote speakers, they are Prof. Suma Jayadiningrat from Indonesia, Prof. Winter from Karlsruhe Universitat Germany, Prof. Takao Yamashita from Hiroshima University Japan, Prof. Mustafa Kamal from Universiti Putra Malaysia, Dr. Rolf Baur from Technische Universitat Dresden Germany as Director of CIPSEM UNEP/UNESCO, Dr. Jusna J.A. Amin from Trisakti University Indonesia, Dr. Haryo Winarso from ITB, and Dr. Sujana Royat as Deputi Menko Kesra. Beside that, there will be 6 class room of presentation in each day. The presenters are come from many institutions and many countries. The local institutions including universities, like Trisakti University, ITB, UI, UGM, UNDIP, ITS, UNPAS, ITENAS, Univ. Mahayati, Univ. Islam Sultan Agung Semarang, Univ. Islam Indonesia Yogyakarta, Univ. Muhammadiyah Surakarta, UNPAD, IPB, UPN Surabaya, UNTAR, Univ. Negeri Semarang; research boards, like BPPT, LIPI, LAPAN; governments like Public Work Dept.; Donors like World Bank; and NGO's, like UN Habitat, Bali Fokus, LPPSE, and Mercycorps. International presenters are come from Malaysia, Thailand, Taiwan, Japan, and Germany.

We are very grateful to Rector of Trisakti University; Dean of Faculty of Landscape Architecture and Environmental Technology; Head of Environmental Engineering Department; Head of Landscape Architecture Department; Head of Urban and Regional Planning Department; the member of Steering Committee, Peer Reviewer, and Organizing Committee that very supported and helpful within the preparations and conduction of the seminar. The seminar is supported by Mercycorps, IDRC, and PT Jaya Konstruksi; also MS Tri Radio and DAAI TV as media sponsorships.

Thank you for your participation and hope you enjoy the seminar.

Jakarta, August 20th, 2008



Chairman of Organizing Committee
Rositayanti Hadisoebroto, ST, MT

CONTENTS

Organizing Committee Report	i
Rector Speech	ii
Summary of International Seminar on Sustainable Urban Development	iii
Content.....	v
Committees	xii
Scientific Programme	xv
Keynote Speaker	
A BRIEF CRITICAL QUESTIONS OF SUSTAINABLE DEVELOPMENT	1
Prof. Suma Djajadiningrat	
URBAN MANAGEMENT FOR SUSTAINABLE DEVELOPMENT : LAND USE AND WATER	4
Dr.Ing Rolf Baur	
WASTE TREATMENT TECHNOLOGY TO SUPPORT SUSTAINABLE URBAN DEVELOPMENT	11
Prof. Winter	
THE ROLE OF MODELLING TO CONTROL ENVIRONMENTAL PROBLEM	22
Prof. Takao Yamashita	
ENVIRONMENTAL DESIGN BEHAVIOR AND ITS IMPACT ON SUSTAINABILITY OF URBAN DEVELOPMENT	50
Mustafa Kamal Bin Mohd. Shariff, ALAM	
MANAGING INDONESIA'S CULTURAL LANDSCAPE IN URBAN AREAS IN A SUSTAINABLE WAY	57
Dr.Jusna M.Amin	
PROJECT EXPERIENCE: LAND TENURE AND INVESTMENT IN HOUSING	69
Marcelino Pandin	
PRO-POOR GOVERNANCE AND PARTICIPATORY PLANNING: THE CASE OF STREN KALI SURABAYA	75
Wardah Hafidz	
PILOT PROJECT HP3/LESTARI COMMUNAL WATER SUPPLY SYSTEM	82
Mercy Corps	
COMMUNITY BASED SANITATION & SOLID WASTE MANAGEMENT IN URBAN AREAS	87
-LESSONS LEARNT-	
Noka Destalina (BaliFokus)	
COMMUNITY ASSISTANCE ON KAMPUNG MAKEOVER (BEST PRACTISE SHARING EXPERIENCE)	104
BEST PRACTISE	

RBANIZATION AND POVERTY REDUCTION IN SOME INDONESIAN CITIES Dr. Haryo Winarso	118
PRO POOR URBAN DEVELOPMENT Dr. Sujana Royat	125
Details Programme for Oral Presentation	
- SUB THEME ENVIRONMENTAL TECHNOLOGY (ET)	
OP.ET-01 Biological Treatment of Domestic Biowaste Fractions (Dr. Claudia Gilbert)	
OP.ET-03 Anaerobic Fermentation of Fresh Vegetable and Fruit Waste's (A. Susilorukmi, L. Sriwuryandari, A. Ekoputranto, Dewi N, T. Sembiring)	135
OP.ET-04 Effluent Of Laboratory Wastewater Treatment By <i>Heliconia Rostrata</i> To Degradation Of Organic Matter (COD) And Total Suspended Solid (TSS) (Rahmat Boedisantoso dan Nuraini Wijayanti)	141
OP.ET-05 Design Of A Water Recycle System In A Food Industry (Edi I. Wiloso, Vera Barlianti and Ajeng A. Sari)	146
OP.ET-06 Color Removal Of C.I. Reactive Orange 16 By Mixed Culture Of Fungi Immobilized On Mussel Shells (Fadjari L. Nugroho, Evi Afiatun, Juju Chayadi)	150
OP.ET-09 Biodegradation Of Monochlorotriazinyl Reactive Red By <i>Pseudomonas rudinensis</i> and <i>Pseudomonas diminuta</i> (Rudy Laksmono. W, D.G Okayadnya Wijaya)	156
OP.ET-10 Preliminary Study Of Crude Oil Hydrocarbon Degradation By Dominant Fungal Isolates (Astri Nugroho)	164
OP.ET-11 Potential Application Of Biosurfactant Produced From <i>Azotobacter Sp</i> In Oil Industry (Qomarudin Helmy, Edwan Kardena, Pujawati Suryatmana and Wisjnuaprpto)	176
OP.ET-16 Wastewater Regeneration To Minimize Industrial Cooling Water Flowrate (Ellina S. Pandebesie, Renanto H, JC Liu, Tri Widjaya)	184
OP.ET-17 Minimization Of Total Cost For Medical Waste Treatment System In Bandung City (Mochammad Chaerul, Lucky Lie Junpi, Ninda Ekaristi)	190

SUB THEME URBAN MANAGEMENT (UM)		
OP.UM-01	Creating Sustainable Open Space Developments In Urban Housing Areas Through Community Participation, A Study Case Of West Jakarta (Ady Rizalayah Thahir)	193
OP.UM-02	Sustainability Of Water Supply Systems For Poor Communities (Ali Masduqi, Eddy B. Soedjono, Noor Endah, Wahyono Hadi)	202
OP.UM-03	Environmentally Community-Based Urban Drainage Management: Recharge Well Development (El Khobar M. Nazeeh)	208
OP.UM-06	Land Use, Transport and Environment (Dr.Rolf Baur)	215
OP.UM-07	Indonesia's Most Suitable Municipal Solid Waste (MSW) Management (Adi Mulyanto and Tiliresmi)	223
OP.UM-09	Characteristic Of Water Supply And Willingness To Pay To Determine Water Tariff (Djoko M. Hartono)	235
SUB THEME ENVIRONMENTAL MANAGEMENT (EM)		
OP.EM-01	Water Quality Determination Used Phytoplakton Community In Saguling Reservoir (Diah Prambadani, and Darti Setiani Muntalif)	244
OP.EM-02	System Interrelationship Model To Approach Minimization On CO ₂ Emission From House And Life In Cities (Priana Sudjono and Indra Kusuma Dewi)	251
OP.EM-03	Evaluation Of Water Quality Sampling Point With HP28 Model (Dr.Ir.Nieke Karnaningroem MSc.,Hermien Indraswari, ST)	258
OP.EM-04	The Environmental Impacts Of Pesticides Use On Soil, Water, And Commodities In Yogyakarta Province (Ch.Lilies Sutarmilingsih, Edhi Martono, Eko Sugiharto)	268
OP.EM-05	Strategic Framework For Optimizing Water Resources Carrying Capacity As A Basis For Sustaining Urban Development (A Case Study Of Bekasi Urban Area In Indonesia) (Setyo S. Moersdik, Endrawati Fatimah, Masni Dyta Angrani, Maika Nurhayati)	277
OP.EM-06	Developing A Model Of City's Land Resources Carrying Capacity (Endrawati Fatimah, Setyo S. Moersdik, M. Putri Rosalina)	284

OP.EM-07	Using Geographic Information Systems In Flood Prone Area Management For Sustainable Development (Yanti Budiyaning)	291
OP.EM-08	Global Warming Control Through The Application Of Participation Conservation Model In The Catchment Area Of Wonogiri Dam, Bengawan Solo River Basin (Hermawan Kusumartono, FX)	297

- SUB THEME LANDSCAPE ARCHITECTURE (LA)

OP.LA-03	Visual Landscape Preferences And Meaning Of Tourism Areas In Indonesia (Ina Krisantia, Noorizan Mohamed, Mustafa Kamal, M.S.)	308
OP.LA-04	The Potency Of Glodok China Town Historical Landscape For Tourism Development (Nurhayati H.S. Arifin, Qodarian Pramukanto, Hendry)	314
OP.LA-05	The Need To Establish A Nursery Standard Towards A Sustainable Urban Landscape In Malaysia (Roziya Ibrahim, Osman Mohd Tahir, Nordin Abdul Rahman and Mohd Nazri Saidon)	320
OP.LA-06	Towards Sustainable Kuala Lumpur City: Government Efforts And Social Cohesion For Safety And Security (Dr Kamariah Dola, Dr Norsidah Ujang)	329
OP.LA-08	Revitalising Backlanes Using Cpted Concept To Prevent Crime Case Study : Pudu District, Kuala Lumpur (Haidaliza Masram, Ahmad Ridhwan, Ahmad Radzi, Sumarni Ismail, Mohd Fakri Zaky Jaafar)	336
OP.LA-11	Linking Comfort And Place Attachment Dimensions : A Sustainable Agenda (Dr. Norsidah Ujang)	347
OP.LA-12	Trend Analysis Of Green Open Public Space (Gops) At Kebayoran Baru, Jakarta (Agus Budi Purnomo)	353

Details Programme for Poster Presentation

- SUB THEME ENVIRONMENTAL TECHNOLOGY (ET)

PP.ET-01	Tailing Rehabilitation Using Bio-Organic Technology (Genta Hariangbanga, Melati Ferianita Fachrul)	360
PP.ET-02	Plywood Glue Mix Sludge Recycle As A Filler (Study Case In Pt. Lakosta Indah-Samarinda) (Asih Wijayanti, Dwi Indrawati)	367
PP.ET-04	Analysis Of <i>Sansevieria Sp.</i> And <i>Hibiscus Rosa-Sinensis</i> Capability In Reducing Co Gas Concentration (Rachmat Boedisantoso, Putri Widhowati)	374

PP.ET-05	Biofiller As An Alternative Water Treatment to Remove Organic Matter (Rosllyanti Hadisoebroto, Raditya Arif Permana, Huseidaman Said)	389
PP.ET-06	Used Of Fly And Bottom Ash (Coal Combustion By-Products) For Paving Block With Solidification/Stabilization Method (Asih Wijayanti)	397
PP.ET-07	The Carbon, Nitrogen And Phosphorous Contents In The Blowaste Solid Fraction After Pre-Treating In A Mechanical Biological Treatment Process (Eth Hartati, Novri Susanto, Marisa Handayani and Prayatni Soewondo)	393
- SUB THEME URBAN MANAGEMENT (UM)		
PP.UM-01	Formulation Of Zoning Regulation Principles For Urban Agriculture Activity In Surabaya (Myrna Augusta A. Dewi)	399
PP.UM-02	Natural Resources Analysis For Development Of Zonation Planning Of Western Coastal Area Of Kabupaten Pandeglang – Banten Province Based On GIS (DR. Ir. Hj. Arwindrastil B.K., MSI)	424
PP.UM-06	Technical Plan Of 3r Program For Collection And Transportation Of Domestic Waste In Subdistrict Crogol Petamburan, West Jakarta (Dwi Indrawati, Pramlati P.P. Rlatno, Hesy Martha)	432
PP.UM-08	Ball Cities As Models For Sustainable Urban Development 'Harmonious Urban Community Pattern Form Based On Local Wisdom' (Ir. Ida Bagus Rabindra, MSP)	439
PP.UM-09	Study Of Correlations Spatial Indeks Housing And Physical Environmental Quality Of Residential (Dwi Nowo Martono & Ninin Gusdini)	446
PP.UM-10	Recycle Industry Of Plastic Scrap In The Context Of City Waste Management (Case Study: Pt Welling) (Anita Sitawati Wartawan & Benny Benyamin Soeharto)	453
PP.UM-11	New Area Development With Water Management System (Sih Andayani & Bambang E. Yuwono)	457
- SUB THEME ENVIRONMENTAL MANAGEMENT (EM)		
PP.EM-01	Environmental Factors And An Eco-Epidemiological Model Of Malaria In Indonesia (M.M. Sintorini)	466

PP.EM-02	Modelling Of The Reaeration Due To Dissolved Oxygen Fluctuation In The Ciliwung River (Widyo Astono)	470
PP.EM-03	Optimization Model Of Applying Integrated Solid Waste Treatment Technology (Dwi Indrawati)	476
PP.EM-04	Study Of Small Lakes As Supporting City Ecosystem In Jakarta (Diana Hendrawan, Melati Ferianita Fachrul)	483
- SUB THEME LANDSCAPE ARCHITECTURE (LA)		
PP.LA-01	Policy Analysis Of Urban Green Openspace Management In Jakarta City, Indonesia (Rustam Hakim, Moch Sarofil Abu Bakar, Foziah bt. Johar)	490
PP.LA-02	River Banks Prevention As Virtual Effort To Conserve Water (Nur Intan Mangunsong)	507
PP.LA-03	The Effect Of Temporal Aspect Aesthetic Quality Of Ricefield Landscape (Agus Ruliyansyah and Andi Gunawan)	501
PP.LA-04	Sadulur Papat Kalima Pancer In Landscape Symbolism Of Surakarta Hadiningrat Palace Within The Context Of Sustainable Urban Development (Eko Adhy Setiawan)	515
PP.LA-05	The Green Infrastructure Urban Landscape Design Base On Local Knowledge (Ida A.S. Danur)	519
PP.LA-06	Implementation Of Eco-Park Concept In Green Open Space To Support The Sustainable Development (Silia Yuslim & Lavinia)	522
PP.LA-07	Landscape Codes: What Are They And Why Have Them? (Sumiantono Rahardjo M)	527
PP.LA-08	Ecotourism, Conservation In Urban Area (Qurrotu 'Aini Besila)	533
PP.LA-09	The Influence Of Using Perforated Concrete Block Paving, Grass And Gravel As Ground Cover To Infiltration (Isamoe Prasodjo)	539
PP.LA-10	The Function Of Open Space For China Descent Community In Tangerang City (Hinijati Widjaja)	542
PP.LA-11	Green Open Space As A Reins Of Urban Environmental Quality (Ir. Harjadi Widjajanto MT)	548

COMMITTEES

INTERNATIONAL SEMINAR ON SUSTAINABLE URBAN DEVELOPMENT

Faculty of Landscape Architecture and Environmental Technology

Trisakti University 2008

I. Steering Committee

- Chairman** : Ir. Ida Bagus Rabindra, MSP
- Members** : - Prof. Dr. Wahjudi Wisaksono
 - Prof. Ir. Soekisno Hadikoemoro
 - Prof. Dr. Ir. Soepangat Soemarto, MSc
 - Prof. Dr. Ir. Zoeraini, MS
 - Ir. H. Aidid A. Gafar, MT
 - Ir. Silla Yuslim, MT
 - Ir. Winarni, M.Sc
 - Ir. Hiniwati Wijaya, M.Si
 - Drs. Muhammad Lindu, MT
 - Dr.Ir.Arwindrasti, BK., MS
 - Ariani Dwi Astutu, ST, MT
 - Ir. Benny Benyamin Soeharto, MS

II. Organizing Committee

- Chairman** : Rositayanti H., ST, MT
- Treasure** : Ir. Anita Sitawati, MS
- Members** : Drs. Kismartono
 : Ir. Etty Indrawati, MT
 : Irmawati, SE
- Secretariate**
- Coordinator** : Ir. Qurrotu 'Aini Besila, MT
- Protocoler** : Dra. Astri R. Nugroho, MT
- Promotion** : Ir. Ramadhani Yanidar, MT
- Public Relation** : Drs. Yayat Supriatna, MSP
- Members** : Ir. Nur Intan Mangunsong, MT
 Drs. Nunu Wisnuaji, Dipl. TEFL
 Drs. Riyadi S
 Sutiman, SPd
 Indra Suhara
 Heru Aryono

Paper Documentation

Coordinator : Dr. Melati F. Fachrul, MS
Members : Dr. MM. Sintorini, Mkes
Dr. Jusna M. Amin, MS
Ariani Dwi Astuti, ST, MT

Program (Seminar Class, Pleno dan Culture Night)

Coordinator : Ir. Rahel Situmorang, MSP
Acomodation : Drs. R.L. Pangaribowo, MS
Members : Tarjo
Suratman
Ateng

Dokumentation & Prosiding : Pramianti Purwaningrum, ST, MT
Members : Tri Yunlarti, SSos
: Taufik, SH
: Wawa Rukanda
: Tarman

Logistic & Decoration: Ir. Iwan Ismaun, MT
Members : Supardi
: Agus
: Jumroni
: Agus Wahyudi

Culture Night : Ir. Adriansyah Noor, MT
Members : Ir. Mawar Silalahi, MS
: Ir. Asih Wijayanti, MS
: Dra. Dewi Kusumawardani, MT

PEER-REVIEWER

Chairman : Prof. Dr. Wahjudi Wisaksono
Members :
Prof. Dr. Emil Salim, Indonesia
Prof. Dr. Ir. Soepangat Soemarto, MSc, (Trisakti University, Indonesia)
Prof. Winter (Karlsruhe University, Germany)
Prof. Takao Yamashita (Hiroshima University, Japan)
Prof. Ir. Soekisno Hadikoemoro, (Trisakti University, Indonesia)
Prof. Dr. Ir. Zoeraini Djamal Irwan, MS (Trisakti University, Indonesia)
Dr. Ing. Rolf Baur (Director CIPSEM UNEP/UNESCO, TU Dresden Germany)

KEYNOTE SPEAKERS

1. Prof. Dr. Emil Salim (Indonesia)
2. Prof. Takao Yamashita (Hiroshima University, Japan)
3. Prof. Winter (Karlsruhe University, Germany)
4. Dr. Ing. Rolf Baur (Director CIPSEM UNEP/UNESCO, TU Dresden, Germany)
5. Dr. Jusna M Amin, MS (Trisakti University, Indonesia)
6. Prof. Dr. Mustafa Kemal Syarif (UPM, Malaysia)

SUB – THEME ENVIRONMENTAL MANAGEMENT

Session II Class Presentation
August 21.2008

Environmental Management				
Time (WIB)	Code	Topic	Presenter	Chairman
13.15-13.40	OP.EM-05	Strategic Framework For Optimizing Water Resources Carrying Capacity As A Basis For Sustaining Urban Development (A Case Study Of Bekasi Urban Area In Indonesia)	Setyo S. Moersidik ¹ , Endrawati Fatimah ² , Masni Dyta Angreani ¹ , Maika Nurhayati ¹ ¹ Environmental Studies Program, Post Graduate Program, University of Indonesia, Jakarta, Indonesia ² Department of Regional and City Planning, University of Trisakti, Jakarta, Indonesia (For correspondence: Address: PSIL – UI, Jalan Salemba Raya No. 4 Jakarta, Telepon: (021) 31930251, Facsimile: (021) 3146662, E-mail: psil_ui@link.net.id	Dr. Widyatmoko
13.40-14.05	OP.EM-06	Developing A Model Of City's Land Resources Carrying Capacity	Endrawati Fatimah ¹ , Setyo S. Moersidik ² , M. Putri Rosalina ² ¹ departement Of Regional And City Planning, University Of Trisakti, Jakarta, Indonesia ² environmental Studies Program, Post Graduate Program, University Of Indonesia, Jakarta, Indonesia (For Correspondence: Address: Psil – Ui, Jalan Salemba Raya No. 4 Jakarta, Telepon: (021) 31930251, Facsimile: (021) 3146662, E-Mail: psil_ui@link.net.id, indo_googolendra@yahoo.com	
14.05-14.30	OP.EM-07	Using Geographic Information Systems In Flood Prone Area Management For Sustainable Development	Ir. Yanti Budiyanitini, MdevPlg Department of Urban and Regional Planning, Institut Teknologi Nasional (Itenas) budiyan@itenas.ac.id	
14.30-14.55	OP.EM-08	The Application of Participation Conservation Model In The Catchment Area of Wonogiri Dam, Bengawan Solo River Basin	Pardino, MM, Drs. FX. Hermawan K, M.Si Research and Development Center for Social, Economic, Cultural and Community Role, Board of Research and Development, Ministry of Public Works fxhermawan@yahoo.com	

OP.EM-05

**STRATEGIC FRAMEWORK FOR OPTIMIZING WATER RESOURCES
CARRYING CAPACITY AS A BASIS FOR SUSTAINING
URBAN DEVELOPMENT
(A CASE STUDY OF BEKASI URBAN AREA IN INDONESIA)**

**Setyo S. Moersidik¹⁾, Endrawati Fatimah^{1,2)}, Masni Dyta Angriani¹⁾,
Maika Nurhayati¹⁾**

¹ Environmental Studies Program, Post Graduate Program, University of Indonesia,
Jakarta,

² Departement of Regional and City Planning, University of Trisakti, Jakarta, Indonesia
(For correspondence: Address: PSIL – UI, Jalan Salemba Raya No. 4 Jakarta, Telepon:
(021) 31930251, Facsimile: (021) 3146662, E-mail: psil.ui@link.net.id)

Abstract

Bekasi has altered to an urban area driven by rapid urbanization and industrial growth. The consequences of this change are the risen in population and land use changes which need to supported by sustaining water supply. The purpose of this research is to develop a strategic framework for optimizing water resources carrying capacity as a basis for sustaining urban development in Bekasi. Currently, some of the water demand for the urban activities is supported by the surface water from the outside through the Citarum Barat Water Supply System. Most of the water demand is pumped from ground water. Those two Bekasi water resources might not be available to support the future needs. Hence, this study is aimed to find another alternative of water resources of the Bekasi. The study found that Bekasi has unused its own potential water resources that is surface water of the Bekasi River. However, the quality of this water resources has poorly degraded since the river is used for the urban drainage system. The poor quality of the river is caused by water pollution comes from domestic and industrial waste. It is also identified that land uses in urban area and urban activities related to surface water pollution. Surface water pollution has affected river self purification, then, it has resulted the quality of rivers water is not sufficient for water supply.

The paper identifies the possibility of the Bekasi River as the new water resource in term of its quantity, continuity and its quality to fulfill the need of water supply for the future development. The methodology used in this study is the description analysis with mathematical approaches to examine the factors which are influences the quantity, the continuity and the quality of water resources. Finally, the study found that the quantity of water resources is sufficient to support the growth of urban activities but still needs a strategic framework to maintain its continuity. On the other hand, the quality of the Bekasi River needs to improve. One of a strategic framework for optimizing the quality of water resources is to reduce pollutant loading from domestic and industrial waste. The reducing of pollutant loading can be achieved by determining a waste minimization system of domestic and industrial waste.

Keywords: Strategic Framework, Water Resources, Water Quantity, Water Quality

I. Introduction

City plays economic and social roles as the center of manufacturing industry, and or of public services. As the center of manufacturing industry, the linkage between cities and between a city and its hinterland is growing mostly related to the production process.

The linkage would exist between the area where the raw materials are produced, processed, packaged and marketed. Meanwhile, as the center of public services, a city provides the services that facilitate not only for its inhabitant but also the people surroundings. Though the existences of cities have significant roles for the economic and social growth of regional even national scale, in fact, cities are not self sustaining. Moreover, they are usually use resources inefficiently compared to rural areas. A city is a complex system that greatly dependent on outer resources. In order to sustain city's life, it takes air, water, energy, food and other resources and produces wastes from those resources used.

One of the most important resources to support city's activities is water. People, plants, and animals need water to stay alive. Water provides essential wildlife habitat, enables crops to grow, and it is used for almost every human activity, such as bathing, cleaning clothes and appliances. Fresh water is also needed for virtually every manufacturing process of industry.

Water is a renewable resource that is replenished through the hydrological cycle. It can be supplied from groundwater and surface water (stream and lake), but especially for groundwater, is basically nonrenewable because it takes about 300 years for groundwater to recharge. According to urban sustainability, water supplies are the most important element in determining urban carrying capacity and the limits to population and economic growth. Effective water supply planning and implementation will be crucial to sustaining livable communities.

Bekasi is one of the city in Indonesia which has altered to an urban area driven by rapid urbanization and industrial growth. Urbanization mainly comes from Jakarta Metropolitan City which is known as a highest density population in Indonesia, Bekasi is located very near to Jakarta, and it becomes a hinterland of Jakarta to fulfill the needs of settlement and industrial area. As the consequences of this role, Bekasi is now facing great challenges from rapid population growth increasing demands for water in agriculture, industry and domestic life.

Currently, some of the water demand for the Bekasi activities is supported from the outside by the surface water of Citarum River. The water from Citarum River is flowed by Saluran Induk Tarum Barat canals, and the water is treated by PDAM - Bekasi to provide clean water. But this water supply system can only cover 20% of Bekasi water demand, and 80% of the water demand still covered by pumping the ground water. Those two Bekasi water resources might not be available to support the future needs. Hence, this study is aimed to find another alternative of water resources of Bekasi. In order to achieve this aim, it is necessary to identify the hydrological system related to Bekasi to find the potential water resources comparing with all the activities which reflects the demand of water. The methodology used in this study is the description analysis with

mathematic approaches to examine the factors which are influences the quantity, the continuity and the quality of water resources.

II. The Existing Water Supply and Demand of Bekasi

Bekasi uses around 1,825,000 m³ per day of water for irrigating agricultural, residential and industrial purposes. As it explained before, the water supply from City Water Supply System (PDAM Kota Bekasi) can only cover 20% of the water demand. About 1,483,000 m³/year, comprise 80% of water demand supplied from the groundwater. The dependency on the ground water supply will increase in line with the increase of population and the intensity of activities in Bekasi while the capacity of the City Water Supply System has not been significantly improved.

This condition of water supply system of Bekasi is essentially not sustainable because high dependency on the ground water supply will reduce the availability of the water which needs very long time to recharge. The rate of recharge depends on the texture and composition of the soil, underlying rock strata, depth of water table, the slope of the land, the amount of vegetative cover, and impervious surface area. The higher proportion of impervious surface, the longer time needed for the groundwater to recharge. If the condition is overdraft or the rate of ground water consumption is faster than the rate of the recharge, in the future the availability of the ground water would deplete.


The availability of groundwater in Bekasi depends on the aquifer of Karawang-Bekasi Aquifer, in which the area has been characterized as built area. The aquifer area and the rainfall intensity might be large, but the rate of recharge to the aquifer is low as consequences of rapid population growth and development. In 2006 population of Bekasi was 2,071,444 with 3.73% population growth rate per year. The economic activities with high water consumption are manufacturing industry, agriculture, trade centers and public services. According to this fact, Bekasi should not over dependent on the ground water to fulfill the water demand for its inhabitants. Hence, Bekasi should try to find another potential water resource.

III. Identification of an alternative water resource in Bekasi

Bekasi is located in the north of West Java and it has an area of 210,49 km². The area of Bekasi is covered by three watershed, they are Sunter Watershed, Cakung Watershed and Bekasi Watershed with their specific river system (see Figure 1.). The river system of each watershed is shown in table 1.

Tabel 1. The River System of Bekasi

No.	RIVER SYSTEM	RIVER CATEGORY	AREA (km ²)	LENGTH (km)
1.	SUNTER		33,490	
	Sunter River	Main River		56.10
2.	CAKUNG		14,170	
	Cakung River	Main River		39.68
	Cibaru River	Tributary		20.30
3.	BEKASI		144,000	
	Bekasi River	Main River		132.50
	Cikeas River	Tributary		138.60
	Cileungsi River	Tributary		

**Figure 1. Bekasi and its Watersheds**

The figure 1. and the data in table 1 show that Bekasi Watershed covered almost 2/3 part of Bekasi Area. The main river of Bekasi Watershed that is Bekasi River, has the potential availability of water that can supply about 2.5 billion m³ per year. Meanwhile, the demand of water in Bekasi is about 1,825,000 m³ per year. It can be proven that Bekasi River is potential to be used as an alternative water resource in terms of its quantity. However this potential water should be analyzed whether it is suitable for potable water in terms of its quality.

The local government officials had identified a serious surface-water pollution come up in Bekasi River by domestic sewage and industrial discharge. The concentration of some contaminants has exceeded The Drinking Water Quality Standard (see Table 2).

Tabel 2. The Quality of Bekasi River System

No.	Parameter	Standard	Unit	Cileungsi River	Cikeas River	Bekasi River
PHYSICS						
1	Temperature	Dev. 3	°C	30.7	30.2	33.7
2	TSS	50	mg/l	15	10	50
CHEMISTRY						
3	pH	6-9	mg/l	7.5	7.1	9.3
4	DO	6	mg/l	4.5	5.6	3.1
5	Fe	0.3	mg/l	0.5	0.5	1.85
6	Mn	0.1	mg/l	0.08	0.08	0.58
7	BOD	2	mg/l	12.9	8.2	69.2
8	COD	10	mg/l	31.8	10.3	115.3
BIOLOGY						
9	Fecal Coll	1000	mpn/100 ml	85,800	88,500	285,000

The water pollution in Bekasi River mostly generated by domestic and industrial activities which are now can be found along the river bank. It is not only wastewater generated from domestic and industry, but also solid waste or garbage discharge in to the water body, because the lack of solid waste management system in Bekasi.

The land uses along the river bank has generated physical, biological and chemical pollution that reduce river water quality and decrease its assimilative capacity. Water quality is first and foremost a matter of public health. Therefore, the strategic action is required to clean up Bekasi River water and to reduce the pollution load from the activities along the river banks, so the water quality can meet The Drinking Water Quality Standard.

IV. Strategic Framework for Optimizing Potential Water Resource

Many settlements and industries in Bekasi used surface water, especially Bekasi River, as open sewers. Therefore, the local government of Bekasi requires to limit on domestic and industrial discharges to the water body and to stricter the river quality standard. Based on the water quality data of Bekasi River, it can be predicted the source of pollutant and the factors might influence that

condition. Then, it can be built some strategic actions to solve the water pollution problems as can be seen in Table 4.1.

Tabel 4.1. Alternative Strategic Action to Optimizing Surface Water Resource

Contaminants	Possible Sources	Possible Influenced Factors	Alternative Strategic Actions
Fe, Mn	Industrial Sites	Industrial Wastewater Treatment System is not properly worked	<p>Improve the aeration rate by increasing the water velocity through restructuring the river form</p> <p>Improve the aeration rate in the industrial wastewater treatment system</p>
BOD, COD	Industrial Sites	Industrial Wastewater Treatment System is not properly worked. The standard of BOD and COD is based on mg/l	<p>The standard of BOD and COD discharged in water body should be based by their weight</p> <p>Improving monitoring and evaluation of the treatment system</p> <p>Conducting Law Enforcement</p>
		Some industries, especially small scale industries have not used the wastewater treatment system	Introducing communal wastewater treatment system
	Domestic Waste	Poor Sanitary System	Promoting partnership between local government and nonprofit group to educate the public and to clean up the water bodies
		Untreated domestic wastewater	Centralized municipal sewage collection and treatment systems
		Untreated solid waste	Improving the capacity of solid waste management
Facel Coli	Domestic Waste	Poor Sanitary System	<p>Promoting partnership between local government and nonprofit group to educate the public and to clean up the water bodies</p> <p>Centralized municipal sewage collection and treatment systems</p>

Consistent monitoring and enforcement are required and can be done through sampling at established monitoring stations at different times of the year. Some citizen watershed associations monitor river water quality as well. Moreover, the local

government should determine the maximum amount of pollution an impaired waterway can assimilate and still meet the drinking water quality standard. The amount of pollution is known as Total Maximum Daily Loads (TMDL). The TMDL process is the key to clean-up of impaired water bodies. Public participation in the process is required. Information on impaired water bodies and pollution sources is needed for the public to be an effective partner in decision making about the type and location of future development.

Industry and settlement should implement some technologies of wastewater treatment to reduce the contaminant in their wastewater or sewage. Wastewater treatment methods include disinfection, primary, secondary and tertiary treatment. These levels of treatment range from the simplest to the most complex, with more polluted water requiring a greater level of treatment. However, secondary treatment is the minimum requirement for potable water, and nearly all municipal treatment plants treat sewage to this level.

V. Conclusion

The Bekasi River located in the Bekasi City is potential to be used as an alternative water resource in terms of its quantity. However, the quality of that water is poor related to the high contaminants of Fe, Mn, BOD, COD and Feces Coll. To be used as potable water, it is need to conduct some strategic actions to reduce the contaminants up to the level of suitable water for human life. Some technologies can be used to solve that water pollution problems in line with conducting the law enforcement as well improving the public participation on the water management system.

References:

- Bekasi City Government, 2006. *Bekasi In Figure 2006*.
- Bekasi City Water Supply System, 2006. *Bekasi Water Supply System Report*.
- Daniels, T and K. Daniels, 2003. *The Environmental Planning Handbook, for Sustainable Communities and Regions*, Planner Press, American Planning Association, Chicago Illinois, Washington, DC
- Leitmann, J. 1999. *Sustaining cities: environmental planning and management in urban design*, McGraw-Hill Company, USA.
- Miller, G.T.J. 1990. *Living in the environment : An introduction to environmental science*, Edisi ke 6, Wadsworth Publishing Company, California.
- Riddell, R., 2004 *Sustainable urban planning*, Blackwell Publishing, USA.
- Rogers P.P., K.F. Jalal dan J.A. Boyd. 2008. *An Introduction to sustainable development*, Glen Educational Foundation, Inc, Earthscan, USA.

water resource carrying capacity

by Wisely FALTL

Submission date: 02-Mar-2024 01:53PM (UTC+0700)

Submission ID: 2189174990

File name: Water_Resource_Carrying_Capacity.pdf (1.77M)

Word count: 2590

Character count: 13550

Strategic Framework for Optimizing Water Resources Carrying Capacity as a Basis for Sustaining Urban Development (A Case Study of Bekasi Urban Area in Indonesia)

Authors:

Setyo S. Moersidik¹⁾, Endrawati Fatimah^{1,2)}, Masni Dyta Angriani¹⁾, Maika Nurhayati¹⁾
¹ Environmental Studies Program, Post Graduate Program, University of Indonesia, Jakarta,
² Departement of Regional and City Planning, University of Trisakti, Jakarta, Indonesia
 (For correspondence: Address: PSIL – UI, Jalan Salemba Raya No. 4 Jakarta, Telepon: (021) 31930251, Facsimile: (021) 3146662, E-mail: psil_ui@link.net.id)

Abstract

Bekasi has altered to an urban area driven by rapid urbanization and industrial growth. The consequences of this change are the risen in population and land use changes which need to supported by sustaining water supply. The purpose of this research is to develop a strategic framework for optimizing water resources carrying capacity as a basis for sustaining urban development in Bekasi. Currently, some of the water demand for the urban activities is supported by the surface water from the outside through the Citarum Barat Water Supply System. Most of the water demand is pumped from ground water. Those two Bekasi water resources might not be available to support the future needs. Hence, this study is aimed to find another alternative of water resources of the Bekasi. The study found that Bekasi has unused its own potential water resources that is surface water of the Bekasi River. However, the quality of this water resources has poorly degraded since the river is used for the urban drainage system. The poor quality of the river is caused by water pollution comes from domestic and industrial waste. It is also identified that land uses in urban area and urban activities related to surface water pollution. Surface water pollution has affected river self purification, then, it has resulted the quality of rivers water is not sufficient for water supply. The paper identifies the possibility of the Bekasi River as the new water resource in term of its quantity, continuity and its quality to fulfill the need of water supply for the future development. The methodology used in this study is the description analysis with mathematical approaches to examine the factors which are influences the quantity, the continuity and the quality of water resources. Finally, the study found that the quantity of water resources is sufficient to support the growth of urban activities but still needs a strategic framework to maintain its continuity. On the other hand, the quality of the Bekasi River needs to improve. One of a strategic framework for optimizing the quality of water resources is to reduce pollutant loading from domestic and industrial waste. The reducing of pollutant loading can be achieved by determining a waste minimization system of domestic and industrial waste.

Keywords: Strategic Framework, Water Resources, Water Quantity, Water Quality

I. Introduction

City plays economic and social roles as the center of manufacturing industry, and or of public services. As the center of manufacturing industry, the linkage between cities and

between a city and its hinterland is growing mostly related to the production process. The linkage would exist between the area where the raw materials are produced, processed, packaged and marketed. Meanwhile, as the center of public services, a city provides the services that facilitate not only for its inhabitant but also the people surroundings. Though the existences of cities have significant roles for the economic and social growth of regional even national scale, in fact, cities are not self sustaining. Moreover, they are usually use resources inefficiently compared to rural areas. A city is a complex system that greatly dependent on outer resources. In order to sustain city's life, it takes air, water, energy, food and other resources and produces wastes from those resources used.

One of the most important resources to support city's activities is water. People, plants, and animals need water to stay alive. Water provides essential wildlife habitat, enables crops to grow, and it is used for almost every human activity, such as bathing, cleaning clothes and appliances. Fresh water is also needed for virtually every manufacturing process of industry.

Water is a renewable resource that is replenished through the hydrological cycle. It can be supplied from groundwater and surface water (stream and lake), but especially for groundwater, is basically nonrenewable because it takes about 300 years for groundwater to recharge. According to urban sustainability, water supplies are the most important element in determining urban carrying capacity and the limits to population and economic growth. Effective water supply planning and implementation will be crucial to sustaining livable communities.

Bekasi is one of the city in Indonesia which ² has altered to an urban area driven by rapid urbanization and industrial growth. Urbanization mainly comes from Jakarta Metropolitan City which is known as a highest density population in Indonesia, Bekasi is located very near to Jakarta, and it becomes a hinterland of Jakarta to fulfill the needs of

settlement and industrial area. As the consequences of this role, Bekasi is now facing great challenges from rapid population growth increasing demands for water in agriculture, industry and domestic life.

Currently, some of the water demand for the Bekasi activities is supported from the outside by the surface water of Citarum River. The water from Citarum River is flowed by Saluran Induk Tarum Barat canals, and the water is treated by PDAM - Bekasi to provide clean water. But this water supply system can only cover 20% of Bekasi water demand, and 80% of the water demand still covered by pumping the ground water. Those two Bekasi water resources might not be available to support the future needs. Hence, this study is aimed to find another alternative of water resources of Bekasi. In order to achieve this aim, it is necessary to identify the hydrological system related to Bekasi to find the potential water resources comparing with all the activities which reflects the demand of water. The methodology used in this study is the description analysis with mathematic approaches to examine the factors which are influences the quantity, the continuity and the quality of water resources.

II. The Existing Water Suplly and Demand of Bekasi

Bekasi uses around 1,825,000 m³ per day of water for irrigating agricultural, residential and industrial purposes. As it explained before, the water supply from City Water Supply System (PDAM Kota Bekasi) can only cover 20% of the water demand. About 1,483,000 m³/year, comprise 80% of water demand supplied from the groundwater. The dependency on the ground water supply will increase in line with the increase of population and the intensity of activities in Bekasi while the capacity of the City Water Supply System has not been significantly improved.

This condition of water supply system of Bekasi is essentially not sustainable because high dependency on the ground water supply will reduce the availability of the water which needs very long time to recharge. The rate of recharge depends on the texture and composition of the soil, underlying rock strata, depth of water table, the slope of the land, the amount of vegetative cover, and impervious surface area. The higher proportion of impervious surface, the longer time needed for the groundwater to recharge. If the condition is overdraft or the rate of ground water consumption is faster than the rate of the recharge, in the future the availability of the ground water would deplete.

The availability of groundwater in Bekasi depends on the aquifer of Karawang-Bekasi Aquifer, in which the area has been characterized as built area. The aquifer area and the rainfall intensity might be large, but the rate of recharge to the aquifer is low as consequences of rapid population growth and development. In 2006 population of Bekasi was 2,071,444 with 3.73% population growth rate per year. The economic activities with high water consumption are manufacturing industry, agriculture, trade centers and public services. According to this fact, Bekasi should not over dependent on the ground water to fulfill the water demand for its inhabitants. Hence, Bekasi should try to find another potential water resource.

III. Identification of an alternative water resource in Bekasi

Bekasi is located in the north of West Java and it has an area of 210,49 km². The area of Bekasi is covered by three watershed, they are Sunter Watershed, Cakung Watershed and Bekasi Watershed with their specific river system (see Figure 1.). The river system of each watershed is shown in table 1.

Tabel 1. The River System of Bekasi

No.	RIVER SYSTEM	RIVER CATEGORY	AREA (km ²)	LENGTH (km)
1.	SUNTER		33,490	
	Sunter River	Main River		56.10
2.	CAKUNG		14,170	
	Cakung River	Main River		39.68
	Cibaru River	Tributary		20.30
3.	BEKASI		144,000	
	Bekasi River	Main River		132.50
	Cikeas River	Tributary		138.60
	Cileungsi River	Tributary		




Figure 1. Bekasi and its Watersheds

The figure 1. and the data in table 1 show that Bekasi Watershed covered almost 2/3 part of Bekasi Area. The main river of Bekasi Watershed that is Bekasi River, has the potential availability of water that can supply about 2.5 billion m³ per year. Meanwhile, the demand of water in Bekasi is about 1,825,000 m³ per year. It can be proven that Bekasi River is potential to be used as an alternative water resource in terms of its quantity. However this

potential water should be analyzed whether it is suitable for potable water in terms of its quality.

The local government officials had identified a serious surface-water pollution come up in Bekasi River by domestic sewage and industrial discharge. The concentration of same contaminants has exceeded The Drinking Water Quality Standard (see Table 2).

Tabel 2. The Quality of Bekasi River System

No.	Parameter	Standard	Unit	Cileungsi River	Cikeas River	Bekasi River
PHYSICS						
1	Temperature	Dev. 3	°C	30.7	30.2	33.7
2	TSS	50	mg/l	15	10	50
CHEMISTRY						
3	pH	6-9	mg/l	7.5	7.1	9.3
4	DO	6	mg/l	4.5	5.6	3.1
5	Fe	0.3	mg/l	0.5	0.5	1.85
6	Mn	0.1	mg/l	0.08	0.08	0.58
7	BOD	2	mg/l	12.9	6.2	69.2
8	COD	10	mg/l	31.8	10.3	115.3
BIOLOGY						
9	Fecal Coli	1000	mpn/100 ml	65,800	68,500	285,000

The water pollution in Bekasi River mostly generated by domestic and industrial activities which are now can be found along the river bank. It is not only wastewater generated from domestic and industry, but also solid waste or garbage discharge in to the water body, because the lack of solid waste management system in Bekasi.

The land uses along the river bank has generated physical, biological and chemical pollution that reduce river water quality and decrease its assimilative capacity. Water quality is first and foremost a matter of public health. Therefore, the strategic action is required to clean up Bekasi River water and to reduce the pollution load from the activities along the river banks, so the water quality can meet The Drinking Water Quality Standard.

IV. Strategic Framework for Optimizing Potential Water Resource

Many settlements and industries in Bekasi used surface water, especially Bekasi River, as open sewers. Therefore, the local government of Bekasi requires to limit on domestic and industrial discharges to the water body and to stricter the river quality standard. Based on the water quality data of Bekasi River, it can be predicted the source of pollutant and the factors might influence that condition. Then, it can be built some strategic actions to solve the water pollution problems as can be seen in Table 4.1.

Tabel 4.1. Alternative Strategic Action to Optimizing Surface Water Resource

Contaminants	Possible Sources	Possible Influenced Factors	Alternative Strategic Actions
Fe, Mn	Industrial Sites	Industrial Wastewater Treatment System is not properly worked	<p>Improve the aeration rate by increasing the water velocity through restructuring the river form</p> <p>Improve the aeration rate in the industrial wastewater treatment system</p>
BOD, COD	Industrial Sites	Industrial Wastewater Treatment System is not properly worked. The standard of BOD and COD is based on mg/l	<p>The standard of BOD and COD discharged in water body should be based by their weight</p> <p>Improving monitoring and evaluation of the treatment system</p> <p>Conducting Law Enforcement</p>
		Some industries, especially small scale industries have not used the wastewater treatment system	Introducing communal wastewater treatment system
	Domestic Waste	Poor Sanitary System	Promoting partnership between local government and nonprofit group to educate the public and to clean up the water bodies
		Untreated domestic wastewater	Centralized municipal sewage collection and treatment systems
		Untreated solid waste	Improving the capacity of solid waste management
Facel Coli	Domestic Waste	Poor Sanitary System	<p>Promoting partnership between local government and nonprofit group to educate the public and to clean up the water bodies</p> <p>Centralized municipal sewage collection and treatment systems</p>

Consistent monitoring and enforcement are required and can be done through sampling at established monitoring stations at different times of the year. Some citizen watershed associations monitor river water quality as well. Moreover, the local government should determine the maximum amount of pollution an impaired waterway can assimilate and still meet the drinking water quality standard. The amount of pollution is known as Total Maximum Daily Loads (TMDL). The TMDL process is the key to clean-up of impaired water bodies. Public participation in the process is required. Information on impaired water bodies and pollution sources is needed for the public to be an effective partner in decision making about the type and location of future development.

Industry and settlement should implement some technologies of wastewater treatment to reduce the contaminant in their wastewater or sewage. Wastewater treatment methods include disinfection, primary, secondary and tertiary treatment. These levels of treatment range from the simplest to the most complex, with more polluted water requiring a greater level of treatment. However, secondary treatment is the minimum requirement for potable water, and nearly all municipal treatment plants treat sewage to this level.

V. Conclusion

The Bekasi River located in the Bekasi City is potential to be used as an alternative water resource in terms of its quantity. However, the quality of that water is poor related to the high contaminants of Fe, Mn, BOD, COD and Feces Coli. To be used as potable water, it is need to conduct some strategic actions to reduce the contaminants up to the level of suitable water for human life. Some technologies can be used to solve that water pollution problems in line with conducting the law enforcement as well improving the public participation on the water management system.

References:

- Bekasi City Government, 2006. *Bekasi in Figure 2006*.
- Bekasi City Water Supply System, 2006. *Bekasi Water Supply System Report*.
- Daniels, T and K. Daniels, 2003. *The Environmental Planning Handbook, for Sustainable Communities and Regions*.,Planner Press, American Planning Association, Chicago Illinois, Washington, DC
- Leitmann, J. 1999. *Sustaining cities: environmental planning and management in urban design*, McGraw-Hill Company, USA.
- Miller, G.T.J. 1990. *Living in the environment : An introduction to environmental science* , Edisi ke 6, Wadsworth Publishing Company, California.
- Riddell, R., 2004 *Sustainable urban planning*, Blackwell Publishing, USA.
- Rogers P.P., K.F. Jalal dan J.A. Boyd. 2008. *An Introduction to sustainable development*, Glen Educational Foundation, Inc, Earthscan, USA.

water resource carrying capacity

ORIGINALITY REPORT

19%

SIMILARITY INDEX

18%

INTERNET SOURCES

1%

PUBLICATIONS

5%

STUDENT PAPERS

MATCHED SOURCE

2

www.essayrunner.com

Internet Source

7%

7%

★ www.essayrunner.com

Internet Source

Exclude quotes Off

Exclude bibliography On

Exclude matches Off

water resource carrying capacity

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/0

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

PAGE 9