



# **QUALITY IMPROVEMENT IN DENTAL AND MEDICAL KNOWLEDGE, RESEARCH, SKILLS AND ETHICS FACING GLOBAL CHALLENGES**

Edited by  
Armelia Sari Widyarman, Muhammad Ihsan Rizal,  
Moehammad Orliando Roeslan & Carolina Damayanti Marpaung



**CRC Press**  
Taylor & Francis Group

## QUALITY IMPROVEMENT IN DENTAL AND MEDICAL KNOWLEDGE, RESEARCH, SKILLS AND ETHICS FACING GLOBAL CHALLENGES

The proceedings of FORIL XIII 2022 Scientific Forum Usakti conjunction with International Conference on Technology of Dental and Medical Sciences (ICTDMS) include selected full papers that have been peer-reviewed and satisfy the conference's criteria. All studies on health, ethics, and social issues in the field of dentistry and medicine have been presented at the conference alongside clinical and technical presentations. The twelve primary themes that make up its framework include the following: behavioral epidemiologic, and health services, conservative dentistry, dental materials, dento-maxillofacial radiology, medical sciences and technology, oral and maxillofacial surgery, oral biology, oral medicine and pathology, orthodontics, pediatrics dentistry, periodontology, and prosthodontics. This proceeding will be beneficial in keeping dental and medical professionals apprised of the most recent scientific developments.



# Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON TECHNOLOGY OF DENTAL  
AND MEDICAL SCIENCES (ICTDMS 2022), JAKARTA, INDONESIA, 8–10 DECEMBER 2022

# Quality Improvement in Dental and Medical Knowledge, Research, Skills and Ethics Facing Global Challenges

*Edited by*

Armelia Sari Widyarman, Muhammad Ihsan Rizal,  
Moehammad Orliando Roeslan and Carolina  
Damayanti Marpaung

*Universitas Trisakti, Indonesia*



**CRC Press**

Taylor & Francis Group

Boca Raton London New York Leiden

---

CRC Press is an imprint of the  
Taylor & Francis Group, an **informa** business

A BALKEMA BOOK

First published 2023  
by CRC Press/Balkema  
4 Park Square, Milton Park, Abingdon, Oxon, OX14 4RN

and by CRC Press/Balkema  
2385 NW Executive Center Drive, Suite 320, Boca Raton FL 33431

*CRC Press/Balkema is an imprint of the Taylor & Francis Group, an informa business*

© 2024 selection and editorial matter Armelia Sari Widyarman, Muhammad Ihsan Rizal, Moehammad Orliando Roeslan & Carolina Damayanti Marpaung; individual chapters, the contributors

The right of Armelia Sari Widyarman, Muhammad Ihsan Rizal, Moehammad Orliando Roeslan & Carolina Damayanti Marpaung to be identified as the author[s] of the editorial material, and of the authors for their individual chapters, has been asserted in accordance with sections 77 and 78 of the Copyright, Designs and Patents Act 1988.

Although all care is taken to ensure integrity and the quality of this publication and the information herein, no responsibility is assumed by the publishers nor the author for any damage to the property or persons as a result of operation or use of this publication and/or the information contained herein.

*British Library Cataloguing-in-Publication Data*  
*A catalogue record for this book is available from the British Library*

*Library of Congress Cataloging-in-Publication Data*  
*A catalog record has been requested for this book*

ISBN: 978-1-032-51441-3 (hbk)  
ISBN: 978-1-032-51466-6 (pbk)  
ISBN: 978-1-003-40237-4 (ebk)

DOI: 10.1201/9781003402374

Typeset in Times New Roman  
by MPS Limited, Chennai, India

## Table of Contents

<i>Preface</i>	xiii
<i>Acknowledgements</i>	xv
<i>Committee Members</i>	xvii

### *Behavioral, epidemiologic and health services*

Characteristics of knowledge and attitude of Indonesian professional healthcare students toward Basic Life Support (BLS) courses <i>I. Gunardi, A. Subrata, A.J. Sidharta, L.H. Andayani, W. Poedjiastoeti &amp; S. Suebnukarn</i>	3
Bibliometric analysis of <i>imperata cylindrica</i> papers in Scopus database (2012–2021) <i>M.O. Roeslan, S. Wulansari &amp; P. Monthanapisut</i>	9
Development and validation of Indonesian version of OHIP-49 questionnaire using Rasch model <i>F.K. Hartanto, I. Gunardi, A. Kurniawan, A.J. Sidharta &amp; W.M.N. Ghani</i>	17
Knowledge regarding dental and oral health among pregnant women (study at Palmerah Community Health Center, West Jakarta) <i>P.A. Salsabila, L.H. Andayani &amp; A.G. Soulissa</i>	24
The xerostomia's effect on methadone therapy program patients' oral-health-related quality of life <i>T.T. Theresia, A.N. Fitri &amp; W. Sudhana</i>	31
The differences in work strategy and work fatigue between female and male dentists during the COVID-19 pandemic in Indonesia <i>D. Ranggaini, W. Anggraini, A.P. Ariyani, I. Sulistyowati &amp; M.F.C. Musa</i>	42
Dental students' perceptions and behaviors concerning oral hygiene and eating habits during the COVID-19 pandemic in Indonesia <i>A. Asia, L. Astuti, T.E. Astoeti, A.S. Widyarman &amp; W. Sudhana</i>	49
Analyzing teledentistry consultation during the pandemic Covid-19: A challenge of images in online consultation <i>M. Chandra &amp; R. Tjandrawinata</i>	56

### *Conservative dentistry*

Mandibular first molar with radix entomolaris: An endodontic case report <i>F. Farasdhita, W. Widyastuti &amp; E. Fibryanto</i>	67
Walking bleach technique on endodontically treated caninus with tetracycline discoloration <i>J.D. Susanto, A.P. Dwisaptarini &amp; S. Wulansari</i>	73

Successful management of primary periodontal lesion with secondary endodontic involvement: A case report <i>F. Katrini, W. Widyastuti &amp; Aryadi</i>	77
Non-surgical treatment for extensive perapical lesion: A case report <i>M.P. Darmawanti, A.P. Dwisaptarini &amp; D. Ratnasari</i>	84
Monolithic zirconia endocrown: Indirect restoration for endodontically treated teeth <i>W. Wulandari, T. Suwartini &amp; E. Fibryanto</i>	90
Effect of air-abrasive particle and universal bonding to shear bond strength of zirconia <i>F. Witoko, M.F. Amin, D. Ratnasari &amp; R. Tjandrawinata</i>	95
Composite as a post-obturation restorative material on a non-vital tooth with endodontically treatment: A case report <i>R. Landy, W. Widyastuti &amp; S. Wulansari</i>	101
Caries detection effectiveness of two techniques assessed using FACE method <i>Y. Winardi &amp; A.P. Dwisaptarini</i>	112
<i>Pluchea indica</i> less leaves extract as a root canal irrigant against <i>Enterococcus faecalis</i> Colonies: <i>Ex vivo</i> study <i>E. Fibryanto, A. Tio, J.A. Gunawan, A. Hidayat &amp; N.Z.M. Noh</i>	116
Differences in resin polishing technique of nanofiller and nanohybrid composites <i>E.A.W. Yanti, A.P. Dwisaptarini, Elline &amp; M.S. Jamil</i>	124
Differences in the effect of two Nickel Titanium rotary files preparation toward the changes on root canal curvature <i>A. Darkim, W. Widyastuti, S. Wulansari &amp; E.A. Budiyaniti</i>	129
Effect of high refractive index composite resin thickness on CIELAB value <i>A.P. Dwisaptarini, D. Ratnasari, I. Hadiutomo, R. Tjandrawinata &amp; R. Trushkowsky</i>	136
Single-visit retreatment in underfilled root canal of mandible second premolar: A case report <i>G. Jesslyn, B.O. Iskandar &amp; T. Suwartini</i>	141
Antibiofilm effect of avocado ( <i>Persea Americana</i> ) seed ethanol extract on <i>Streptococcus mutans</i> and <i>Enterococcus faecalis</i> ( <i>ex vivo</i> ) <i>S. Wulansari, A.S. Widyarman, R.U. Nadhifa &amp; M.J. Fatya</i>	146
Three-dimensional obturation in maxillary first molar with MB2: A case report <i>A. Sutanto, E. Fibryanto &amp; A.E. Prahasti</i>	154
Semi-direct composite overlay restoration as an alternative restoration for endodontically treated tooth: A case report <i>N. Brians, J.A. Gunawan, A.E. Prahasti, E. Istanto &amp; S.M. Khazin</i>	160
Comprehensive treatment of immature necrotic permanent teeth: A case report <i>A.E. Prahasti, E. Fibryanto, E. Elline &amp; W. Widyastuti</i>	166
Diastemas management using direct composite resin restoration: The digital smile design approach <i>E. Elline, D. Ratnasari, E. Fibryanto, A.E. Prahasti &amp; R. Iffendi</i>	173

Removal of broken file using ultrasonics at one-third apical second molar distal: A case report <i>Y. Sutjiono, B.O. Iskandar, A.E. Prahasti, A. Subrata &amp; S.M. Khazin</i>	178
<i>Apis mellifera</i> honey and miswak ( <i>Salvadora persica</i> ) effect on tooth color changes <i>N.D. Iskandar, D. Ratnasari &amp; R. Stefani</i>	182
Fiber reinforced composite in endodontically treated tooth: A case report <i>J. Setiawan, T. Ariwibowo &amp; M.F. Amin</i>	188
The management of post-endodontic treatment using fiber-reinforced composite: A case report <i>R. Lambertus, T. Suwartini, E. Elline, A.E. Prahasti &amp; S.A. Asman</i>	195
Management of crown-root fracture with pulp exposure: A case report <i>Y. Susanti, B. Iskandar &amp; T. Ariwibowo</i>	201
Management of molar with C-shape root canal configuration: Case reports <i>F. Antonius, T. Suwartini &amp; J.A. Gunawan</i>	207
Endodontic treatment on young age molar with pulp polyp and diffuse calcification finding in a radiograph <i>P. Andriani, A.P. Dwisaptarini &amp; J.A. Gunawan</i>	214
Cyclic fatigue of three heat-treated NiTi rotary instruments after multiple autoclave sterilization: An <i>in-vitro</i> study <i>S.A. Putri, W. Widyastuti, A. Aryadi &amp; R. Amtha</i>	221
Endodontic management of S-shaped root canal on mandibular first molar: A case report <i>N. Tanuri, M.F. Amin &amp; S. Wulansari</i>	226
Root canal treatment on the complex case using ultrasonics: A case report <i>L.H. Wibowo, E. Elline, E. Fibryanto, A.E. Prahasti &amp; D. Qurratuani</i>	231
Management of iatrogenic problems during root canal treatment <i>Y.N. Argosurio, M.F. Amin &amp; E. Elline</i>	236
Non-surgical endodontic retreatment of maxillary first premolar with direct composite restoration: A case report <i>A.R. Pradhista, B.O. Iskandar &amp; Aryadi</i>	243
 <i>Dental materials</i>	
The effect of soft drinks containing citric and phosphoric acid toward enamel hardness <i>A. Aryadi, D. Pratiwi &amp; C. Cindy</i>	249
Microhardness of a flowable bulk-fill resin composite in immediate and 24-hour storage <i>R. Tjandrawinata, D. Pratiwi, F.L. Kurniawan &amp; A. Cahyanto</i>	255
The effect of halogen mouthwash on the stretch distance of the synthetic elastomeric chain <i>M. Wijaya, R. Tjandrawinata &amp; A. Cahyanto</i>	261



Synthesis and characterization of $\beta$ -tricalcium phosphate from green mussel shells with sintering temperature variation <i>M.R. Kresnatri, E. Eddy, H.A. Santoso, D. Pratiwi, D.L. Margaretta &amp; T. Suwandi</i>	267
The effect of immersion in 75% concentration tomato juice on the mechanical properties of nanohybrid composites resin <i>J. Kamad, D. Liliany &amp; E. Eddy</i>	277
Evaluation of setting time of glass ionomer cement mixed with ethanolic extracts of propolis <i>T.S. Putri, D. Pratiwi &amp; A.E.Z. Hasan</i>	285
The knowledge level of dental students on adequate composite resin polymerization in the COVID-19 pandemic era <i>O. Octarina &amp; L.A.L. Ongkaruna</i>	290
<i>Dento-maxillofacial radiology</i>	
The role of dental record data in the mass disaster identification process: A case report of the Sriwijaya SJ-182 airplane crash <i>V. Utama, R. Tanjung, A. Quendangen, A. Fauzi, A. Widagdo, M.S. Haris &amp; A.S. Hartini</i>	299
Management of postmortem dental radiography procedure in mass disaster victim identification <i>R. Tanjung &amp; I. Farizka</i>	305
Radiomorphometric analysis of gonion angle and upper ramus breadth as a parameter for gender determination <i>I. Farizka &amp; R. Tanjung</i>	312
<i>Medical sciences and technology</i>	
Artificial intelligence application in dentistry: Fluid behaviour of EDDY tips <i>H.H. Peeters, E.T. Judith, F.Y. Silitonga &amp; L.R. Zuhail</i>	321
<i>MTHFR</i> C677T, A1298C*, and its interaction in nonsyndromic orofacial cleft phenotypes among Indonesian <i>S.L. Nasroen &amp; A.M. Maskoen</i>	328
<i>Oral and maxillofacial surgery</i>	
The effectiveness of giving forest honey ( <i>Apis Dorsata</i> ) and livestock honey ( <i>Apis Cerana</i> and <i>Trigona</i> ) on the number of fibroblast in wound healing after tooth extraction ( <i>in vivo</i> research in Wistar rats) <i>T.A. Arbi, I.N. Aziza &amp; T. Hidayatullah</i>	341
Reconstruction of large post-enucleation mandibular defect with buccal fat pad <i>N.A. Anggayanti, A.D. Sastrawan &amp; O. Shuka</i>	348
Challenge and management of dental implant during COVID-19 pandemic: Bone formation on second stage implant surgery <i>D. Pratiwi, H. Pudjowibowo &amp; F. Sandra</i>	354

The evaluation of maxillary sinus for implant planning through CBCT <i>A.P.S. Palupi, W. Poedjiastoeti, M.N.P. Lubis, I. Farizka, B. Claresta &amp; J. Dipankara</i>	360
The jawbone quantity assessment of dental implant sites <i>W. Poedjiastoeti, M.N.P. Lubis, Y. Ariesanti, I. Farizka, J. Dipankara &amp; S. Inglam</i>	366
Comparative assessment of the distance between the maxillary sinus floor and maxillary alveolar ridge in dentulous and edentulous using panoramic radiography <i>A.S.D. Audrey, W. Poedjiastoeti, M.N.P. Lubis, J. Dipankara &amp; S. Inglam</i>	372
Comparison between impacted mandibular third molar against mandibular angle and canal <i>N. Marlina, W. Poedjiastoeti, I. Farizka, J. Dipankara &amp; S. Inglam</i>	379
<i>Oral biology</i>	
Saliva as a diagnostic tool for COVID-19: Bibliometric analysis <i>M.I. Rizal, R.A. Hayuningtyas, F. Sandra, M.S. Djamil &amp; B.O. Roeslan</i>	387
Cytotoxicity activity of <i>Allium sativum</i> extracts against HSC-3 cells <i>I.J. Pardenas &amp; M.O. Roeslan</i>	393
Effectiveness of probiotic lozenges in reducing salivary microorganism growth in patients with fixed orthodontic appliances: A pilot study <i>A.S. Widyarman, S. Vilita, G.C. Limarta, S.M. Sonia &amp; F. Theodorea</i>	399
Potential anticancer properties of <i>Apium graveolens</i> Linn. against oral cancer <i>T. Hartono, F. Sandra, R.A. Hayuningtyas, S. Jauhari &amp; J. Sudiono</i>	407
Antibacterial activity of bromelain enzyme from pineapple knob ( <i>Ananas comosus</i> ) against <i>Streptococcus mutans</i> <i>D. Liliany, E. Eddy &amp; A.S. Widyarman</i>	414
<i>Elephantopus scaber</i> Linn.: Potential candidate against oral squamous cell carcinoma <i>T. Pang, F. Sandra, R.A. Hayuningtyas &amp; M.I. Rizal</i>	424
Effectiveness of gargling with 100% coconut oil to prevent plaque accumulation and gingival bleeding <i>A.G. Soulissa, M. Juslily, M. Juliawati, S. Lestari, N.P. Ramli, Albert &amp; A. Ismail</i>	429
Hydroxamate HDAC inhibitors potency in mediating dentine regeneration: A review <i>I. Sulistyowati, W. Anggraini, A.P. Ariyani &amp; R.B. Khalid</i>	435
Various compounds that are used as oxidative stress inducers on fibroblast cell <i>Komariah, P. Trisfilha &amp; R. Wahyudi</i>	443
Nano encapsulation of lemongrass leaves extract ( <i>Cymbopogon citratus</i> DC) on fibroblast viability with oxidative stress <i>N. Ericka, K. Komariah, R. Wahyudi &amp; T. Trisfilha</i>	450

Arumanis mango leaves ( <i>Mangifera indica</i> L.) extract efficacy on <i>Porphyromonas gingivalis</i> biofilm <i>in-vitro</i> <i>S. Soesanto, Yasnill, A.S. Widyarman &amp; B. Kusnoto</i>	461
A systematic review to evaluate the role of antibiotics in third molar extraction <i>R.A. Hayuningtyas, S. Soesanto, P. Natassya &amp; S.B. Gutierrez</i>	468
Efficacy of epigallocatechin gallate gel on VEGF and MMP-9 expression on ulcerations <i>L.A. Porjo, R. Amtha &amp; M.O. Roeslan</i>	472

### *Oral medicine and pathology*

Salivary interleukin (IL)-6 in elderly people with stomatitis aphthous and gingivitis associated with the occurrence of cognitive impairment <i>D. Priandini, A. Asia, A.G. Souliissa, I.G.A. Ratih, T.B.W. Rahardjo &amp; E. Hogervorst</i>	481
The uses of palm fruit ( <i>Borassus flabellifer</i> L.) in dentistry <i>J. Sudiono &amp; T.G.R. Susanto</i>	489
Endodontic irrigation solution administration induces oral mucosal deformity: A case report <i>R. Amtha, D. Agustini, N. Nadiah, F.K. Hartanto &amp; R.B. Zain</i>	496
Profile of oral mucosa changes and perception of e-cigarettes smoker <i>R. Amtha, A.P. Rahayu, I. Gunardi, N. Nadiah &amp; W.M.N. Ghani</i>	502
Potency of <i>Solanum betaceum</i> Cav. Peel skin ethanol extract towards TNF- $\alpha$ blood level (Study in vivo on inflammatory rats model) <i>J. Sudiono &amp; M.T. Suyata</i>	508
Stomatitis venenata due to nickel as inlay materials in a 24-year-old woman: A case report <i>F. Mailiza, A. Bakar &amp; U. Nisa</i>	518
Treatment challenge of oral lichenoid lesion associated with glass ionomer cement restoration: A case report <i>F.K. Hartanto, I. Gunardi, M.L. Raiyon, N. Nadiah &amp; H. Hussaini</i>	526
Validity and reliability of the Indonesian version of COMDQ-26: A pilot study <i>J.V. Winarto, I. Gunardi, C.D. Marpaung, R. Amtha &amp; W.M.N. Ghani</i>	531

### *Orthodontics*

Interceptive orthodontic treatment needs and its relating demographic factors in Jakarta and Kepulauan Seribu <i>Y. Yusra, J. Kusnoto, H. Wijaya, T.E. Astoeti &amp; B. Kusnoto</i>	539
Diastema closure and midline shifting treatment with standard technique (Case report) <i>H.F. Lubis &amp; J.X. Ongko</i>	543
Intrusion and uprighting using TADs in mutilated four first permanent molar case <i>H.F. Lubis &amp; F. Rhiyanthy</i>	548

Moringa and papaya leaf inhibit <i>Streptococcus mutans</i> and <i>Candida albicans</i> <i>H.F. Lubis &amp; M.K. Hutapea</i>	554
Intruding upper first molar using double L-Loop in an adult patient: A retreatment case <i>H.F. Lubis &amp; Joselin</i>	561
Profile changes in Class III malocclusion using protraction facemask in Indonesian patients (Cephalometric study) <i>H. Halim &amp; I.A. Halim</i>	565
<i>Pediatric dentistry</i>	
Oral microbiome dysbiosis in early childhood caries (Literature review) <i>T. Putriany &amp; H. Sutadi</i>	575
<i>Periodontology</i>	
Permanent splint using removable partial denture framework on reduced periodontium: A case report <i>V. Hartono, F.M. Tadjoeidin, A. Widaryono &amp; T.A. Mahendra</i>	587
The effect of electric smoking on the severity of chronic periodontitis <i>A.P. Fathinah &amp; M. Louisa</i>	594
Periodontitis effects toward the extent of COVID-19 severity (Scoping review) <i>S.A. Arthur &amp; M. Louisa</i>	603
Scaffold-based nano-hydroxyapatite for periodontal regenerative therapy <i>N.A. Harsas, Y. Soeroso, N. Natalina, E.W. Bachtiar, L.R. Amir, S. Sunarso, R. Mauludin &amp; C. Sukotjo</i>	614
Defect management using hydroxyapatite and platelet-rich fibrin in advanced periodontitis <i>V. Wibianty, V. Paramitha &amp; N.A. Harsas</i>	621
The relationship between age with caries status and periodontal treatment needs on visually impaired individuals <i>P. Wulandari, M.A.L. Tarigan, K. Nainggolan, M.F. Amin &amp; J. Maharani</i>	630
Effects of COVID-19 on periodontitis (Scoping review) <i>A.R. Somawihardja &amp; M. Louisa</i>	638
Concentrated growth factor for infrabony defect in periodontitis treatment: A review <i>F.C. Maitimu &amp; T. Suwandi</i>	643
Subcutaneous emphysema after dental stain removal with airflow: A case report and anatomical review <i>A. Albert, W. Anggraini &amp; W. Lestari</i>	651
Bonding agents for dentine hypersensitivity treatment: A review <i>O.N. Komala, L. Astuti &amp; F.C. Maitimu</i>	657
Advantages and disadvantages of 2017 new classification of periodontitis (Scoping review) <i>R. Anggara &amp; K. Yosvara</i>	668

Comparison of periodontal disease severity in COVID-19 survivors and non-COVID-19 individuals <i>M. Louisa, R.A. Putranto, O.N. Komala &amp; W. Anggraini</i>	677
Aerosol spread simulation during ultrasonic scaling and strategies to reduce aerosol contamination <i>M. Sundjojo, V. Nursolihati &amp; T. Suwandi</i>	685
The effect of pineapple ( <i>Ananas comosus</i> L.) juice on biofilm density of streptococcus sanguinis ATCC 10556 <i>T. Suwandi &amp; Y.V. Thionadewi</i>	689
 <i>Prosthodontics</i>	
Prevalence and risk indicators of bruxism in Indonesian children <i>C. Marpaung, I. Hanin, A. Fitryanur &amp; M.V. Lopez</i>	697
Validity and reliability of temporomandibular disorders screening questionnaire for Indonesian children and adolescents <i>C. Marpaung, N.L.W.P. Dewi &amp; M.V. Lopez</i>	704
Effect of submersion of alginate molds in povidone iodine concentration of 0,47 % solution toward dimensional change <i>N. Adrian &amp; I.G.P. Panjaitan</i>	710
Effect of pure basil leaf extract on surface roughness of heat cured acrylic resin <i>I.G.P. Panjaitan &amp; N. Adrian</i>	715
Prosthetic rehabilitation after mandibular reconstruction in young adult patient with ameloblastoma history <i>I. Hanin &amp; I. Setiabudi</i>	720
Treatment of tooth supported magnet retained maxillary complete overdenture: Case report <i>I.G.A.R.U Mayun</i>	725
Complete denture management with torus palatinus: A case report <i>E.S.I. Sari, I.K. Julianton &amp; G.G. Gunawan</i>	730
Management of rehabilitation for partial tooth loss with immediate removable dentures in the era of the COVID-19 pandemic: A case report <i>A. Wirahadikusumah</i>	734
Management of anterior mandibular lithium disilicate crown fracture <i>J. Handojo &amp; L.A. Halim</i>	742
Author index	747

## Preface

Faculty of Dentistry Universitas Trisakti (Usakti) presents FORIL XIII 2022 Scientific Forum Usakti conjunction with International Conference on Technology of Dental and Medical Sciences (ICTDMS) on December 8th–10th 2022. The theme of the conference is “Quality Improvement in Dental and Medical Knowledge, Research, Skills and Ethics Facing Global Challenges”.

The triennial conference has served as a meeting place for technical and clinical studies on health, ethical, and social issues in field medical and dentistry. It is organized around 12 major themes, including behavioral, epidemiologic, and health services, conservative dentistry, dental materials, dento-maxillofacial radiology, medical sciences and technology, oral and maxillofacial surgery, oral biology, oral medicine and pathology, orthodontics, pediatrics dentistry, periodontology, and prosthodontics.

The most recent findings in fundamental and clinical sciences related to medical and dental research will be presented in the conference that will be published as part of the conference proceeding. This proceeding will be useful for keeping dental and medical professionals up to date on the latest scientific developments.

Dr. Aryadi Subrata  
Chairman FORIL XIII conjunction with ICTDMS



# Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

## Acknowledgements

Prof. Shinya Murakami, D.D.S., Ph.D. (*Department of Periodontology, Osaka University, Japan*)  
Prof. Adrian Yap (*Department of Dentistry, Ng Teng Fong General Hospital, Singapore*)  
Prof. Dr. Rosnah Binti Mohd Zain (*Department of Oro-Maxillofacial Surgical & Medical Sciences, Malaya University*)  
Prof. Chaminda Jayampath Seneviratne, BDS (Hons)., M.Phil., Ph.D (*University of Queensland, Australia*)  
Cortino Sukotjo, DDS, Ph.D., MMSc (*Department of Restorative Dentistry, University of Illinois at Chicago, United States*)  
Prof. Dr. Nicola De Angelis (*Department of Periodontology, University of Genoa, Italy*)  
Prof. Hirotaka Kuwata, D.D.S., Ph.D. (*Department of Oral Microbiology and Immunology, Showa University, Japan*)  
Prof. Dr. drg. Tri Erri Astoeti, M.Kes (*Universitas Trisakti, Jakarta, Indonesia*)  
Prof. drg. Rahmi Amtha, MDS, Ph.D, Sp.PM(K) (*Department of Oral Medicine, Universitas Trisakti, Jakarta, Indonesia*)  
Prof. Dr. Siriwan Suebnukarn, D.D.S (*Thammasat University, Bangkok, Thailand*)





# Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

## Committee Members

### Scientific Committee

- Prof. Dr. drg. David Buntoro Kamadjaja, Sp.BM(K) (*Oral Maxillofacial Surgeon, Universitas Hassanudin, Makasar, Indonesia*)
- Prof. Dr. drg. Diah Savitri Ernawati, Sp.PM(K)., M.Si (*Oral Medicine, Universitas Airlangga, Surabaya, Indonesia*)
- Prof. Dr. drg. Maria Francisca Lindawati Soetanto, Sp.Pros(K) (*Prosthodontic, Universitas Indonesia, Jakarta, Indonesia*)
- Prof. drg. Boy Muchlis Bachtiar, M.S., Ph.D., PBO (*Oral Biology, Universitas Indonesia, Jakarta, Indonesia*)
- Prof. Dr. drg. Inne Suherna Sasmita, Sp.KGA(K) (*Pediatric Dentistry, Universitas Padjajaran, Bandung, Indonesia*)
- Prof. drg. Sondang Pintauli, Ph.D (*Public Health, Universitas Sumatera Utara, Indonesia*)
- Prof. Dr. drg. Miesje Karmiati Purwanegara, S.U., Sp.Orto (*Orthodontic, Universitas Indonesia, Indonesia*)
- Prof. Dr. drg. Sri Lelyati, S.U, Sp.Perio (K) (*Periodontic, Universitas Indonesia, Indonesia*)
- drg. Diatri Nari Ratih, M.Kes., Ph.D., Sp.KG(K) (*Conservative Dentistry, Universitas Gadjah Mada, Indonesia*)

### Organizing Committee

- Drg. Aryadi Subrata, Sp.KG(K), (*Conservative Dentistry, Universitas Trisakti, Jakarta, Indonesia*)
- Dr. drg. Armelia Sari W., M.Kes., PBO (*Microbiology Oral, Universitas Trisakti, Jakarta, Indonesia*)
- Dr. drg. Anggraeny Putri Sekar Palupi, Sp.BM (*Oral Maxillofacial Surgeon, Universitas Trisakti, Jakarta Indonesia*)
- Dr. drg. Muhammad Ihsan Rizal, M.Kes (*Oral Biology, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Isya Hanin, Sp.Pros (*Prosthodontic, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Muhammad Orliando Roeslan, M.Kes., PhD (*Oral Biology, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Dina Ratnasari, Sp.KG(K) (*Conservative Dentistry, Universitas Trisakti, Jakarta, Indonesia*)
- drg. Carolina Damayanti Marpaung, Sp.Pros, PhD (*Prosthodontic, Universitas Trisakti, Jakarta, Indonesia*)



# Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

*Behavioral, epidemiologic and health services*



# Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

*Quality Improvement in Dental and Medical Knowledge, Research,  
Skills and Ethics Facing Global Challenges – Widyarman et al. (Eds)  
© 2024 The Author(s), ISBN 978-1-032-51441-3*

## Validity and reliability of the Indonesian version of COMDQ-26: A pilot study

J.V. Winarto, I. Gunardi, C.D. Marpaung & R. Amtha  
*Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia*

W.M.N. Ghani  
*Oral Cancer Research & Coordinating Centre, Faculty of Dentistry, University of Malaya,  
Kuala Lumpur, Malaysia*

**ABSTRACT:** Oral mucosal diseases, such as acute and chronic oral lesions, may have an impact on an individual's quality of life. OHRQoL is a tool that can be used to determine whether an individual's quality of life is impaired by oral diseases. One of the OHRQoLs that has been utilized often for chronic oral mucosal diseases is the COMDQ-26. This study aims to analyze the Indonesian COMDQ-26 indices' validity and reliability in patients with both acute and chronic oral lesions. An analytic observational study using a cross-sectional design was conducted on subject with oral lesions. Indonesian version of COMDQ-26 was constructed and tested on 30 subjects. Rasch model was used to analyze data. Population was found predominantly female (76.6%) with age >30-40 years old (33.33%). Acute oral lesions were found to have a COMDQ-26 score of 31 (24-53), but chronic oral lesions was shown to have a score of 32 (13-73). The Cronbach alpha for the Indonesian version of the COMDQ-26 was 0.83 and the item reliability was 0.92 with separation of 3.35. Unidimensionality score was 4.3. The Indonesian version of the COMDQ-26 shown strong construct validity, despite the fact that it is still unable to distinguish between the impact of quality of life based on the type of oral lesion. The use of the Indonesian version of the COMDQ-26 has to be reconfirmed by additional investigation.

## 1 INTRODUCTION

Oral health problems remain a significant problem due to their prevalence and significance as indicators of health impairment (Tahun et al. 2019). The Global Burden of Disease Study in 2019 estimated that oral diseases affect nearly 3.5 billion people worldwide. The most frequent cases are caries, periodontal disease, oral cancer, oro-dental trauma, cleft lip and palate, and noma (Seattle: Institute of Health Metrics and Evaluation (IHME) 2020).

Oral mucosal lesions may range from mere discoloration, variation in surface characteristics, swelling, or loss of integrity of the oral mucosal. (Kesehatan 2019) For the most part, these mucosal lesions are benign and require only symptomatic treatment, and some lesions may interfere with the quality of daily life in affected patients (Villanueva-Vilchis et al. 2016).

WHO recognizes OHRQoL as an essential segment of the Global Oral Health Program to provide an understanding of the impact of oral disease on daily life and quality of life (Bennadi & Reddy 2013). Of the various types of OHRQoL, Chronic Oral Mucosal Diseases Questionnaire-26 (COMDQ-26) is a specific questionnaire developed in oral medicine (Richeal Ni Riordain et al. 2011). This questionnaire is a patient-centred approach and has

demonstrated acceptable validity and reliability to support its use (Li & He 2013; Ni Riordain & McCreary 2012).

COMDQ-26 is an oral health-related QOL instrument that contains 26 items. The items are grouped into four domains: pain and functional limitations, medications and treatments, social and emotional status, and patient support. For each questionnaire, patients answer using a Likert-type response scale (Rajan et al. 2014). This questionnaire was created to determine the impact on quality of life due to chronic oral lesions. This questionnaire has been validated in subjects with oral lesions such as oral lichen planus, pemphigus vulgaris, mucous membrane pemphigoid, recurrent aphthous stomatitis and oral granulomatosis. (Li & He 2013; R. Ni Riordain & McCreary 2012; Richeal Ni Riordain et al. 2016) Previous studies comparing OHIP-14 and COMDQ-26, found that COMDQ-26 has discriminant and convergent validity and reliability qualities. (Ni Riordain & McCreary 2012)

The validity and reliability of the COMDQ-26 have been evaluated in the English version but have yet to be in the Indonesian version. Therefore, this pilot study aimed to validate the COMDQ-26 Indonesian version, thus beneficial to be applied in an Indonesian clinical setting. This questionnaire specifically determined the quality of life impact based on the oral lesion that may occur in the oral mucosa.

## 2 METHODS

An observational analytic study was conducted with a cross-sectional design. A total of 32 subjects was obtained by consecutive sampling from August to December 2022. The inclusion criteria included subjects aged >18 with an oral mucosal lesion. All subjects signed informed consent before the questionnaire was filled out. One oral medicine specialist did oral lesion detection. Ethical clearance was obtained from the Ethical Commission Faculty of Dentistry Universitas Trisakti 022/S3/KEPK/FKG/7/2022.

The COMDQ-26 questionnaire contains 26 questions divided into four domains, namely pain and functional limitations (9 items), medications and treatments (6 items), social and emotional status (7 items), and patient support (4 items). The Likert scale was used for one single answer choice, such as very often (4), often (3), sometimes (2), very rarely (1), and never (0).

The COMDQ-26 questionnaire was translated from English to Indonesian by a certified translator. The validity and reliability of the questionnaires were then tested on 30 subjects with recurrent aphthous stomatitis whom an oral medicine specialist had diagnosed. The validity showed Cronbach alpha 0.83 item reliability 0.92 with separation 3.35. The unidimensional test showed an eigenvalue of 4.30 on the first contrast.

All data collected was analyzed by the Rasch model using the Winstep 4.3.4 program. The validity construct was deemed based on the score of Cronbach alpha (>0.8), item and subject reliability (>0.8), and unidimensionality (eigenvalue >2.0).

## 3 RESULTS AND DISCUSSION

Out of 32 subjects, two were excluded based on incomplete data. Subjects were predominantly female (76.6%), aged >30-40 years old (33.33%) and had high school education (46.6%).

Table 2 shows that the COMDQ-26 questionnaire has a Cronbach alpha value of 0.83 which is in the excellent category. This is supported by the probability value above 0.05, the mean is close to 0, and the SD is close to 1. In addition, the MNSQ values for both infit and outfit are within the range of 0.5 to 1.5; the standard Z value for both infit and outfit is within the range of -2 to +2. Subject reliability was 0.80 in the Good category with a



Table 1. Population characteristics.

Variable	Male (n=7) n (%)	Female (n=23) n (%)
Age (year)	-3 (10)	4 (13.33)
20-30	1 (3.33)	7 (23.33)
>30-40	1 (3.33)	6 (20)
>40-50	2 (6.66)	4 (13.33)
>50-60		2 (6.66)
>60		
Education	1 (3.33)	6 (20)
Elementary school	-	-
Junior high school	4 (13.33)	10 (33.33)
High school	-	3 (10)
Diploma	1 (3.33)	4 (13.33)
Bachelor	1 (3.33)	-
Magister		

Table 2. Summary of COMDQ-26 questionnaire statistics.

Rasch model summary	Score	Reference
Cronbach alpha (KR-20)Probability	0.83	>0.8 (Excellent)
Mean	0.49	> 0.05
SD	-0.05	Close to 0
Chi-squared	1.18	Close to 1
	1516.6170	-
Subject	0.96 logit	0.5 – 1.5
Infit MNSQ	-0.13 logit	-2 – 2
Infit ZSTD	1.40 logit	0.5 – 1.5
Outfit MNSQ	0.31 logit	-2 – 2
utfit ZSTD	1.99	Close to 2
Separation	0.80	0.8-0.9 (Good)
Reliability		
Item	1.08 logit	0.5 – 1.5
Infit MNSQ	0.01 logit	-2 – 2
Infit ZSTD	1.40 logit	0.5 – 1.5
Outfit MNSQ	0.19 logit	-2 – 2
Outfit ZSTD	3.350.92	Close to 3
Separation		>0.9 (Excellent)
Reliability		


SD standard deviation; MNSQ mean square; ZSTD Z standard;

separation of 1.99, while item reliability was 0.92 in the Good category with a separation of 3.35.

Table 2 showed the chi-square value of 1516.6170 with a degree of freedom (df) 1,517 with a probability value of 0.49. The probability value indicates that the data has conformity with the Rasch model and the level of item difficulty is well distributed, as seen from the probability value of p, which is greater than 0.05, and the data is invariant. The mean value of -0.05 with SD 1.18 indicated that the data has a normal distribution where the mean value is close to 0 with an SD close to 1.

It appears from the results of the analysis in the person table that the MNSQ infit and outfit values have a value of 0.96 and 1.40 and are under the MNSQ value tolerance limit of





The figure shows the mean value of the observations is -6.96 for option 1 (Always) and increases until it reaches +4.18 for option 5 (Never). The increase in each choice needs to be more consistent in Figure 6.

AVRGE and Andrich thresholds, so it is necessary to modify the Likert scale from 5 categories to 4 categories because option three is considered less relevant in classifying the subject's response and can be eliminated.

Table 3. Unidimensionality questionnaire.

	Eigenvalue	Observed	Expected
Total raw variance in observations	59.45	100%	100%
Raw variance explained by measures	33.45	42.7%	42.8%
Raw variance explained by person	5.96	6.8%	6.9%
Raw variance explained by items	27.48	35.8%	36.0%
Raw unexplained variance (total)	26	43.7%	44.1%
Unexplained variance in 1st contrast	4.30	7.2%	16.5%
Unexplained variance in 2nd contrast	3.41	5.7%	13.1%
Unexplained variance in 3rd contrast	2.58	4.3%	9.9%
Unexplained variance in 4th contrast	2.39	4.0%	9.2%
Unexplained variance in 5th contrast	2.07	3.5%	8.0%

Table 3 showed that the raw variance explained by the measure shows a value above 40%, and the eigenvalue for unexplained variance in the first contrast is above 2. Thus, Tables 2 and 3 showed that the COMDQ-26 questionnaire has good construct validity. (Bond 2015; Gunardi et al. 2020; Yap et al. 2021) In this study, all construct validity criteria were met, and the Indonesian version of the COMDQ-26 questionnaire has good construct validity.

### 3 CONCLUSION

The Indonesian version of the COMDQ-26 questionnaire has good construct validity, validity shown from the Cronbach alpha value of 0.83 and item reliability of 0.92 with a separation of 3.35. However, the questionnaire answer choice was considerably vague/uncertain for the Indonesian population. Further research needs to be done to confirm the use of the Indonesian version of COMDQ-26.

### CONFLICT OF INTEREST

There is no conflict of interest for this study.

### FUNDING

No funding received for this study from any institutions or organizations.

### REFERENCES

- Bennadi, D., & Reddy, C.V.K. 2013. Oral health related quality of life. *Journal of International Society of Preventive and Community Dentistry* 3(1): 1–6.
- Bond, T. 2015. Applying the Rasch Model. In *Applying the Rasch Model: Vol. 3 rd*. Routledge.

- Gunardi, I., Salsabila Nurina, N., Marcia, & Amtha, R. 2020. Dentists experience influences knowledge and attitudes toward HIV patients in West Jakarta, Indonesia, and validation of a new questionnaire. *Oral Diseases* 26(S1): 127–132.
- Kesehatan, K.K.R.B.P. dan P. 2019. *Laporan Nasional Riskesdas 2018*. Lembaga Penerbitan Badan dan Pengembangan Kesehatan.
- Li, M., & He, S.L. 2013. Reliability and validity of the Chinese version of the Chronic Oral Mucosal Diseases Questionnaire. *Journal of Oral Pathology and Medicine* 42(2): 194–199.
- Ni Riordain, R., & McCreary, C. 2012. Further reliability and responsiveness of the Chronic Oral Mucosal Diseases Questionnaire. *Oral Diseases* 18(1): 60–66.
- Ni Riordain, Richeal, Christou, J., Pinder, D., Squires, V., & Hodgson, T. 2016. Cost of illness of oral lichen planus in a UK population - a pilot study. *Journal of Oral Pathology and Medicine* 45(5): 381–384.
- Ni Riordain, Richeal, Meaney, S., & McCreary, C. 2011. A patient-centered approach to developing a quality-of-life questionnaire for chronic oral mucosal diseases. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology* 111(5): 578–586.e2.
- Rajan, B., Ahmed, J., Shenoy, N., Denny, C., Ongole, R., & Binnal, A. 2014. Assessment of quality of life in patients with chronic oral mucosal diseases: a questionnaire-based study. *The Permanente Journal* 18(1): 123–127.
- Seattle: Institute of Health Metrics and Evaluation (IHME). 2020. Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2019 (GBD 2019).
- Tahun, U., Smp, D.I., Dan, X., Palembang, S., Aulia, B., Wahyuni, S., & Aprilia, R.F. 2019. Perbandingan Status Kesehatan Gigi Dan Mulut Siswa. *Perbandingan Status Kesehatan Gigi Dan Mulut Siswa* 1(1): 6–12.
- Villanueva-Vilchis, M. del C., López-Ríos, P., García, I.M., & Gaitán-Cepeda, L.A. 2016. Impact of oral mucosa lesions on the quality of life related to oral health. An etiopathogenic study. *Medicina Oral Patología Oral y Cirugía Bucal* 21(2): e178–e184.
- Yap, A.U., Marpaung, C., & Gunardi, I. 2021. Psychometric properties of the Indonesian Fonseca anamnestic index and the presence/severity of temporomandibular disorders among Indonesian young adults. *CRANIO®* : 1–8.

# Validity and reliability of the Indonesian version of COMDQ- 26: A Pilot Study

*by* Carolina Damayanti Marpaung

---

**Submission date:** 25-Jul-2025 01:50PM (UTC+0700)

**Submission ID:** 2720280054

**File name:** esian\_version\_of\_COMDQ-26\_A\_Pilot\_Study\_\_Jessica\_Valerie\_1.docx (87.32K)

**Word count:** 2530

**Character count:** 13628



# Validity and reliability of the Indonesian version of COMDQ-26: A Pilot Study

J.V. Winarto, I. Gunardi\*, C.D. Marpaung, & R. Amtha

*Faculty of Dentistry, Universitas Trisakti, Indonesia*

W.M.N. Ghani

*Oral Cancer Research & Coordinating Centre, Faculty of Dentistry, University of Malaya, Kuala Lumpur, Malaysia*

\*Correspondence: indrayadi@trisakti.ac.id

**ABSTRACT:** Oral mucosal diseases, such as acute and chronic oral lesions, may have an impact on an individual's quality of life. OHRQoL is a tool that can be used to determine whether an individual's quality of life is impaired by oral diseases. One of the OHRQoLs that has been utilized often for chronic oral mucosal diseases is the COMDQ-26. This study aims to analyze the Indonesian COMDQ-26 indices' validity and reliability in patients with both acute and chronic oral lesions. An analytic observational study using a cross-sectional design was conducted on subject with oral lesions. Indonesian version of COMDQ-26 was constructed and tested on 30 subjects. Rasch model was used to analyze data. Population was found predominantly female (76.6%) with age >30-40 years old (33.33%). Acute oral lesions were found to have a COMDQ-26 score of 31 (24–53), but chronic oral lesions was shown to have a score of 32 (13–73). The Cronbach alpha for the Indonesian version of the COMDQ-26 was 0.83 and the item reliability was 0.92 with separation of 3.35. Unidimensionality score was 4.3. The Indonesian version of the COMDQ-26 shown strong construct validity, despite the fact that it is still unable to distinguish between the impact of quality of life based on the type of oral lesion. The use of the Indonesian version of the COMDQ-26 has to be reconfirmed by additional investigation.

## 1 INTRODUCTION

Oral health problems remain a significant problem due to their prevalence and significance as indicators of health impairment (Tahun et al., 2019). The Global Burden of Disease Study in 2019 estimated that oral diseases affect nearly 3.5 billion people worldwide. The most frequent cases are caries, periodontal disease, oral cancer, oro-dental trauma, cleft lip and palate, and noma (Seattle: Institute of Health Metrics and Evaluation (IHME), 2020).

Oral mucosal lesions may range from mere discolouration, variation in surface characteristics, swelling, or loss of integrity of the oral mucosal. (Kesehatan, 2019) For the most part, these mucosal lesions are benign and require only symptomatic treatment, and some lesions may interfere with the quality of daily life in affected patients (Villanueva-Vilchis et al., 2016).

WHO recognizes OHRQoL as an essential segment of the Global Oral Health Program to provide an understanding of the impact of oral disease on daily life and quality of life (Bennadi & Reddy, 2013). Of the various types of OHRQoL, Chronic Oral Mucosal Diseases Questionnaire-26 (COMDQ-26) is a specific questionnaire developed in oral medicine (Ni Riordain et al., 2011). This questionnaire is a patient-centred approach and has demonstrated acceptable validity and reliability to support its use (Li & He, 2013; Ni Riordain & McCreary, 2012).

COMDQ-26 is an oral health-related QOL instrument that contains 26 items. The items are grouped into four domains: pain and functional limitations, medications and treatments, social and emotional status, and patient support. For each questionnaire, patients answer using a Likert-type response scale (Rajan et al., 2014) This questionnaire was created to determine the impact on quality of life

due to chronic oral lesions. This questionnaire has been validated in subjects with oral lesions such as oral lichen planus, pemphigus vulgaris, mucous membrane pemphigoid, recurrent aphthous stomatitis and oral granulomatosis. (Li & He, 2013; Ni Riordain et al., 2016; Ni Riordain & McCreary, 2012) Previous studies comparing OHIP-14 and COMDQ-26, found that COMDQ-26 has discriminant and convergent validity and reliability qualities. (Ni Riordain & McCreary, 2012)

The validity and reliability of the COMDQ-26 have been evaluated in the English version but have yet to be in the Indonesian version. Therefore, this pilot study aimed to validate the COMDQ-26 Indonesian version, thus beneficial to be applied in an Indonesian clinical setting. This questionnaire specifically determined the quality of life impact based on the oral lesion that may occur in the oral mucosa.

## 2 METHODS

An observational analytic study was conducted with a cross-sectional design. A total of 32 subjects was obtained by consecutive sampling from August to December 2022. The inclusion criteria included subjects aged >18 with an oral mucosal lesion. All subjects signed informed consent before the questionnaire was filled out. One oral medicine specialist did oral lesion detection. Ethical clearance was obtained from the Ethical Commission Faculty of

Dentistry Universitas Trisakti 022/S3/KEPK/FKG/7/2022.

The COMDQ-26 questionnaire contains 26 questions divided into four domains, namely pain and functional limitations (9 items), medications and treatments (6 items), social and emotional status (7 items), and patient support (4 items). The Likert scale was used for one single answer choice, such as very often (4), often (3), sometimes (2), very rarely (1), and never (0).

The COMDQ-26 questionnaire was translated from English to Indonesian by a certified translator. The validity and reliability of the questionnaires were then tested on 30 subjects with recurrent aphthous stomatitis whom an oral medicine specialist had diagnosed. The validity showed Cronbach alpha 0.83 item reliability 0.92 with separation 3.35. The unidimensional test showed an eigenvalue of 4.30 on the first contrast.

All data collected was analyzed by the Rasch model using the Winstep 4.3.4 program. The validity construct was deemed based on the score of Cronbach alpha ( $\geq 0.8$ ), item and subject reliability ( $> 0.8$ ), and unidimensionality (eigenvalue  $> 2.0$ ).

## 3 RESULTS AND DISCUSSION

Out of 32 subjects, two were excluded based on incomplete data. Subjects were predominantly female (76.6%), aged >30-40 years old (33.33%), and had high school education (46.6%).

Table 1. Population characteristics

Variable	Male (n=7) n (%)	Female (n=23) n (%)
Age (year)		
20-30	-	4 (13.33)
>30-40	3 (10)	7 (23.33)
>40-50	1 (3.33)	6 (20)
>50-60	1 (3.33)	4 (13.33)
>60	2 (6.66)	2 (6.66)
Education		
Elementary school	1 (3.33)	6 (20)
Junior high school	-	-
High school	4 (13.33)	10 (33.33)
Diploma	-	3 (10)
Bachelor	1 (3.33)	4 (13.33)
Magister	1 (3.33)	-

Rasch model summary	Score	Reference
Cronbach alpha (KR-20)	0.83	≥0.8 (Excellent)
Probability	0.49	> 0.05
Mean	-0,05	Close to 0
SD	1.18	Close to 1
Chi-squared	1516.6170	-
Subject		
Infit MNSQ	0.96 logit	0.5 - 1.5
Infit ZSTD	-0.13 logit	-2 - 2
Outfit MNSQ	1.40 logit	0.5 - 1.5
Outfit ZSTD	0.31 logit	-2 - 2
Separation	1.99	Close to 2
Reliability	0.80	0.8-0.9 (Good)
Item		
Infit MNSQ	1.08 logit	0.5 - 1.5
Infit ZSTD	0.01 logit	-2 - 2
Outfit MNSQ	1.40 logit	0.5 - 1.5
Outfit ZSTD	0.19 logit	-2 - 2
Separation	3.35	Close to 3
Reliability	0.92	>0.9 (Excellent)

SD standard deviation; MNSQ mean square; ZSTD Z standard;

Table 2 shows that the COMDQ-26 questionnaire has a Cronbach alpha value of 0.83 which is in the excellent category. This is supported by the probability value above 0.05, the mean is close to 0, and the SD is close to 1. In addition, the MNSQ values for both infit and outfit are within the range of 0.5 to 1.5; the standard Z value for both infit and outfit is within the range of -2 to +2. Subject reliability was 0.80 in the Good category with a separation of 1.99, while item reliability was 0.92 in the Good category with a separation of 3.35.

Table 2 showed the chi-square value of 1516.6170 with a degree of freedom (df) 1,517 with a probability value of 0.49. The probability value indicates that the data has conformity with the Rasch model and the level of item difficulty is well distributed, as seen from the probability value of p, which is greater than 0.05, and the data is invariant. The mean value of -0.05 with SD 1.18 indicated that the data has a normal distribution where the mean value is close to 0 with an SD close to 1.

It appears from the results of the analysis in the person table that the MNSQ infit and outfit values have a value of 0.96 and 1.40 and are under the MNSQ value tolerance limit of 0.5-1.5; these results indicate that the response given by the subject as a whole is of good value. The outfit and infit ZSTD values are -0.13 and 0.31. This shows that the overall

pattern of the subject's answers fit with the Rasch model with a limit that is between -2 to 2.113.

The subject reliability score reached 0.80, which is a good category. This shows that the overall pattern of the subject's answers fits well with the model.

Table 2 shows the summary results for items with an infit MNSQ value of 1.08 and an outfit MNSQ of 1.40 and under a tolerance limit of 0.5 - 1.5. This is supported by the infit ZSTD and outfit ZSTD values of 0.01 and 0.19 with tolerance limits on a scale between -2 and 2. This shows that the overall instrument is good and has an excellent reliability value of 0.92.

The Cronbach alpha (KR-20) value, which measures the interaction between subjects and items, shows a good reliability value of 0.83 and is included in the excellent category. This study result showed that the data obtained in the study was good and according to the requirements of the Rasch model.

Figure 1A showed the distribution of response patterns given by the subjects denoted in the form (#) and (.) on the left and the difficulty level of items on the right according to the item code. The subject's response pattern shows that the average logit value reaches 0.612 logit, indicating that all subjects tend to have oral disorders due to oral lesions, as indicated by the lower logit value compared to the average item/question item (Figure 1A).




Figure 1. A. Item map showed distribution of subjects (left) and item of COMDQ-26 (right). B. Andrich threshold analysis.

As shown in Figure 1A, it can be seen that the distribution of items is good, as can be seen from the even distribution of the difficulty level of the items. However, some items exceed 2SD (C23-3 and C24-4), but overall the questionnaire can measure respondents well and group respondents into three categories.

Figure 1B explains the questionnaire items' rank validity and the questionnaire's unidimensionality test so that the questionnaire can measure what should be measured.

The validity of the rating scale is used to determine the grouping of the responses to the questionnaire with a Likert scale. With Rasch model analysis, a verification process can be carried out to determine the ranking grouping in the instrument. In

this questionnaire used. Likert scale type grouping with five categories.

Respondents provide answers to each item, and the answers given by respondents will be grouped to whether respondents tend to answer in the left column (always) or the far right (never) to questions related to the effect of oral disorders on quality of life.

The figure shows the mean value of the observations is -6.96 for option 1 (Always) and increases until it reaches +4.18 for option 5 (Never). The increase in each choice needs to be more consistent in Figure 6.

AVRGE and Andrich thresholds, so it is necessary to modify the Likert scale from 5 categories to 4 categories because option three is considered less relevant in classifying the subject's response and can be eliminated.

Table 3. Unidimensionality questionnaire

	Eigenvalue	Observed	Expected
Total raw variance in observations	59.45	100%	100%
Raw variance explained by measures	33.45	42.7%	42.8%
Raw variance explained by person	5.96	6.8%	6.9%
Raw variance explained by items	27.48	35.8%	36.0%
Raw unexplained variance (total)	26	43.7%	44.1%
Unexplained variance in 1 <sup>st</sup> contrast	4.30	7.2%	16.5%
Unexplained variance in 2 <sup>nd</sup> contrast	3.41	5.7%	13.1%
Unexplained variance in 3 <sup>rd</sup> contrast	2.58	4.3%	9.9%
Unexplained variance in 4 <sup>th</sup> contrast	2.39	4.0%	9.2%
Unexplained variance in 5 <sup>th</sup> contrast	2.07	3.5%	8.0%



Table 3 showed that the raw variance explained by the measure shows a value above 40%, and the eigenvalue for unexplained variance in the first contrast is above 2. Thus, Tables 2 and 3 showed that the COMDQ-26 questionnaire has good construct validity. (Bond, 2015; Gunardi et al.,

#### 4 CONCLUSION

The Indonesian version of the COMDQ-26 questionnaire has good construct validity, validity shown from the Cronbach alpha value of 0.83 and item reliability of 0.92 with a separation of 3.35. However, the questionnaire answer choice was considerably vague/uncertain for the Indonesian population. Further research needs to be done to confirm the use of the Indonesian version of COMDQ-26.

#### CONFLICT OF INTEREST

There is no conflict of interest for this study

#### FUNDING

No funding received for this study from any institutions or organizations.

#### REFERENCES

Bennadi, D., & Reddy, C. V. K. (2013). Oral health related quality of life. *Journal of International Society of Preventive and Community Dentistry*, 3(1), 1–6. <https://doi.org/10.4103/2231-0762.115700>

Bond, T. (2015). Applying the Rasch Model. In *Applying the Rasch Model: Vol. 3 rd*. Routledge. <https://doi.org/10.4324/9781315814698>

Gunardi, I., Salsabila Nurina, N., Marcia, & Amtha, R. (2020). Dentists experience influences knowledge and attitudes toward HIV patients in West Jakarta, Indonesia, and validation of a new questionnaire. *Oral Diseases*, 26(S1), 127–132. <https://doi.org/10.1111/odi.13393>

Keschatan, K. K. R. B. P. dan P. (2019). *Laporan Nasional*

2020; Yap et al., 2021) In this study, all construct validity criteria were met, and the Indonesian version of the COMDQ-26 questionnaire has good construct validity.

Riskesdas 2018. Lembaga Penerbitan Badan dan Pengembangan Kesehatan.

Li, M., & He, S. L. (2013). Reliability and validity of the Chinese version of the Chronic Oral Mucosal Diseases Questionnaire. *Journal of Oral Pathology and Medicine*, 42(2), 194–199. <https://doi.org/10.1111/j.1600-0714.2012.01157.x>

Ni Riordain, R., Christou, J., Pinder, D., Squires, V., & Hodgson, T. (2016). Cost of illness of oral lichen planus in a UK population - a pilot study. *Journal of Oral Pathology and Medicine*, 45(5), 381–384. <https://doi.org/10.1111/jop.12415>

Ni Riordain, R., & McCreary, C. (2012). Further reliability and responsiveness of the Chronic Oral Mucosal Diseases Questionnaire. *Oral Diseases*, 18(1), 60–66. <https://doi.org/10.1111/j.1601-0825.2011.01844.x>

Ni Riordain, R., Meaney, S., & McCreary, C. (2011). A patient-centered approach to developing a quality-of-life questionnaire for chronic oral mucosal diseases. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 111(5), 578–586.e2. <https://doi.org/10.1016/j.tripleo.2010.12.011>

Rajan, B., Ahmed, J., Shenoy, N., Denny, C., Ongole, R., & Binnal, A. (2014). Assessment of quality of life in patients with chronic oral mucosal diseases: a questionnaire-based study. *The Permanente Journal*, 18(1), 123–127. <https://doi.org/10.7812/tpp/13-095>

Seattle: Institute of Health Metrics and Evaluation (IHME). (2020). *Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2019 (GBD 2019)*. <http://ghdx.healthdata.org/gbd-results-tool>

Tahun, U., Smp, D. I., Dan, X., Palembang, S., Aulia, B., Wahyuni, S., & Aprilia, R. F. (2019). Perbandingan Status Kesehatan Gigi Dan Mulut Siswa. *Perbandingan Status Kesehatan Gigi Dan Mulut Siswa*, 1(1), 6–12.

Villanueva-Vilchis, M. del C., López-Rios, P., Garcia, I. M., & Gaitán-Cepeda, L. A. (2016). Impact of oral mucosa lesions on the quality of life related to oral health. An etiopathogenic study. *Medicina Oral Patologia Oral y Cirugia Bucal*, 21(2), e178–e184. <https://doi.org/10.4317/medoral.20866>

Yap, A. U., Marpaung, C., & Gunardi, I. (2021). Psychometric properties of the Indonesian Fonseca anamnestic index and the presence/severity of temporomandibular disorders among Indonesian young adults. *CRANIO®*, 1–8. <https://doi.org/10.1080/08869634.2021.1999615>

# Validity and reliability of the Indonesian version of COMDQ-26: A Pilot Study

## ORIGINALITY REPORT

16%

SIMILARITY INDEX

13%

INTERNET SOURCES

15%

PUBLICATIONS

5%

STUDENT PAPERS

## PRIMARY SOURCES

1

[bmcgeriatr.biomedcentral.com](http://bmcgeriatr.biomedcentral.com)

Internet Source

2%

2

[www.thepermanentejournal.org](http://www.thepermanentejournal.org)

Internet Source

2%

3

Kaustubh Sansare, Ruchika Kapoor, Freny Karjodkar. "Validity of Chronic Oral Mucosal Diseases Questionnaire in oral submucous fibrosis", Clinical Oral Investigations, 2018

Publication

2%

4

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)

Internet Source

2%

5

[assets-eu.researchsquare.com](https://assets-eu.researchsquare.com)

Internet Source

1%

6

Maji Jose, Vrinda Rajagopal, Finosh G. Thankam. "Oral tissue regeneration: Current status and future perspectives", Elsevier BV, 2021

Publication

1%

7

M. Shteiner, S. Kleinman, A. Shuster, V. Raiser, C. Ianculovici, H. Rachima, I. Kaplan. "Submucosal Fibrotic Bands in Oral Lichen Planus: A Clinico-Pathological Investigation of a Newly Described Phenomenon", Head and Neck Pathology, 2020

Publication

1%

8

Danial Qasim Butt, Osama Khattak, Farooq Ahmad Chaudhary, Alzarea K. Bader et al. "Oral Health-Related Quality of Life in Patients

1%

with Chronic Oral Mucosal Diseases:  
Reliability and Validity of Urdu Version of  
Chronic Oral Mucosal Disease Questionnaire  
(COMDQ)", Healthcare, 2023

Publication

- 
- |       |   |    |
|-------|---|----|
| 9     | Chih-Ying Li, Julia Waid-Ebbs, Craig A. Velozo, Shelley C. Heaton. "Factor structure and item level psychometrics of the Social Problem Solving Inventory – Revised: Short Form in traumatic brain injury", Neuropsychological Rehabilitation, 2015 | 1% |
| <hr/> |   |    |
| 10    | d-nb.info<br>Internet Source  | 1% |
| <hr/> |   |    |
| 11    | web.mda.org.my<br>Internet Source   | 1% |
| <hr/> |   |    |
| 12    | www.labome.org<br>Internet Source   | 1% |
| <hr/> |   |    |
| 13    | bmcpsychology.biomedcentral.com<br>Internet Source  | 1% |
- 

Exclude quotes On

Exclude matches < 15 words

Exclude bibliography On