

IOP Conference Series: Earth and Environmental Science

Table of contents

 Previous issue Next issue ► 	023
	023
6th International Symposium on Sustainable Urban Development 2023 02/08/2023 - 03/08/2 Jakarta, Indonesia	
Accepted papers received: 03 November 2023 Published online: 06 December 2023	
Open all abstracts	
Preface	
OPEN ACCESS The 6 th International Symposium on Sustainable Urban Development (The 6 th ISoSUD) 2023	011001
+ Open abstract	
OPEN ACCESS Peer Review Statement	011002
+ Open abstract 📰 View article 🏂 PDF	

 $\leftarrow \ \rightarrow \ C$

Urban Health and Sanitation

OPEN ACCESS			012005		
The factors influencing urban health in Jakarta Province during Covid-19 outbreak					
W Yahya, E Fatimah	, P R Sihombing and	B Adinugroho			
+ Open abstract	View article	PDF			
OPEN ACCESS			012006		
Sanitation facility	mapping at Kalid	eres District, West Jakarta			
A W Ryansa, M M S	Sintorini and R Hadiso	bebroto			
+ Open abstract	View article	🔁 PDF			
OPEN ACCESS			012007		
Evaluation of san	itation hygiene im	plementation at refill drinking water depot in Lembursitu Sub-District, Sukabur	mi City		
E Afiatun, S Wahyu	ni and N I Supendi				
+ Open abstract	View article	PDF			
OPEN ACCESS			012008		
Unveiling Cerator	cystis wilt disease:	a review of cocoa's unforgiving foe			

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

PAPER • OPEN ACCESS

The 6th International Symposium on Sustainable Urban Development (The 6th ISoSUD) 2023

To cite this article: 2023 IOP Conf. Ser.: Earth Environ. Sci. 1263 011001

View the article online for updates and enhancements.

You may also like

- Preface

- Preface

- A Komar-like integral for mass and angular momentum of asymptotically AdS black holes in Einstein gravity

Jun-Jin Peng, Chang-Li Zou and Hui-Fa Liu



This content was downloaded from IP address 103.78.115.244 on 28/01/2024 at 17:14

1263 (2023) 011001 IOP Conf. Series: Earth and Environmental Science

The 6th INTERNATIONAL SYMPOSIUM ON SUSTAINABLE URBAN DEVELOPMENT (The 6th ISoSUD) 2023

The International Symposium on Sustainable Urban Development (ISoSUD) is a series of international activities organized by the Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta. The event is held once every 3 (three) years with themes related to current issues regarding sustainable urban development, in particular related to urban environmental management and environmental technologies. The activity aims to facilitate academics to publish their research results in order to enhance their scientific expertise as researchers.

The 6th ISoSUD in 2023 carried the theme "From Recovery To Resilience: Building A Sustainable Future For A Better Life" which means this symposium will focus on how we can recover from the difficult times caused by the COVID-19 pandemic and build a better future and sustainable. This theme also shows the importance of building resilience in facing future challenges, whether related to climate change, economic policies, or other social problems.

The COVID-19 pandemic that swept the world in the last four years has had a significant impact on human health, the global economy, and the daily lives of people around the world. It will take the concerted efforts of all countries and peoples to overcome this pandemic and rebuild the world after it. This pandemic underscores the need for global efforts to strengthen health systems, enhance societal resilience, strengthen international cooperation, and accelerate action to achieve sustainable development goals and combat climate change. This crisis provides an opportunity to make significant changes in the way we view and manage our economic and social activities and to create a world that is more sustainable and fairer for all people and our planet. Now is the time to make a difference, to make a profound systemic shift towards a more sustainable economy for the benefit of our people and our planet. In other words, now is the right time to undertake significant transformations in existing economic and social systems, which can help sustainably achieve the SDGs and fight climate change to ensure a better future for people and our planet. Overall, post-pandemic recovery must be based on the principles of sustainable development contained in the SDGs. By integrating the SDG goals into our recovery policies and actions, we can create a more sustainable, inclusive, and resilient future for our people and the world.

The 6th ISoSUD was held in the hybrid conference:

a. Day 1, on Wednesday, August 2nd, 2023, at Building M, 12th floor, Universitas Trisakti, Jakarta, Indonesia. There were 130 participants offline and 170 participants on the Zoom platform in the plenary session.

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 011001	doi:10.1088/1755-1315/1263/1/011001

b. On day 2, on Thursday, August 3rd, 2023, using the Zoom meeting facility, 270 participants attended virtually on Day 2.

In this two-day International Symposium, experts, researchers, and academician shared their valuable insights and research findings. These esteemed presenters hail from 58 universities and institutions in Filipina, India, Indonesia, Iraq, Japan, Malaysia, Netherlands, Singapura, and Taiwan, reflecting the symposium's diverse and inclusive nature. The call paper system that has been used since the first ISoSUD in 2008 succeeded in inviting 165 manuscripts (more than 400 authors) that were presented offline and virtually. Then, 136 from 165 papers were selected further to be published in IOP Proceedings Indexed by Scopus. After another review process, 106 manuscripts were published in IOP EES. To improve the quality of the manuscripts, the organizing committee held a Coaching Clinic for Scientific Paper Writing on June 24th, 2023. Prof. Mohamad Ali Fulazzaky, Ph.D, delivered the coaching clinic.

The 6th ISoSUD 2023 involved co-host universities consisting of five from within the country and four from abroad: Universitas Jember (UNEJ), Jember, Indonesia; Universitas Islam Indonesia (UII), Yogyakarta, Indonesia; Universitas Pasundan (UNPAS), Bandung, Indonesia; Institut Teknologi Sepuluh November (ITS), Surabaya, Indonesia; Universitas Indonesia (UI), Jakarta, Indonesia; Universiti Teknologi Malaysia (UTM), Malaysia; Universiti Tun Hussein Onn Malaysia (UTHM), Malaysia; The University of Kitakyushu, Japan; Chung Yuan Christian University (CYCU), Taiwan. During the class presentation session, a presentation from the participants representing the 6th ISoSUD co-host was carried out. Besides that, The 6th ISoSUD 2023 was supported as well by the Indonesian Society of Sanitary and Environment Engineers (IATPI), which has continuously supported our symposium since 2008. And sponsored by PT Enviro Cipta Lestari.

In the plenary session, some main speakers delivered more focused seminar themes; they were:

Welcoming Speech:

Prof. Dr. Kadarsah Suryadi DEA – Rector of Universitas Trisakti

Opening Speech:

Ir. Diana Kusumastuti, MT. - Director General of Human Settlements, Ministry of Public Works and Public Housing Indonesia

Plenary Speakers:

Day-1

- 1. Prof. Lin Chi Wang Chung Yuan Christian University (CYCU), Taiwan
- 2. Prof. Ir. Joni Hermana M.Sc.ES., Ph.D Institut Teknologi Sepuluh November (ITS), Indonesia

Day 2

- 3. Prof. Ts. Dr. Azmi Bin Aris Universiti Teknologi Malaysia (UTM), Malaysia
- 4. Prof. Dr. Eng. Toru Matsumoto University of Kitakyushu, Japan
- 5. Associate Prof. Victor R Savage Nanyang Technological University (NTU), Singapore

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 011001	doi:10.1088/1755-1315/1263/1/011001

We believe that this event will be able to facilitate good networking among researchers, scientists, engineers, and practitioners with common interests, especially in sharing the latest research results, ideas, development, and applications in Sustainable Urban Development. Hopefully, all participants enjoyed the seminar and found this experience inspiring and helpful in their professional field. Thank you for choosing the 6^{th} ISoSUD as your symposium reference. Let us embrace the spirit of collaboration and innovation as we strive towards a sustainable future for a better life. We hope to have your pleasant support and participation in the next three years on The 7^{th} ISoSUD 2026.

Sincerely,

Assoc. Prof. Ariani Dwi Astuti, ST., MT., PhD

Chairperson of The 6th International Symposium on Sustainable Urban Development (ISoSUD) 2023

6th International Symposium on Sustainable Urban Development 2023				
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 011001	doi:10.1088/17		

INTERNATIONAL ADVISORY BOARD

- Prof. Ir. Dato' Dr. Zainai Mohamed Universiti Teknologi Malaysia, Malaysia
- Prof. Ts. Dr. Azmi Bin Aris Universiti Teknologi Malaysia, Malaysia
- Prof. Lin-Chi Wang Chung Yuan Christian University, Taiwan
- Prof. Ts. Dr. Aeslina Binti Abdul Kadir Universiti Tun Hussein Onn Malaysia, Malaysia
- Assoc Prof Ts Dr. Rafidah Hamdan- Universiti Tun Hussein Onn Malaysia, Malaysia
- Prof. Dr. Eng. Toru Matsumoto University of Kitakyushu, Japan
- LAr. Dr. Rohayah binti Che Amat Universiti Teknologi Malaysia, Malaysia
- Assoc Prof. Dr. Victor R Savage, Nanyang Technology University, Singapore
- Prof. Dr. Karim Hassan Alwan University of Baghdad, Iraq
- Dr. Nada Khaleefah Alrikabi University of Baghdad, Iraq
- Dr. Indriyani Rachman University of Kitakyushu, Japan
- Prof. Ir. Asri Nugrahanti, MS., PhD, IPU Universitas Trisakti, Jakarta, Indonesia
- Prof. Dr. Ir. Indra Surjati, MT Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Yonik Meilawati Yustiani, ST., MT Universitas Pasundan, Bandung, Indonesia
- Dr. Ir. Yeny Dhokhikah S.T., M.T. Universitas Jember, Indonesia
- Prof. Dr-Ing. Ir. Widodo Brontowiyono., M.Sc. Universitas Islam Indonesia, Yogyakarta, Indonesia
- Prof. Arseto Yekti Bagastyo, ST., MT., MPhil., PhD Institut Teknologi Sepuluh November, Surabaya, Indonesia

SCIENTIFIC COMMITTEE

- Prof. Mohamad Ali Fulazzaky, Ph.D- Universitas Djuanda, Bogor, Indonesia
- Dr. Salmiati Yunus Universiti Teknologi Malaysia, Malaysia
- Prof. Ts. Dr. Aeslina Binti Abdul Kadir Universiti Tun Hussein Onn Malaysia, Malaysia
- Dr. Shamila Arfan Universiti Teknologi Malaysia, Malaysia
- Prof. Arseto Yekti Bagastyo, ST., MT., MPhil., PhD Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia
- Prof. IDAA Warmadewanthi ST., MT., PhD PhD Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia
- Prof. Dr-Ing. Ir. Widodo Brontowiyono., M.Sc. Universitas Islam Indonesia, Yogyakarta, Indonesia
- Assoc. Prof. Dr. Yonik Meilawati Yustiani, ST., MT Universitas Pasundan, Bandung, Indonesia
- Dr. Evi Afiatun, ST., MT Universitas Pasundan, Bandung, Indonesia
- Dr. Anni Rochaeni, ST., MT Universitas Pasundan, Bandung, Indonesia
- Dr. Fadjari Lucia Nugroho, Msc. DEA Universitas Pasundan, Bandung, Indonesia
- Dr. Ir. Yeny Dhokhikah S.T., M.T. Universitas Jember, Jember, Indonesia
- Dr. Indriyani Rachman University of Kitakyushu, Japan
- Dr-Ing. Sucipta Laksono, ST, MT- Universitas Indonesia, Depok, Indonesia

6th International Symposium on Sustainable Urban De	IOP Publishin	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 011001	doi:10.1088/1755-1315/1263/1/01100

- Prof. Dr. Ir. Astri Rinanti, S.Si., MT Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Melati F Fachrul, MS Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Ir. Diana Irvindiaty Hendrawan, MSi Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Ir. Rahel Situmorang, M.Plan Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ratnaningsih Ruhiyat, MT Universitas Trisakti, Jakarta, Indonesia
- Dr. M M Sintorini Moerdjoko, M.Kes Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Anita Sitawati Wartaman, M.Si Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Endrawati Fatimah, MPSt Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ramadhani Yanidar, MT Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Hanny Wiranegara, MT Universitas Trisakti, Jakarta, Indonesia
- Dr. Rositayanti H., ST., MT Universitas Trisakti, Jakarta, Indonesia
- Herika, S.Si, M.Si, Ph.D-Universitas Trisakti, Jakarta, Indonesia
- Dibyanti Danniswari, S.P, M.Si, M.Agr, Ph.D- Universitas Trisakti, Jakarta, Indonesia

ORGANIZING COMMITTEE

Chair Person	: Assoc. Prof. Ariani Dwi Astuti, ST., MT., PhD		
Co-chair person	: Lutfia Rahmiati, ST., MT		
Treasurer	: Sarah Aphirta, ST., MT		
Secretary	: Sheilla Megagupita Putri Marendra, ST., MT		
Sponsorship	: Pramiati Purwaningrum, ST., MT		
Event Management	: Astari Minarti ST, MSc		
Publication	: Wisely Yahya, ST., M.P.W.K		
Food and Beverages	: Ir. Asih Wijayanti, M.Si		
Logistic, accommodation and transportation: Reza Fauzi, ST., M.Ars			

PAPER • OPEN ACCESS

Peer Review Statement

To cite this article: 2023 IOP Conf. Ser.: Earth Environ. Sci. 1263 011002

View the article online for updates and enhancements.

You may also like

- Peer review declaration
- Peer review declaration
- Peer review declaration



This content was downloaded from IP address 103.78.115.244 on 28/01/2024 at 17:15

Peer Review Statement

All papers published in this volume have been reviewed through processes administered by the Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

- 1. Type of peer review: Double anonymous
- 2. Conference submission management system: Morressier
- 3. Number of submissions received: 137
- 4. Number of submissions sent for review: 106 (by IOP Publisher)
- 5. Number of submissions accepted: 71
- 6. Acceptance Rate (Submissions Accepted / Submissions Received × 100): 66.98%
- 7. Average number of reviews per paper: 2.00
- 8. Total number of reviewers involved: 24
- 9. Contact person for queries: Name: Ariani Dwi Astuti Affiliation: Universitas Trisakti Email: ariani_da@trisakti.ac.id

PAPER • OPEN ACCESS

The factors influencing urban health in Jakarta Province during Covid-19 outbreak

To cite this article: W Yahya et al 2023 IOP Conf. Ser.: Earth Environ. Sci. 1263 012005

View the article online for updates and enhancements.

You may also like

- <u>Comprehensive assets-based approach</u> for neighborhoods that are underresourced in Jakarta (case study: Keagungan Sub-district in West Jakarta, Indonesia)
 M Ischak, W Sejati, E R Kridarso et al.
- <u>The strategy of handling the settlements</u> for <u>Under-resourced neighbourhood/area</u> fishermen's of <u>Tallo Village</u> Agus A.P Maknun, Idawarni Asmal and M. Yahya
- <u>Spatial Patterns of Under-Resourced</u> <u>Neighbourhood Settlements in</u> <u>Sidenrengrappang Regency</u> R Riyanti, R Wikantari and Mahyuddin



This content was downloaded from IP address 103.78.115.244 on 28/01/2024 at 17:19

The factors influencing urban health in Jakarta Province during Covid-19 outbreak

1263 (2023) 012005

W Yahya^{1,*}, E Fatimah¹, P R Sihombing² and B Adinugroho¹

¹ Department of Urban and Regional Planning, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia ²BPS-Statistics Indonesia, Jakarta, Indonesia

*wisely.yahya@trisakti.ac.id

Abstract. The rapid urbanization in Jakarta has given rise to a wide range of urban problems, characterized by an imbalance between the population growth rate and urban resources. This imbalance has resulted in a decline in the quality of urban services, making the population highly venerable to diseases, particularly during and after the Covid-19 outbreak. Relevant studies have indicated that variables related to infrastructure, social and economic determinants can affect urban health. However, the literature exploring the relationship between health determinants and urban health from an urban planning perspective is still limited. The aim of the research is to examine the relationship between health determinants and urban health in Jakarta Province during the Covid-19 outbreak. The study employed Partial Least Square (PLS) path modeling using smartPLS software, while data were collected through questionnaires administered to 317 Jakarta residents. The results showed that urban health determinants, represented by the built environment/infrastructure and social determinants, significantly and positively impacted the physical health of Jakarta residents. However, the urban health determinants insignificant on the mental health of Jakarta residents during Covid-19. It was also found that built environment/infrastructure had a greater influence on physical health than other determinants. This impact was significant for both neighborhoods that are well-resourced and under-resourced. The influence of the social determinant on physical health significantly varied between these neighborhoods. This research emphasized the importance of stakeholders focusing on improving the population's quality of life and health through the built environment/infrastructure and social determinants.

1. Introduction

High population density is a common occurrence in cities due to urbanization. The increase in urban population results in increased demand for urban services across various sectors. However, this creates an imbalance between the rate of population growth and urban resources, leading to a decline in the quality of urban services, such as limited and uneven accessibility to adequate infrastructure. According to the U.N., at least one-third of the global urban population faces inadequate living conditions, including high density, the spread of infectious diseases, and adverse environments that negatively impact the quality of life and health [1]. Covid-19 is one of the infectious/communicable diseases that has had a global impact, specifically in Indonesia. Jakarta Province has the highest population density in Indonesia [2], with a population of 10,562,088 people, a population growth rate of 0.92% per year, and a population density of 14,555 people/km² [3]. The increase in Covid-19 cases was also accompanied by a surge in cases in Jakarta Province, reaching its peak in July 2021 [4]. To combat the spread of Covid-19, a range of policies has been implemented since 2020, including Indonesia's large-

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

scale social restrictions (LSSR), Transitional LSSR, the Community Activities Restrictions Enforcement (CARE), Java-Bali CARE, Micro-scale CARE, Emergency Public Activity Restriction, and the New Policy of CARE levels 1-4. Apart from infectious diseases, the World Health Organization (WHO) reports that 63% of global deaths are attributed to non-communicable diseases (NCDs) like cardiovascular diseases, cancer, and diabetes, most of which are linked to risks associated with urban physical and social environments [1]. In Indonesia, NCDs were the third leading cause of death in both men and women in 2017, with Ischemic Heart Disease, Stroke, and Diabetes Mellitus being the prominent diseases [5]. Mental health disorders were also prevalent among urban residents [5].

Urban health entails the examination of urban attributes, which include both social and physical environmental elements, as well as the availability of resources and infrastructure that can impact health and disease within urban settings [6]. The urban health framework for the Western Pacific region, spanning from 2016 to 2020, extends beyond the concept of "healthy cities" and underscores the significance of fostering "healthy and resilient cities." This approach takes a proactive stance toward promoting urban health [7]. The determinants of urban health require a multilevel examination. Systematic literature reviews highlighted the impact of variables related to the built environment, social and economic determinants on urban health [6,8-11]. Although urban planning has the potential to influence urban health studies, the relationship between the two fields is relatively new and gaining attention from urban planners and health experts. Besides, the existing literature exploring the relationship between the scope/determinants of health, such as the built environment/infrastructure, social, as well as economic factors, and urban health in Jakarta Province from a planning perspective, is still limited. Therefore, this study aims to examine the relationship between health determinants and urban health in Jakarta Province during the Covid-19 outbreak.

2. Methods

This research utilized a quantitative method to investigate how health determinants associated with the built environment/infrastructure, along with social and economic factors, influence the health status of residents in Jakarta. This section offers a summary of the data collection and analysis.

2.1. Data collection

The primary data were obtained through questionnaires that were distributed online and offline in August 2022 - October 2022. The survey consisted of questions regarding individuals' self-evaluations of their physical and mental health statuses amid the Covid-19 pandemic, which were addressed independently. Respondents assessed the statements presented in Table 1 using a Likert scale, where they could choose from the following options: "1 = Strongly Disagree," "2 = Disagree," "3 = Neutral," "4 = Agree," and "5 = Strongly Agree".

Determinants	Variables	Statements on the Questionnaires
Built environment/ infrastructure (Independent)	I1. Housing condition [6, 10]	The housing condition affects my health condition
	I2. Housing density [12]	The housing density (building area and number of occupants) affects my health condition
	I3. Availability of green open spaces/sports facilities [6, 9-10]	The availability of green open spaces/sports facilities affects my health condition
	I4. Availability and sanitation conditions [10]	The availability and sanitation conditions affect my health condition
	I5. Availability and quality of clean water [6, 10]	The availability and quality of clean water affects my health condition
	I6. Availability of public transportation [6, 9-10, 13]	The availability of public transportation affects my health condition

Table 1. Determining	g variables to	o build a	model.
----------------------	----------------	-----------	--------

S1. Lifestyle [6, 16-17]

S2. Social Network [10]

S3. Education Level [6-10]

Y1. Physical Health [6, 8]

Y2. Mental Health [13, 15-16]

Social

(Independent)

Health Condition

(Dependent)

Table 1. Determining variables to build a model (cont.).				
Determinants	Variables	Statements on the Questionnaires		
	I7. Availability of Pedestrian Facilities [9]	The availability of pedestrian facilities affects my health condition		
	I8. Availability of Health Facilities [6, 9-10]	The availability of health facilities affects my health condition		
	I9. Conditions of Place of Activity [9, 14]	The conditions of place of activity (school/office/shopping center) affects my health condition		
Economic (Independent)	E1. Employment [6, 10]	The occupation (including work load) affects my health condition		
	E2. Income [6, 10]	The income affects my health condition		
	E3. Health Fund Allocation [15]	The amount of health fund allocation affects my		

health condition

my health condition

affects my health condition

The lifestyle (including exercise and consumption)

The social network (friends/neighbors/family) affects

The education level affects my health condition

My physical health is in good condition

My mental health is in good condition

Table 1. Determining variables to build a model (cont.).

The respondents consisted of individuals between the ages of 15 and 64 who were residents of Jakarta Province and actively engaged in various activities within the region. The sampling technique used is simple random sampling [18]. The sample size was determined using the Slovin formula ($n = N / (1 + Ne^2)$) [19], with an error rate of 5.6%. The study included a total of 317 respondents (Table 2). The distribution of respondents is shown on Figure 1.

Table 2. Data sampning.					
Administrative Area of Jakarta Province	Number of Residents (Ages 15-64) [20]	Percentage	Number of Respondents		
South Jakarta	1.792.484	21,73	69		
East Jakarta	2.251.875	27,30	87		
Center Jakarta	724.551	8,78	28		
West Jakarta	2.054.557	24,91	79		
North Jakarta	1.424.821	17,27	55		
Total	8.248.288	100	317		

Table	2.	Data	sam	olin	g
					_

IOP Conf. Series: Earth and Environmental Science

doi:10.1088/1755-1315/1263/1/012005



1263 (2023) 012005

Figure 1. Map of distribution of research respondents.

The respondent profile showed that 19% of the respondents had contracted Covid-19, while 32% had contracted other communicable diseases, such as tuberculosis, malaria/dengue fever, and diarrhea during the pandemic. On the other hand, 49% reported they had not contracted any communicable diseases, and 26% confirmed they experienced stress/anxiety/depression during the pandemic.

2.2. Data analysis

This study employed the Partial Least Square (PLS) path modeling method, which served as an initial step in building theories through tests and validation of exploratory models [21]. The analysis was conducted using smartPLS, a widely-used tool for PLS path modeling. PLS offers an advantage in generating more accurate predictions, specifically when the sample size is relatively small [21]. The following were considered during the PLS path modeling analysis [21]:

- 1. Input of data and drawing of path models
- 2. Measurement model assessment
 - a. Test validity: (a). Convergent validity: this is achieved when loading factors on the scale range from 0.5 to 0.6, indicating suitability for testing [22], and the Average Variance Extracted (AVE) should exceed 0.5 [22-23]; (b). Discriminant validity: assessed using the Fornell Larcker Criterion, where the square root of the AVE should be greater than the correlation value between latent variables, and cross-loading should be considered.
 - b. Reliability test. A construct is deemed reliable when it possesses a composite reliability value exceeding 0.70 [21] and a Cronbach's alpha coefficient greater than 0.6 [24]. These assessments confirm the reliability of the findings.
- 3. Structural assessment of the model Inner Model Test: examining the R-square (percentage of indicators successfully described by the model), Path Coefficients (direction of positive or negative relationships), T-Statistics (Bootstrapping), Predictive Relevance (where blindfolding above 0 indicates the model is relevant for predicting factors), and Model Fit (model quality).
- 4. Forming equations based on models.

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

3. Results and Discussions

To determine the model's representation, several alternative model images were tested. The model can be further analyzed using Figure 2a, based on the results of the outer loading test.



Figure 2. Alternative path models.

3.1. The relationship between urban health determinants and physical health of Jakarta residents

3.1.1. Measurement of the outer model and inner model

This model met the outer model assumption, enabling subsequent analysis, while the reliability was confirmed by the test outcomes. The structural model underwent evaluation through the R-square value for the dependent variable and path coefficient values for the independent variables. Subsequently, it was scrutinized for significance based on the t-statistical value for each path. The R-square value signifies the determination coefficient for the endogenous construct, typically indicating strength at 0.67, moderate influence at 0.33, and weak influence at 0.19. The adjusted coefficient of determination (R-square adjusted) indicated the extent of influence the independent variable exerted on the dependent variable.

- 1. The adjusted R-square value of 0.213 revealed that the combined influence of the independent variable (built environment/infrastructure) and the mediation variable explained 21.3 percent of the dependent variable (physical health condition). The remaining variability was attributed to factors beyond the scope of the model. The relationship between urban health determinants and physical health condition was considered moderately weak.
- 2. With an adjusted R-square value of 0.108, it was evident that the independent variable (built environment/infrastructure) contributed to 10.8 percent of the mediating variable represented by economic determinants. The remainder was accounted for by variables not encompassed within the model.
- 3. An adjusted R-square value of 0.257 indicated that the independent variable (built environment/infrastructure) elucidated 25.7 percent of the mediating variable pertaining to social determinants. The remaining variance was attributed to external factors not considered in the model.
- 4. An NFI value of 0.480 was obtained, indicating a 48.0% fit for the model in this study (Figure 3).

IOP Conf. Series: Earth and Environmental Science

1263 (2023) 012005

doi:10.1088/1755-1315/1263/1/012005

						Outer	Model								Inner Mo	del			
Outer Loa	dings						Discriminant Valid	Sity						R Square					
Matria							Forsel-Lauker C	In. 🗟 CrossLondings	📰 Helenstra	Monatat	Helenthalt	Mandhill -		Manny Carl	Spare CL 85	Liare Adia	ided		
El	fluiit envylmhasta	uttere	Economic 0.543	Physi	cal Health	Social	Balt www.liv/subsata Economic Proceed Health	6.41 ans/14 bailt acture 0.717 0.333 0.414	8.714 8.220	Physical Health	Soital			Economic	R 5qua 0.11	e R.S	quare Adju 0	sted 100	
62 10			0.809				Secol	0.509	8.510	8.972	1.997			Social	0.22		0	213	
16		0.610					Discriminant	/alidity						Model_Fit					
19 52		0.820				0.895	III Fornell-Larck	ir Criter Gross L B env/lefrestructure	cedings	Physical I	Monotral	t Git He Social		Fit Summary	Saturated Mod	Sel E	ctimated M	lodel	
\$3						0.915	ET.	0.113	0.543	1 - N - 3	0.072	0.081		SRMR	0.1	17	4	1.123	
¥.					1,000		B	0.144 0.352	0.669		0.112 0.225	0.195		d_ULS d_G	0.6	34) 36	6	1323	
Construct A	leliability and Va	lidity					11	0.733	0.231		0.339	0.341		Chi-Square	196.7	19	454	1767	
Matia	🗄 Cronbedva Alphi	154 1	No.A ISI	Composil	e Helability	Average	16	0,610	0.179		9.152 9.152	0.268		NPI	0.5	17		480	
in the annual sector	O	oribachi	Alpha	no.A	Compett.	Average -	17	0.090	0.199		0.301	0.186	Path Cor	fficients					
Economic	and the		0.402	0.785	11.750	0.510	52	0.451	0.515		0.289	0.895	- Marri	SECRY, T. Values, Phys.	Confidence Extended	Cord	lidence (viteria	ei Bat., 🗍	Sampler
Physical Heat	15		1.000	1.800	1.000	1.000	\$3	0.472	0.417		0.381	0.919	11111111		Coginal	Sargile	Standard	T Statistici.	Fisher
Seci#			0.796	0.794	0.903	0.825	¥.	0.436	0.220	1	1.000	0.372	Ball and	ndrastracture : - Economic ndrastracture : - Physical P	wath 0.332	0.342	0.055	4 987	0.000
													foonanic Social +		0.007	0.015	0.014	0.096	0.001

Figure 3. Outer and inner model results.

3.1.2. Generated model of factors influencing physical health of Jakarta residents Based on the model (Figure 4), the resulting equation is:

- Y = 0.332 Built environment/Infrastructure + 0.199 Social + 0.007 Economic
- Social = 0.509 Built environment/Infrastructure
- Economic = 0.333 Built environment/Infrastructure



Figure 4. Generated model of factors influencing physical health of Jakarta residents.

Based on the outer and the inner model tests, the built environment/infrastructure determinant consists of Housing Condition (I1), Availability of Public Transportation (I6), Availability of Pedestrian Facilities (I7) and Conditions of Place of Activity (I9). The economic determinant includes Employment (E1), Income (E2), and Health Fund Allocation (E3) variables, while the selected variables for the social determinant are Social Network (S2) and Education Level (S3). The interpretation of the regression equation above is as follows:

- 1. The built environment/infrastructure directly and positively affected the physical health of Jakarta residents with a coefficient of 0.332 and a p-value of 0.000 < alpha of 0.05. This indicated that a 1-point increase in the determinant improved physical health by 0.332, while other variables were held constant.
- 2. The social determinant directly and positively affected physical health with a coefficient of 0.199 and a p-value of 0.007 < alpha of 0.05. This indicated that a 1-point increase in the determinant improved physical health by 0.199, while other variables were held constant.

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

3. The economic determinant had no effect on physical health with a coefficient of 0.007 and a p-value of 0.920 > alpha of 0.05. This indicated the evidence was not enough to conclude that an increase in economic determinants improved the physical health of Jakarta residents.

3.1.3. Multi-group analysis between neighborhoods that are well-resourced and under-resourced

Multi Group Analysis (MGA) is used when research experts have categorical/dummy variables to differentiate between existing models. In the case of the mediation model mentioned above, experts were interested in examining how the relationship between variables affected the dummy variables of neighborhoods (well-resourced and under-resourced). The objective was to identify the potential differences in the influence of settlement categories on Health, as mediated by economic and social determinants. When examining the impact based on settlement categories, it becomes evident that the impact between neighborhoods that are well-resourced and under-resourced is significantly different.

The MGA results showed that the influence of built environment/infrastructure determinants on physical health was significant for both neighborhoods that are well-resourced and under-resourced (Figure 5). This implied that the provision of infrastructure was essential for improving the health condition of Jakarta residents. The influence of social determinant on physical health was significant for the neighborhoods that are well-resourced. The direct impact of social determinant on physical health between both neighborhoods was statistically proven to be different. This result holds significant importance in this study. On the other hand, the specific indirect effects between built environment, social and physical health were significant. This section serves as a note for urban planners and stakeholders, emphasizing the need to tailor the provision and maintenance of infrastructure to the specific needs of residents in both neighborhoods.

Path Coefficie	ents											
PLS-MGA	Parametric Test	Welch	Satterthw	Confider	ice înte	Bootstra	apping R	Copy to Cli	pboard:	Excel Format	R Forma	nt
		Path Coef	Path Coef_	Path Coef	Path Coef	STDEV_	STDEV	t-Value (t-Value (.	p-Value(well) p	-Value (u	nder
Built env/Infrast	ructure -> Economic	0.395	0.233	0.405	0.26	0.061	0,117	6.535	1.985	5 0.000	0	.048
Built env/Infrast	ructure -> Physical	0.274	0.424	0.278	0.42	0.083	0.098	3.308	4.306	6 0.001	0	.000
Built env/Infrast	nucture -> Social	0.568	0.385	0.572	0.40	0.048	0.096	11.848	3.997	000.0	0	.000
Economic -> Ph	ysical Health	-0.023	0.046	-0.015	0.06	0.091	0.127	0.256	0.366	6 0.798	0	714
Social -> Physic	al Health	0.309	0.026	0.306	0.03	0.088	0.108	3.494	0.241	100.001	0	.810
Path Coeffic	ients											-
PLS-MGA	Parametric Tes	t 🔝 Wei	h-Satterthw.	Confi	idence Inte.	Boo	ststrapping	R_ Copy	to Clipboa	ard: Excel Form	nat R	For
			Path Coeffi	cients-diff (w	oli vs under	p-Va	slue origin	al 1-tailed	p-Valu	e new (well vs u	nder)	
Built env/Infras	structure -> Economi	ic			0	163		0.072			0.144	1
Built env/Infras	tructure -> Physical	Health			-0	149		0.877			0.246	5
Built env/Infra:	structure -> Social				0	183		0.039			0.075	
Economic -> P	hysical Health				-0	070		0.679			0.642	1
Social -> Physi	ical Health				0	283		0.024			0.04	
Specific Ind	irect Effects											
PLS-MGA	Parametric 1	iest 📃 1	Welch-Satter	thw 💷	Confiden	e Inte	Boot	strapping R	Сору	to Clipboard:	Excel F	orr
				Specific	Indirect E	fect_ p	Value orig	ginal p	-Value ne	ew (well vs unde	84)	
Built env/Infra	structure -> Econo	mic -> Phy	sical Health			0.020		0.652			0.697	
Built env/Infra	structure -> Social	-> Physica	Health		-	0.166		0.014			0.028	

Figure 5. Multi-group analysis.

3.2. The relationship between urban health determinants and mental health of Jakarta residents

3.2.1. Measurement of the outer model and inner model

This outer model successfully fulfilled the assumption based on the rule of thumb for the convergent validity (identification of loading factor and average variance extracted). The coefficient of determination (R-square adjusted) showed the extent of influence the independent variable had on the dependent variable.

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

- 1. The adjusted R-square value of 0.021 indicated that the independent variable (built environment/infrastructure) and the mediating variables could collectively account for 2.1 percent of the dependent variable (mental health condition). The remaining variance was attributed to other variables not included in the model. This signified a very weak relationship between urban health determinants and mental health outcomes.
- 2. An adjusted R-square value of 0.734 showed that the independent variable (built environment/infrastructure) could explain 73.4 percent of the mediating variable, which took the form of economic determinants. The remaining variance was ascribed to external variables beyond the scope of the model.
- 3. An adjusted R-square value of 0.613 indicated that the independent variable (built environment/infrastructure) could account for 61.3 percent of the mediating variable, represented by social determinants. The residual variance was explained by factors not considered within the model.
- 4. Based on the fit model, the NFI value of 0.872 indicated the model was fit at 87.2% (Figure 6).



Figure 6. Outer and inner model results.

3.2.2 Generated model of factors influencing mental health of Jakarta residents Based on the model (Figure 7), the resulting equation is:

= 0.784 Infrastructure

= 0.202 Infrastructure + 0.018 Social - 0.05 Economic

Y

Social



Figure 7. Generated model of factors influencing mental health of Jakarta residents.

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

Based on the outer and inner model tests, all variables from the built environment/infrastructure, social and economic determinants were included. The interpretation of the regression equation above is as follows:

- 1. The built environment/infrastructure determinant had no effect on the mental health of Jakarta residents with a coefficient of 0.202 and a p-value of 0.072 > alpha of 0.05. This indicated there was no enough evidence to prove that the increase in built environment/infrastructure improved mental health.
- 2. The social determinant had no effect on mental health with a coefficient of 0.018 and a p-value of 0.439 > alpha of 0.05. This indicated there was no enough evidence to prove that an increase in social determinant improved mental health.
- 3. The economic determinant had no effect on mental health with a coefficient of -0.050 and a p-value is 0.351 > alpha of 0.05. This indicated there was no enough evidence to prove that an increase in economic determinant improved mental health condition.

3.2.3. Multi-group analysis between neighborhoods that are well-resourced and under-resourced

The results showed that the influence of built environment/infrastructure determinant on the economic and social determinants were significant for both neighborhoods that are well-resourced and underresourced (Figure 8). This indicated that the provision of infrastructure was crucial for improving the economic and social conditions of the community. On the other hand, the influence of infrastructure determinants on mental health was significant for the neighborhoods that are well-resourced. The direct impact of infrastructure determinants on mental health between both neighborhoods had been statistically proven to be significantly different. This result holds a significant importance in this study. However, the specific indirect effects of economic and social determinants were insignificantly different.

Path Coefficients											
PLS-MGA Darametri	c Test 📃	Welch-Sattert	tw. 🔟	Confidence I	nte	Bootstrappi	ing R_ C	opy to Clipbo	oard: Excel	Format	R Format
	Path Coel	Path Coef	Path Coe	Path Coe	STDEV (n.,	STDEV (t-Value	t-Value	p-Value (we	(i)	p-Value (under)
Built env/Infras -> Economic	0.853	0.819	0.853	0.822	0.021	0.039	41.16	1 21.086		0.000	0.000
Built env/Infras -> Health	0.367	-0.148	0.366	-0.128	0.166	0.190	2.21	3 0.779		0.027	0.436
Built env/Infras -> Social	0.768	0.728	0.769	0.730	0.033	0.059	23.56	8 12.278		0.000	0.000
Economic -> Health	-0.117	0.207	-0.120	0.196	0.146	0.198	0.80	3 1.046		0.422	0.296
Social -> Health	0.040	0.013	0.037	-0.003	0.139	0.158	0.28	5 0.084		0.776	0.933
Path Coefficients											
III PLS-MGA III Parametr	ic Test 🛄	Welch-Satter	thw	Confidence	Inte	Bootstrapp	ping R	Copy to Clipt	board: Exc	el Forma	R Format
	Path Co	efficients-diff	(weil vs u	nder)	p-Value ori	ginal 1-taile	d (weil v	s under)	p-Value n	ew (well y	ns under)
Built env/Infras -> Economic				0.034				0.229			0.458
Built env/Infras -> Health				0.515				0.024			0.047
Built env/Infras -> Social				0.041				0.281			0.563
Economic -> Health				-0.324				0.905			0.189
Social -> Health				0.026				0.461			0.922
Specific Indirect Effects											
PLS-MGA Parametri	c Test 📃	Welch-Sattert	hw 🛄	Confidence I	nte_ 🛄	Bootstrappi	ng R C	opy to Clipbo	oard: Excel	Format	R Format
	S	pecific Ind 5	pecific Ind	Specific	Specific	STDE S	STDEV	t-Value t-V	/alu p-Valu	e (well)	p-Value(unde
Built env/infras -> Social -> He	aith	0.030	0.01	0 0.028	-0.004	0.107	0.119	0.286 0	0.081	0.775	0.93
Built env/Infras -> Economic ->	Health	-0.100	0.17	0 -0.102	0.162	0.125	0.164	0.802 1	.032	0.423	0.30

Figure 8. Multi-group analysis.

3.3. Discussions

Urban resources, including features of the built environment, social environment, as well as economic are considered determinants that can influence justice in realizing the goals of urban health [25]. Previous studies have primarily focused on examining the statistical relationship of variables in one to two determinants of health outcomes in general or within a specific scope of health outcomes (communicable disease, non-communicable disease, or mental illness) [6, 8, 13, 15-16]. Nonetheless, this study delves into the interplay among three health determinants, such as the built environment/infrastructure, social determinants, and economic determinants, with a focus on the

6th International Symposium on Sustainable Urban De	IOP Publishing	
IOP Conf. Series: Earth and Environmental Science	1263 (2023) 012005	doi:10.1088/1755-1315/1263/1/012005

physical and mental well-being of Jakarta residents amid the Covid-19 pandemic. The findings from both models unveiled a moderately weak connection between urban health determinants and physical health. However, the link between urban health determinants and mental health appeared to be statistically insignificant. This lack of significance may be attributed to the intricate and diverse nature of cities, where numerous factors can impact the overall health of the population. Evaluating how the urban environment influences health presented challenges and introduced complexities that cannot be easily resolved through the application of straightforward analytical methods [8]. Additionally, cities are dynamic and undergo transformations, with the Covid-19 outbreak serving as a disruptive force in urban areas. This phenomenon had implications for the varying contributions of different factors in shaping health within cities [8]. The built environment/infrastructure emerged as the most influential determinant of the physical health of Jakarta residents. This conclusion was in line with previous studies, highlighting the impact of housing conditions [6, 10], availability of public transportation [6,9-10,13], availability of pedestrian facilities [9], and conditions of place of activity [9,14] on urban health. The Covid-19 pandemic offers an opportunity to test and implement built environment and infrastructure interventions aimed at increasing health equity and decreasing health risks [26].

4. Conclusion

The outer model assumption was fulfilled, indicating the validity of the two models employed. Based on the inner model analysis, the direct influence of the urban health determinants on urban health was moderately weak (21.3%). The two determinants of urban health, namely the built environment/ infrastructure and social determinant, significantly and positively affected the physical health of the residents. The resulting equation is as follows: Y = 0.332 Built environment/Infrastructure + 0.199 Social + 0.007 Economic. Each increase in social determinant was influenced by 0.509 of the built environment/infrastructure determinants, while each increase in economic determinant was influenced by 0.333 of the built environment/infrastructure determinants. The built environment/infrastructure, represented by housing condition (I1), availability of public transportation (I6), availability of pedestrian facilities (I7), and conditions of place of activity (I9) variables, exhibited a greater influence on physical health than others. The social determinant, which is represented by variables of social network (S2) and education level (S3) also significant and positively affects the physical health of Jakarta residents. The impact of built environment/infrastructure determinant on physical health was significant for both neighborhoods that are well-resourced and under-resourced, while the influence of social determinant on physical health was significant only for the neighborhoods that are well-resourced. Regarding the inner model, the direct influence of urban health determinants on mental health was found to be very weak (2.1%), and none of the determinants significantly affected the mental health of Jakarta residents. The MGA result revealed that the influence of built environment/infrastructure determinant on economic and social outcomes was significant for both neighborhoods. Moreover, the influence of this determinant on mental health was significant only for the neighborhoods that are well-resourced. This study statistically proved that the direct influence of built environment/infrastructure determinant on mental health significantly differed between neighborhoods that are well-resourced and underresourced.

Acknowledgments

The authors are grateful to Universitas Trisakti for supporting this study, and to all parties who participated in the study process.

References

- [1] Hutson M and Moscovitz A 2019 Urban health 6 *Elsevier*
- [2] Statistics Indonesia 2022 Analisis Profil Penduduk Indonesia
- [3] Statistics Indonesia 2019 Berita resmi statistik *Bps.Go.Id* 1–52
- [4] Jakarta Smart City 2020 https://corona.jakarta.go.id/id/data-pemantauan
- [5] Riskesdas 2018 Hasil Utama Riset Kesehatan Dasar Kementrian Kesehat. Republik Indones. 1– 100

IOP Conf. Series: Earth and Environmental Science 1263 (2023) 012005

- [6] Salgado M, Madureira J, Mendes A S, Torres A, Teixeira J P and Oliveira M D 2020 Environmental determinants of population health in urban settings. A systematic review BMC Public Health 20 1–11
- [7] WHO Regional Office for the Western Pacific 2016 Regional Framework for Urban Health in the Western Pacific 2016–2020: Healthy and Resilient Cities 1–42
- [8] Galea S and Vlahov D 2005 Urban health: Evidence, challenges, and directions Annu. Rev. Public Health 26 341–65
- [9] Ha Kim D and Yoo S 2019 How does the built environment in compact metropolitan cities affect health? A systematic review of korean studies *Int. J. Environ. Res. Public Health* **16**
- [10] Pineo H, Glonti K, Rutter H, Zimmermann N, Wilkinson P and Davies M 2018 Urban Health Indicator Tools of the Physical Environment: a Systematic Review J. Urban Heal. **95** 613–46
- [11] Regional Development Planning Board of Jakarta Province 2021 Penguatan Sistem Kesehatan Publik Perkotaan Jakarta: Pendekatan Lintas Sektor dan Kolaboratif Menuju Pelayanan Kesehatan Publik yang Promotif dan Preventif
- [12] Evans G W 2003 The Built Environment and Mental Health *Journal of Urban Health: Bulletin* of the New York Academy of Medicine **80**(4)
- [13] Reinhard E, Courtin E, Van Lenthe F J and Avendano M 2018 Public transport policy, social engagement and mental health in older age: A quasi-experimental evaluation of free bus passes in England J. Epidemiol. Community Health 72 361–8
- [14] Giorgi G, Lecca L I, Alessio F, Finstad G L, Bondanini G, Lulli L G, Arcangeli G and Mucci N 2020 COVID-19-related mental health effects in the workplace: A narrative review *Int. J. Environ. Res. Public Health* 17 1–22
- [15] Rohde N, Tang K K, Osberg L and Rao P 2016 The effect of economic insecurity on mental health: Recent evidence from Australian panel data Soc. Sci. Med. 151 250–8
- [16] Rohrer J E, Rush Pierce J and Blackburn C 2005 Lifestyle and mental health *Prev. Med. (Baltim)* 40 438–43
- [17] Lassale C, Batty G D, Baghdadli A, Jacka F, Sánchez-Villegas A, Kivimäki M, and Akbaraly T 2019 Healthy dietary indices and risk of depressive outcomes: a systematic review and metaanalysis of observational studies *Molecular Psychiatry* 24(7) 965–986
- [18] Sharma G 2017 Pros and cons of different sampling techniques. International journal of applied research *Int. J. Appl. Res.* **3** 749–52
- [19] Slovin E 1960 Slovin's Formula for Sampling Technique https://prudencexd.weebly.com
- [20] Statitics Indonesia Jakarta Province 2023 Provinsi DKI Jakarta dalam Angka 2022
- [21] Garson GD 2016 Partial Least Squares: Regression & Structural Equation Models. USA: Statistical Associates Publishing ISBN-10: 1626380392, ISBN-13: 978-1-62638-039-4
- [22] Ghozali I 2014 Struktural Equation Modeling Metode Alternatif Dengan Partial Least Square (PLS). Badan Penerbit Universitas Diponegoro
- [23] Sihombing PR and Arsani, AM 2022 Aplikasi SmartPLS untuk Statistisi Pemula
- [24] Nunnally JC and Bernstein I 1994 The assessment of reliability, Psychometric theory 3 248-292
- [25] Ompad D C, Vlahov D, et al 2017 Urban Health Systems: Overview International Encyclopedia of Public Health (Second Edition).
- [26] Rojas-rueda D 2021 Built Environment, Transport, and COVID-19 : a Review 138-45