# PROCEEDING

0



# 28 - 29 September 2020

SGU Alam Sutera Campus, Prominence Tower, Jalan Jalur Sutera Barat no. 15, Tangerang, Indonesia









The Association for Computing Machinery 1601 Broadway, 10<sup>th</sup> Floor New York, New York 10019, USA

ACM COPYRIGHT NOTICE. Copyright © 2020 by the Association for Computing Machinery, Inc. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from Publications Dept., ACM, Inc., fax +1 (212) 869-0481, or permissions@acm.org.

For other copying of articles that carry a code at the bottom of the first or last page, copying is permitted provided that the per-copy fee indicated in the code is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, +1-978-750-8400, +1-978-750-4470 (fax).

ACM ISBN: ISBN 978-1-4503-8771-2







# Conference Committee The 1st International Conference on Engineering and Information Technology for Sustainable Industry. (ICONETSI 2020)

# **Advisory Board**

Prof. Dr. Eng. Koichi Murata, Nihon University, Japan Assoc. Prof. Dr. Waseem Haider, Central Michigan University, USA Prof. Dr. Wahyudi Sutopo, Universitas Sebelas Maret, Indonesia

# **Steering Committee**

Dr. rer. nat. Filiana Santoso, Swiss German University, Indonesia Dr. Irvan S. Kartawiria, S.T., M.Sc, Swiss German University, Indonesia Anthon Stevanus Tondo, S.E., M.B.A., Swiss German University, Indonesia Dr. Kholis Audah, Swiss German University, Indonesia Dr. Maulahikmah Galinium, S.Kom., M.Sc., Swiss German University, Indonesia Dr. Nila Krisnawati Hidayat, SE., MM., Swiss German University, Indonesia Dr. Dipl. -Ing. Samuel P. Kusumocahyo, Swiss German University, Indonesia Dr.-Ing. Evita Legowo, Swiss German University, Indonesia

# **Conference** Chair

Assoc. Prof. Dr. Tanika D Sofianti, Swiss German University, Indonesia

# **Program Chair**

Dr. Eng. Aditya T. Pratama, MT, Swiss German University, Indonesia

# **Reviewer** Committee

Dr. Christian Schunck, Fraunhofer-Institut fur Arbeitswirtschaft und Organisation IAO, Germany Assoc. Prof. Dr. Waseem Haider, Central Michigan University, USA Prof. Dr. Eng. Koichi Murata, Nihon University, Japan Assoc. Professor Yudi Fernando PhD M.LogM, Universitas Malaysia Pahang, Malaysia Dr. Andrea Callia D'iddio, Imperial College London, UK Dr. Muhammad Tahir Fattani, Sir Syed University of Engineering and Technology, Pakistan Dr. Masato Terada, Tokyo Denki University, Japan Dr. Eng. Andante Hadi Pandyaswargo, Waseda University, Japan Yudi Fernando PhD M.LogM , Universiti Malaysia Pahang, Malaysia Dr. Yuti Ariani, Asian School of the Environment, Singapore Dr. Cuk Supriyadi Ali Nandar\*, BPPT, Indonesia Dr. Eng. Anto Satriyo Nugroho, BPPT, Indonesia Nuki Agya Utama, PhD, ASEAN Center for Energy Dr. Magfirawaty, Sekolah Tinggi Sandi Negara, Indonesia Dr. Edi Sofyan, B.Eng, LAPAN, Indonesia Dr. Mulya Mashudi, Kuul communities, Indonesia Dr. Yenny Meliana M.Si., Lembaga Ilmu Pengetahuan Indonesia, Indonesia Arief Ameir Rahman Setiawan, M.Eng, Lembaga Ilmu Pengetahuan Indonesia, Indonesia







Dra. Yanny Kussuryani, M.Si , Independent Consultant, Indonesia Dr. Made Andriani, Institut Teknologi Bandung, Indonesia Dr. Hasrini Sari, Institut Teknologi Bandung, Indonesia Dr. Hendy Risdianto Wijaya, Universitas Indonesia, Indonesia Dr. Eng. Imam Wahyudi Farid, Institut Teknologi Sepuluh Nopember, Indonesia Dr. Eko Liquiddanu, Universitas Sebelas Maret, Indonesia Dr. Muhammad Hisjam, Universitas Sebelas Maret, Indonesia Dr. Singgih Saptahadi, Universitas Diponegoro, Indonesia Dr. Naniek Utami Handayani, Universitas Diponegoro, Indonesia Dr. Manik Mahacandra, Universitas Diponegoro, Indonesia Dr. Yenni Ciawi, Udayana University, Indonesia Dr. Eng. Wahyu Kunto Wibowo, Universitas Pertamina, Indonesia Dr. Eng. Muhammad Abdillah, Universitas Pertamina, Indonesia Teuku Muhammad Roffi, Ph.D, Universitas Pertamina, Indonesia Dr. Eng Murman Dwi Prasetio, Telkom University, Indonesia Dr. Eng. R. Bagus Seno Wulung, Politeknik ATK Yogyakarta, Indonesia Dr. Eng. Mohamad Sofitra, Universitas Tanjungpura, Indonesia Dr. Harya Widiputra, Perbanas Institute, Indonesia Ary Syariar, PhD, Universitas Al Azhar Indonesia, Indonesia Dr. Dede Lia Zariatin, Universitas Pancasila, Indonesia Dr. Herminarto Nugroho, Universitas Pertamina, Indonesia Dr. Muhammad Abdillah, Universitas Pertamina, Indonesia Dr. Lukas, Universitas Katolik Indonesia Atma Jaya, Indonesia Dr. Sumarsono Sudarto, Universitas Mercubuana, Indonesia Dr. Oktri Mohammand Firdaus, Universitas Garut, Indonesia Dr. Mohamad Sofitra, Universitas Tanjung Pura, Indonesia Dr. Rahmi Maulidya, Universitas Trisakti, Indonesia Dr. Victor Christianto, Institute Pertanian Malang, Indonesia Dr. Seno Darmawan Panjaitan, Universitas Tanjungpura, Indonesia Dr. Pujianto Yugopuspito, Universitas Pelita Harapan, Indonesia Rudi Irawan, Ph.D., Gunadarma University, Indonesia Dr. Kholis Audah, Swiss German University, Indonesia Dr. Charles Lim, Swiss German University, Indonesia Dr. Heru Purnomo Ipung, Swiss German University, Indonesia Dr. Yunita Umniyati, Swiss German University, Indonesia Dr. Eka Budiarto, Swiss German University, Indonesia Dr. Henry Nasution, Swiss German University, Indonesia Dr. Diah Widiputri, Swiss German University, Indonesia Dr. Maria Gunawan Puteri, Swiss German University, Indonesia Muhammad Fathony, M.Sc., Ph.D., Swiss German University, Indonesia Dr. Hery Sutanto, S.Si, M.Si, Swiss German University, Indonesia Kho I Eng, Dipl.-Inf., Swiss German University, Indonesia Ir. Triarti Saraswati, M.Eng, Swiss German University, Indonesia Silvya Yusri, M.T., Swiss German University, Indonesia Aulia Iskandar, M.T., Swiss German University, Indonesia Dr. Eng. (Cand). Firly Rachmaditya Baskoro, S.T., M.T, Hiroshima University, Japan Anton Ahmad, M.T., National Taiwan University of Science and Technology, Taiwan Hadi Susanto, M.T., MBA, National Taiwan University of Science and Technology, Taiwan Ivan Kurniawan, M.T., MBA, National Taiwan University of Science and Technology, Taiwan Fuad Ughi, M.T., Chang Gung University, Taiwan Alva Erwin, M.Sc., cakravala.id, Indonesia







# **Organizing Committee**

Deborah Nauli Simorangkir, Ph.D, Swiss German University, Indonesia Mina Arsita, Swiss German University, Indonesia Dyah Puspitasari, Swiss German University, Indonesia Tedi Purwanto, Swiss German University, Indonesia Danu Amirul Aji Supri, Swiss German University, Indonesia Tabligh Permana, S.Si., M.Si., Swiss German University, Indonesia David Simorangkir, S.E., Swiss German University, Indonesia Rizal Pauzan Ramdhani, Swiss German University, Indonesia Rina Rahayu, Swiss German University, Indonesia Anis Choirunnisa, S.T., M.Kom., Swiss German University, Indonesia Florentina Vanessa P., B. Bus., Swiss German University, Indonesia Affandi Ahmadsyah, BA, Swiss German University, Indonesia Dian Karmila, Swiss German University, Indonesia Tety Rachmawati, Swiss German University, Indonesia Faisal Ifzaldi, Swiss German University, Indonesia Irzan Fahmi, Swiss German University, Indonesia Annisa Hanna Kusumawardani, Swiss German University, Indonesia Lestari Nur Wijayanti, Swiss German University, Indonesia Maharani Niken Damayanti, S.E., M.M., Swiss German University, Indonesia Friskayana Purba Siboro, Swiss German University, Indonesia Andalia Irma, Swiss German University, Indonesia Somanudin, M.M, Swiss German University, Indonesia Maria Lamury, S.S., M.P., Swiss German University, Indonesia





# **TABLE OF CONTENTS**

Message from Swiss German University Rector	ii
Message from Conference Chair of ICONETSI 2020	iii
Keynote Speaker	iv
Invited Speech 1 Prof. Dr. Eng. Koichi Murata	v
Invited Speech 2 Dr. Charles Lim, M.Sc	vi
Invited Speech 3 Assoc. Prof. Dr. Waseem Haider	vii
Invited Speech 4 Assoc. Prof. Yudi Fernando PhD M.LogM	ix
Invited Speech 5 Dr. Anto Satriyo Nugroho	x
Invited Speech 6 Prof. Dr. Eng. Agus Purwanto	xii
Conference Committee	xiii

# **ERGONOMIC AND HUMAN FACTORS**

EHF-01	Safety Riding Behavior Tendency among College Students related to Driving Attitude, Riding Knowledge and Emotional Intelligence Level <i>Rida Zuraida and Andrew Ruseel</i>
EHF-02	Application of Human Factors Analysis to prioritize KNKT's Recommendations: A Case Study of Wamena Airport's Air Accidents <i>Aloysius Sigit Haryono</i>
EHF-03	Identifying Causal Factors of Accidents Related to Working at Height: A Case Study of a Construction Company <i>Tri Wibowo, I Made Sukaryawan and Jati Utomo Dwi Hatmoko</i>
EHF-04	Occupational Health and Safety Management System in Engineering Faculty of Diponegoro University Using Scrum Model Dania Eridani, Ike Pertiwi Windasari, Risma Septiana, Jojor Kakanda Purba, Fanny Hasbi and Dita Ananda Elisa Reviana
EHF-06	Stress Emotion Evaluation in Battle Royale Game by Using Electroencephalogram. Muhammad Fikri Haekal, Boy Moch and Erlinda Muslim
EHF-07	Ergonomics and Workstyle Risk Factors Analysis of Musculoskeletal Disorders in Students Conducting Distance Learning <i>Mimin Edwar, Boy Nurtjahyo Moch and Erlinda Muslim</i>
EHF-08	Motorcyclists' Attitude and Perception from Their Gender Point of View Ardania Meilaningrum, Manik Mahachandra and Naniek Utami Handayani
EHF-09	On the Role of Industrial Engineering in the COVID-19 Era <i>Koichi Murata</i>

# PRODUCTION AND OPERATION MANAGEMENT

i

POM-01	System Modelling and Simulation for Study of Human-Machine Collaboration Technologies Implementation on Assembly Line Ivan Kurniawan, Vicki Ismi Caneca, John Michael Power and Tanika Dewi Sofianti
POM-02	Job Rotation Optimization using Mixed-Integer Nonlinear Programming (MINLP) Method to Balance Operator Workload in Automotive Industry <i>Hilman Hanif and Inaki Maulida Hakim</i>
РОМ-03	Analyzing Structural Loss of Sustainable Distillation Process by Material Flow Cost Accounting <i>Rena Ohara and Koichi Murata</i>
	xvi



POM-04	Exploring Characteristic of Visual Management as Lean Toolbox in Construction Worksite of Apartment House Yang Feng and Koichi Murata
POM-05	Material Handling System Improvement in Injection Section of Automotive Manufacturing Company Elbert Charistheo, Tanika Sofianti and Aditya T Pratama
POM-06	Knowledge Creation Cycle in Design of Training Program for Car Manufacturing Company Reynaldi Wijaya, Tanika Dewi Sofianti and Setijo Awibowo
POM-07	Technopreneurship & Innovation System: A Comparative Study Analysis for E-Trike Development in Indonesia Bekti Nugrahadi, Wahyudi Sutopo and Muhammad Hisjam
POM-08	Technopreneurship & Innovation System: Comparative Analysis of Technology Development of Salt Derivative Products in Indonesia Suryati Suryati, Wahyudi Sutopo and Muhammad Hisjam
POM-09	Developing E-Learning for Educational Robotic Arm Training Jessica Florencia, Tanika D. Sofianti and Aditya T. Pratama
POM-10	Project Management System Development for Improving Infinitigroup Project Performance Akbar Hanief Damanik, Aditya Tirta Pratama and Setijo Awibowo
POM-11	Importance of Internalization of Tacit Knowledge Sharing in Project Management Case in XYZ Finance <i>Ryant Herwansyah</i>
POM-12	Student Activities Recommendations to Achieve First Job Waiting Time Target of Graduates in Telkom University: Decision Tree Approach Muhammad Rifansyah, Amelia Kurniawati and Nurdinintya Athari Supratman
POM-13	Developing Digital Wallet Services in Indonesia: A Multigeneration Perspective Arindy and Amalia Suzianti
POM-14	Conceptual Model of Consumers Purchase Intention Towards Smart Retail: A Literature Review Muriani Emelda Isharyani, Bertha Maya Sopha and Muh Arif Wibisono
POM-15	Identifying Usability Risks for Mobile Application Hotma Antoni Hutahaean, Rajesri Govindaraju and Iman Sudirman
POM-16	Establishing Organizational Culture to Prepare Faculty of Engineering of Diponegoro University to Face the Upcoming Higher Education Policy 4.0 Naniek Utami Handayani, Mochamad Agung Wibowo and Muhammad Arman Awwiby
POM-17	The Use of Response Surface Method to Optimize the Ultrasound-assisted Extraction of Moringa Leaves Olivia Bunga Pongtuluran and Amalia Suzianti
POM-18	Effects of Project Foundation, Support, Personnel, and Process on Project Success with Process Flexibility as Moderating Variable Win Sukardi, Ubud Salim, Ainur Rofiq and Ananda Hussein







# CYBER SECURITY AND ARTIFICIAL INTELLIGENCE

CSA-01	Design of Remote Biometrics Authentication System to Access Public Services from Remote Area Rully Kusumajaya, Nurdianti Rizki Hapsari, Yuki Istianto, Anto Satriyo		
CSA-02	Nugrono and Gembong Satrio Wibowanto Botnet Detection Using DNS and HTTP Traffic Analysis		
	Agung Udiyono, Charles Lim and Lukas Lukas		
CSA-03	Mal-TScore: A Threat Score Framework Based on Static and Dynamic Analysis Features <i>Ali Suwanda, Charles Lim and Lukas Lukas</i>		
CSA-04	Uncovering Malware Traits Using Hybrid Analysis Reischaga Mohajit, Charles Lim and Yohanes Syailendra Kotualubun		
CSA-05	XT-Pot: eXposing Threat Category of Honeypot-based attacks Ryandy Djap, Charles Lim and Kalpin Erlangga Silaen		
CSA-06	Prognostics Health Management (PHM) System for Power Transformer Using Kernel Extreme Learning Machine (K-ELM) Muhammad Abdillah, Teguh Aryo Nugroho, Nita Indriani Pertiwi, Murman Dwi Prasetio, Awan Uji Krismanto, Herlambang Setiadi and Karar Mahmoud		
CSA-07	The Comparison of Some Version of Linear Vector Quantization (LVQ) for Vitamin and Mineral Deficiency Early Detection <i>Iwan Aang Soenandi and Nina Sevani</i>		
CSA-08	Analysis of Hotspot Data for Drought Clustering Using K-Means Algorithm Ekki Rizki Ramadhan, Edi Sutoyo, Ahmad Musnansyah and Halda Aditya Belgaman		
CSA-10	Optimization on Malaria Computer Aided Diagnostic System Yulius Wibisono, Anto Satriyo Nugroho and Maulahikmah Galinium		
CSA-11	A Hybrid of Seasonal Autoregressive Integrated Moving Average (SARIMA) and Decision Tree for Drought Forecasting Yasnita, Edi Sutoyo and Ahmad Musnansyah		
	SOFTWARE ENGINEERING		
SEN-01	An Online Catering Marketplace Business Plan: Kunyahku.id Veronica Natashia, I Eng Kho and Maulahikmah Galinium		
SEN-02	User Experience (UX) Evaluation of Online Marketplace for Beauty Care Services (Case Study: KERENAJA) Arvan Halim, Kho I Eng and James Purnama		
SEN-03	Business Analysis and Design of Online Marketplace for Beauty Care Services Victor Saputra, Kho I Eng and James Purnama		
SEN-04	Development of NodeJS based Backend System with Multiple Storefronts for Batik Online Store <i>George William, Randy Anthony and James Purnama</i>		
SEN-05	Distance-Measurement-Decision-Making Backend System Using NodeJS Leonardo Theoson, Randy Anthony and James Purnama		
SEN-06	Backend Development of Online Marketplace for Male Beauty Care Services Ivan Arnoldi Rahardja, Maulahikmah Galinium and Randy Anthony		
	XVIII		







SEN-07	Manage Assurance for Continuous Improvement Strategy in Rural Internet
	Service Case Study
	Mohammad Amin Soetomo, Eka Budiarto, Nugroho Wibisono and Marzuki
	Marzuki

# AUTOMATION, MECHATRONICS AND ROBOTICS

AMR-01	Op-Amp Based LC Oscillator with Minimum Components for Wireless Communications Dodi Garinto and Ary Syahriar
AMR-02	Gain Optimization for Cutting Tests on CNC Machine Using the Ballbar Method with CMM Machine Measurements Muhammad Rangga Hadisiswoyo, Danny Mokhammad Gandana and Nasril
AMR-03	Thermostat Influence Simulation During Warm-up Period in SI-Engine Cooling System Elroy Fkp Tarigan, Ary Syahriar and Yohanes Climacus Sutama
AMR-04	Analysis and Simulation of Short Shot Defects in Plastic Injection Molding at Multi Cavities Eko Ari Wibowo, Ary Syahriar and Agung Kaswadi
AMR-05	An HiL-Approach for Factory Acceptance Testing of Gravimetric Dosing Systems Dominik Aufderheide
AMR-06	An Improved Design of Multiband Patch Antenna at 26 GHz for 5G Mobile Dichi Syahbana, Suci Rahmatia and Putri Wulandari

# LOGISTICS AND SUPPLY CHAIN

LSC-01	Mapping of Telkom University Roadshow Location Using Geographic Information System Ramadhani Kurniawan, Amelia Kurniawati and Afrin Fauzya Rizana
LSC-02	New Product Development with Kano Model to Supports Supply Chain Performance of Jewelry Industry in Indonesia Jennifer - and Markus Hartono
LSC-03	Designing Vendor Selection System Using Intuitionistic Fuzzy TOPSIS and Entropy Weighting Method in Oil and Gas Industry Silmi Kaaffah, Ari Yanuar Ridwan and Nia Novitasari
LSC-04	Usability Evaluation of "Inventory Information System" Design of Disaster Management in Yogyakarta Province - Indonesia Naniek Utami Handayani, Wina Dara Kusuma, Diana Puspita Sari, Zainal Fanani Rosyada and Yusuf Widharto
LSC-05	Demand Forecasting for Drinking Water Products to Reduce Gap Between Estimation and Realization of Demand Using Artificial Neural Network (ANN) Methods in PT. XYZ <i>Rizka Cahya Syafitri, Ari Yanuar Ridwan and Nia Novitasari</i>
LSC-06	Prioritizing Criteria for Dwell Time Efficiency in Port Logistic Process Oki Sunardi and Yenny Yunita Somakila
LSC-07	Laundry System Optimization on an In-flight Service Company Nada Nisrina Amri, Tanika Dewi Sofianti and Adhiguna Mahendra
	xix



LSC-08	Optimization Model Supply Chain Network Design Determine Location- Alocation The Terminal Cathoda Factory Suryati Suryati, Wahyudi Sutopo and Muhammad Hisjam
LSC-09	Determination of the Charging Station Facility Location-Allocation Model by Considering the Closest Distance: Case Study in Solo City Bekti Nugrahadi, Wahyudi Sutopo and Muhammad Hisjam
LSC-10	Designing Strategies for Inbound Logistics Performance Indicator Improvement in the Indonesian Mining Industry Fadhilah Muna Karimah and Inaki Maulida Hakim
LSC-11	Designing an Optimization Model to Reduce Logistics Outbound Costs in the E-Commerce Industry in Indonesia Using the Mixed Integer Linear Programming (MILP) Method Syahla Putri and Inaki Maulida Hakim
LSC-12	Supply Chain Improvement in a Local Toy Manufacturing Company by a Kanban System Yeremia Kevin Ongkowijoyo, Aditya Tirta Pratama and Tanika Dewi Sofianti
LSC-13	Antibiotic Inventory Policy Design for Minimizing Total Inventory Costs in Pharmacies Based On ABC-Fuzzy Classification Analysis Approach Using Probabilistic Continuous Review Method Naufaldanny Farhan Shiddieq, Ari Yanuar Ridwan and Budi Santosa

# SUSTAINABLE ENERGY AND ENVIRONMENT

SEE-01	Beyond Socio-Technical Innovation: Lesson Learned from Jatropha Fuel Development in Indonesia <i>Yuti Ariani Fatimah</i>
SEE-02	Bioethanol Production from Oil Palm Fronds Biomass Waste Review Nathalie Gloria, Evita Herawati Legowo and Irvan Setiadi Kartawiria
SEE-03	Simple Vertical Axis Wind Turbine for Low Wind Speed Dena Hendriana, Eka Budiarto and Arko Djajadi
SEE-04	Experimental Testbed for Solar PV-Battery Hybrid System Dena Hendriana, Erikson Sinaga and Arko Djajadi
SEE-05	Effect of Zn, Cu and Mg doping on the structural characteristic of LiNi0.6Mn0.2Co0.2O2 (NMC622) Ahmad Jihad, Affiano Akbar Nur Pratama, Cornelius Satria Yudha, Mintarsih Rahmawati, Hendri Widiyandari and Agus Purwanto
SEE-06	Fabrication of High Performance 18650-Type NCA/Graphite Cylindrical Cells Hafid Khusyaeri, Cornelius Satria Yudha, Mintarsih Rahmawati, Dewi Pratiwi, Endah Retno Dyartanti and Agus Purwanto
SEE-07	Heat Treatment Strategy to Improve the Structural Characteristic and Electrochemical Performance of LiNi0.6Mn0.2Co0.2O2 Cathode Material Reynaldi Virgiawan Rifki Pradana, Valiana Mugi Rahayu, Cornelius Satria Yudha, Mintarsih Rahmawati, Adrian Nur and Agus Purwanto
SEE-08	Synthesis of Zinc Oxide (ZnO) from Zinc Based-Fertilizer as Potential and Low-Cost Anode Material for Lithium Ion Batteries Cornelius Satria Yudha, Mintarsih Rahmawati, Arif Jumari, Anjas Prasetya Hutama and Agus Purwanto
	XX





SEE-09	Strategic Energy Management Model in A Cement Plant in Indonesia Agustinus Hariadidp and Cokorda Prapti Mahandari
SEE-10	Analysis of Gravitational Vortex Turbine Performance Dede Lia Zariatin, Tri Murniati and Dwi Antoro
SEE-11	Comparative Analysis of Innovation Process in Batik Wastewater Treatment Equipment Technology in Indonesia Nasyita Vivi Amalia, Wahyudi Sutopo and Muhammad Hisjam
SEE-12	Determination of The Location Allocation for Recycling and Collection Centers of Batik Wastewater Treatment Equipment Nasyita Vivi Amalia, Wahyudi Sutopo and Muhammad Hisjam
SEE-13	Study on The Potential Application of Water Hyacinth as an Organic Corrosion Inhibitor Daniel Pradipta Juniardi, Diah Indriani Widiputri and Irvan Setiadi Kartawiria



# **BUKTI SCOPUS ICONETSI 2021**



https://dl.acm.org/doi/proceedings/10.1145/3429789

Fani Puspitasari\* Industrial Engineering, Trisakti University, Jakarta fani.puspitasari@trisakti.ac.id Sofia Debi Puspa Mechanical Engineering, Trisakti University, Jakarta sofia.debi.puspa@trisakti.ac.id. Christian Kenny Verel Industrial Engineering, Trisakti University, Jakarta christiankennyy@gmail.com

# ABSTRACT

The Health Service Industry is one of the important and crucial industries to be maintained in order to support the welfare of the community. XYZ Pharmacy, which is located in the Jakarta area, is one of the industrial companies engaged in Health Services and focuses on the skin and genital area. The need for planning the number of purchases of medicinal products for Inventory at XYZ Pharmacy is very important. It was found that there were problems with the company, namely experiencing a very large amount of stock and decreasing stock in supplement products so that many products expired and lost customer trust. The purpose of this study was to determine the number of drug purchases at XYZ Pharmacy to reduce decreasing or excess drug stock. The method used in this study is the Fuzzy Sugeno and Fuzzy Mamdani method. The application of the Fuzzy Sugeno and Fuzzy Mamdani methods uses three variables, namely: the number of inventories, the number of sales, and the number of drug purchases with the help of MATLAB software. Determination of safety stock and reorder points conducted by XYZ Pharmacy is carried out to minimize inventory running out which has an impact on customer satisfaction levels. The results of this study are In Fuzzy Mamdani's calculation, the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 79%. In Fuzzy Sugeno's calculation, the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 31%. It can be concluded that the application of Fuzzy Mamdani is better than the Fuzzy Sugeno method for calculating the inventory of Enervon C Tab Strip 4S/25 STRP products. In the calculation of the Safety Stock of the Enervon C Tab Strip 4S/25 STRP product, the results are 75 packs per month with reorder points of 80 packs per month for Calcium Carbonat + Vitamin D3 400 of 61 packs per month with reorder points of 65 packs per month.

# **CCS CONCEPTS**

• Insert your first CCS term here; • Insert your second CCS term here; • Insert your third CCS term here;

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

© 2022 Association for Computing Machinery.

ACM ISBN 978-1-4503-9718-6/22/09...\$15.00

https://doi.org/10.1145/3557738.3557870

# **KEYWORDS**

Fuzzy inference system, Inventory, Purchases and Sales, Safety stock

#### **ACM Reference Format:**

Fani Puspitasari, Sofia Debi Puspa, and Christian Kenny Verel. 2022. Implementation of The Fuzzy Inference System to Determine The Amount of Purchase of Supplement Drug Products Based on Inventory and Sales Data at XYZ Pharmacy. In *Proceedings of the International Conference on Engineering and Information Technology for Sustainable Industry (ICONETSI)*, *September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia.* ACM, New York, NY, USA, 7 pages. https://doi.org/10.1145/3557738.3557870

# **1** INTRODUCTION

The health care industry is one of the most important sectors that has a great influence on people's welfare. One of the health service industries is pharmaceutical services or known as pharmacies. Pharmacy is one of the health services that help, maintain, and realize the community in the creation of optimal health. One of the most important elements in the operation of a pharmacy is the inventory element. The right supply of drugs in the pharmacy will affect the performance and activities in terms of operations. In inventory storage, there needs to be a more effective and efficient way to organize and control large amounts of inventory. Without proper supplies, pharmacies will be faced with the risk of not being able to meet the needs of their customers. Inventory is carried out to ensure certainty that when needed these products are available [1].

This study uses the application of the Fuzzy Inference System method, which can be used to optimize the amount of drug inventory for each certain time period and determine the right time to purchase drugs for supplies at the pharmacy. In the Fuzzy Inference System method, this study made observations using the Fuzzy Sugeno method to determine the number of purchases of supplemental medicinal products. The calculation of the Sugeno method has an output of constant numbers or linear equations. This method has the advantage of being very clear and easy to use compared to other methods.

Determination of sufficient stock, excess, and shortage of stock is calculated based on the reduction of the amount of inventory with the number of sales. The Enervon C Tab Strip 4S/25 STRP Supplement ran out of stock in October 2020 and July 2021 and experienced very thin stock and sometimes even sales that exceeded the existing inventory. Because of this problem, customers will usually move to another place with very complete product conditions. In table 1, the months of January, March, May, June, and August

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Year 2020/2021	Supplement Drugs		Description	
-	Inventory	Sales	Purchase	
September	25	25	0	Sufficient stock
October	0	0	0	Sufficient stock
December	150	100	150	Excess stock 50 pack
January	50	70	0	Short stock 20 pack
February	130	100	150	Excess stock 30 pack
March	130	150	100	Short stock 20 pack
April	105	73	125	Excess stock 32 pack
May	32	75	0	Short stock 43 pack
June	-43	3	0	Short stock 40 pack
July	29	100	75	Short stock 71 pack
August	-21	25	50	Short stock 46 pack

Та	b	le	1:	En	erv	von	۱C	Ta	аb	Str	ip	<b>4</b> S	/25	S	TRI	Ρs	up	pl	em	en	t d	lata	ı s	am	pl	e
----	---	----	----	----	-----	-----	----	----	----	-----	----	------------	-----	---	-----	----	----	----	----	----	-----	------	-----	----	----	---

have a number of stocks that are less than the total sales, so the company borrows drugs from other pharmacies to meet the number of customer requests. There is a sample data for the Enervon C Tab Strip 4S/25 STRP supplement for the period September 2020 to August 2021 in Table 1.

The objectives to be achieved in this research are as follows:

- Determining the number of purchases of supplementary medicinal products Enervon C Tab Strip 4S/25 STRP using the Fuzzy Mamdani method and the Fuzzy Sugeno method based on three input variables of inventory, purchases, and sales at XYZ Pharmacy.
- Knowing the minimum amount of drug stock (safety stock) that is carried out to meet customer demand at the XYZ Pharmacy on Enervon C Tab Strip 4S/25 STRP supplement drug products
- Knowing the reorder point or reorder point that is used by XYZ Pharmacy in fulfilling customer requests at XYZ Pharmacy on Enervon C Tab Strip 4S/25 STRP supplement drug products

# 2 FUZZY

# 2.1 Fuzzy Logic

Tables are "float elements" which should be inserted after their first text reference and have specific styles for identification. Do not use images to present tables, or they will be inaccessible to readers using assistive technologies. Fuzzy logic was first developed by Lotfi A Zadeh in 1965 who is a professor at the University of California, Berkeley [3]. There are several things that need to be known in understanding the fuzzy system, namely:

- 1. Fuzzy variable is a variable to be discussed in a fuzzy system. Examples are: age, temperature, speed, and distance [2].
- Fuzzy set is a group that represents a certain condition or condition in a fuzzy variable. Fuzzy set has 2 attributes [2], namely:
- Linguistics, namely naming a group that represents a certain situation or condition using natural language, such as: Near, Medium, Far

- 2. Numeric, which is a value (number) that indicates the size of a variable, such as: 30,40,45.
- 3. The universe of speech is the entire value obtained for operation in a fuzzy variable, the universe of speech is a set of real numbers that always increases (increases) monotonically from left to right [2]. For example, the universe of talks for the temperature variable: [0 40].
- 4. Domain is the entire value that is allowed in the universe of talk and can be operated in a fuzzy set [2]. Like the universe of conversation, the domain is a set of real numbers that always increases (increases) monotonically from left to right as shown in Figure 6.2. Examples of domains are Near [0 5], Medium [7, 10], and Far [15, 20].

# 2.2 Fuzzy Mamdani

This method was first proposed by Ebrahim Mamdani in 1975. This method is the simplest method and is often used for research compared to other methods [6]. To determine the output there are several stages, namely:

- a. The formation of a fuzzy set is that there are input and output variables.
- b. Fuzzyfication is done to squeeze a crisp number into the fuzzy variable from the input variable.
- c. Implication, is used to determine the form of the final fuzzy number which is determined by filling the fuzzy output set into the output variable.
- d. Aggregation is the process of combining the output functions of the implication process by following the IF THEN rules into a single fuzzy set using the MAX function.
- e. Deffuzyfication, this process uses the input of a fuzzy set obtained from the applicable fuzzy rules and the output is the domain number of the fuzzy set. In general, it can be written using equation 2) as follows:

$$X = \frac{\int_{1}^{x} x \mu(x) dx}{\int_{1}^{x} \mu(x) dx}$$
(1)

Information: x = output variable

X = Fuzzy output area center point

 $\mu(\mathbf{x})$  = membership function of the output variable

# 2.3 Fuzzy Sugeno

In the Sugeno method, fuzzification, fuzzy operations, and implications are the same as the Mamdani method. The difference is only in aggregation and defuzzification. If in the Mamdan method the aggregation is the area under the curve, then in the Sugeno method the aggregation is in the form of singletons.

Defuzzification in the Sugeno method is simpler, because it only calculates the center of single-ton

$$\boldsymbol{z^*} = \frac{\sum \mu_c \left( \bar{\boldsymbol{z}} \right) \cdot \bar{\boldsymbol{z}}}{\sum \mu_c \left( \bar{\boldsymbol{z}} \right)} \tag{2}$$

which in this case,  $\bar{z}$  is the singleton value

# **3 RESEARCH METHODOLOGY**

Research Methodology is the stages or steps of the process flow in conducting systematic and precise research so as to get good research results. The research method used is the Fuzzy Inference System, namely Fuzzy Sugeno. The initial stage begins with identifying the problems that occur. To clarify the research methodology, a flow chart is made as shown in Figure 1.

# 4 RESULT

# 4.1 Safety Stock

Calculation of safety stock using data that is a service level of 95% with a service factor of 1.64 and data on the average number of sales per month. With the safety stock formula, the following results are obtained:

• 1	Enervon	C Tab	Strip	4S/25	STRP:
-----	---------	-------	-------	-------	-------

•		
Sample	x	$x^2$
September	25	625
October	0	0
November	50	2500
December	100	10000
January	70	4900
February	100	10000
March	150	22500
April	73	5329
May	75	5625
June	3	9
July	100	10000
August	25	625
Total	771	72113

Calculation:

$$SS = Z \ x \ \sigma$$
  
$$SS = 1,64 \ x \ \sqrt{\frac{\sum x^2 - \frac{(\sum x)^2}{n}}{n-1}}$$
  
$$SS = 1,64 \ x \ \sqrt{\frac{72113 - \frac{(771)^2}{12}}{12-1}}$$
  
$$SS = 1,64 \ x \ 45,303$$
  
$$SS = 74,297 = 75 \ pack$$





Figure 1: Fuzzy Methodology Flowchart

The safety stock for the Enervon C Tab Strip 4S/25 STRP product is 75 packs.

# 4.2 Reorder Point

The reorder point is the time when a reorder must be held so that the inventory can be above the safety stock or equal to zero. After the safety stock has been obtained, you can calculate the reorder point value. With the reorder point formula, the following results are obtained:

$$ROP = (d x L) + SS$$
$$ROP = \left(\frac{771}{365} x 2\right) + 75$$
$$ROP = 79, 22 \approx 80 \ pack$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

# 4.3 Solving with Fuzzy Mamdani Method

a. Fuzzification

There are 3 fuzzy variables modeled in this study, namely:

- Inventory (psd): consists of 3 fuzzy sets, namely: low, medium, and high.
- Sales (pjl): consists of 3 fuzzy sets, namely: decreasing, normal, and increasing.
- Purchases (pbl): consists of 3 fuzzy sets, namely: few, medium, and many.

# **b.** Fuzzy Rules

After performing the Fuzzyfication stage, then the formation of fuzzy logic rules is carried out. In this study, nine possible combinations were obtained from the number of variables from each fuzzy set that was formed. The rules are as follows:

- IF (Inventory is Low) and (Sales is Decreasing) then (Purchases is Few)
- IF (Inventory is Normal) and (Sales is Decreasing) then (Purchases is Few)
- IF (Inventory is High) and (Sales is Decreasing) then (Purchases is Few)
- IF (Inventory is Low) and (Sales is Normal) then (Purchases is High)
- IF (Inventory is Normal) and (Sales is Normal) then (Purchases is Normal)
- IF (Inventory is High) and (Sales is Normal) then (Purchases is Few)
- IF (Inventory is Low) and (Sales is Increasing) then (Purchases is Many)
- IF (Inventory is Normal) and (Sales is Increasing) then (Purchases is Many)
- IF (Inventory is High) and (Sales is Increasing) then (Purchases is Many)

# c. Determining the compositions of the rule

In this study, taking one of the product samples, namely Enervon C Tab Strip 4S/25 STRP in the September 2021 period with a total inventory of 25 packs, a total purchase of 0 packs, and a total sales of 25 packs, so that a value is obtained for each variables are as follows:

- Inventory Variable  

$$\mu psdLOW (25) = \frac{90-25}{90-(-50)} = \frac{65}{140} = 0,464$$
  
 $\mu psdNORMAL (25) = 0$   
 $\mu psdHIGH (25) = 0$   
- Sales Variables  
 $\mu pjIDECREASING (25) = \frac{80-25}{90-0} = \frac{55}{90} = 0,611$   
 $\mu pjINORMAL (25) = 0$   
 $\mu pjIINCREASING (25) = 0$   
- Purchase Variables  
 $\mu pbIFEW (0) = 1$   
 $\mu pbINORMAL (0) = 0$   
 $\mu pbIMANY (0) = 0$ 

After performing the Fuzzyfication stage which determines the degree of membership for each fuzzy set and forms the fuzzy rules of each related fuzzy variable, the next step that needs to be done is to compose the fuzzy basic rules. The following is the composition of the rules formed, namely:

1. IF (Inventory is Low) and (Sales is Decreasing) then (Purchases is Few)

$$\alpha$$
 – predikat1 =

$$= \mu_{PsdLOW} \cup \mu_{PjlDECREASING}$$

$$= \mu_{PsdLOW} (25) \cup \mu_{pJLDECREASING} (25)$$

$$= \min(0, 464; 0, 611) = 0, 464$$

When  $\mu_{PbIFEW} = 0.464$  then the value of x can be determined as follows:

$$\begin{array}{l} \alpha - predikat1 = \\ = \frac{90 - x}{90} = 0,464 \\ (90x0,464) = 90 - x \\ x = 48.24 \end{array}$$

2. IF (Inventory is Normal) and (Sales is Decreasing) then (Purchases is Few)

$$\alpha$$
 – predikat2 =

$$= \mu_{PsdNORMAL} \cup \mu_{PjlDECREASING}$$

$$= \mu_{PsdNORMAL} (25) \cup \mu_{PjlDECREASING} (25)$$

$$= \min(0; 0, 611)$$
  
= 0

# No fuzzy output region is formed

3. IF (Inventory is High) and (Sales is Decreasing) then (Purchases is Few)

$$\alpha$$
 – predikat3 =

 $= \mu_{PsdHIGH} \cup \mu_{PjlDeCREASING}$ 

$$= \mu_{PsdHIGH} (25) \cup \mu_{PilDECREASING} (25)$$

$$= \min(0; 0, 611)$$
  
= 0

# No fuzzy output region is formed

4. IF (Inventory is Low) and (Sales is Normal) then (Purchases is High)

$$\alpha$$
 – predikat4 =

$$= \mu_{PsdLOW} \cup \mu_{PjlNORMAL}$$

$$= \mu_{PsdLOW} (25) \cup \mu_{pJLNORMAL} (25)$$

$$= \min(0, 464; 0)$$

$$= 0$$

# No fuzzy output region is formed

5. IF (Inventory is Normal) and (Sales is Normal) then (Purchases is Normal)

$$\alpha$$
 – predikat5 =

$$= \mu_{PsdNORMAL} \cup \mu_{PilNORMAL}$$

$$= \mu_{PsdNORMAL} (25) \cup \mu_{pJLNORMAL} (25)$$

$$=\min\left(0;0\right)$$

= 0

## No fuzzy output region is formed

6. IF (Inventory is High) and (Sales is Normal) then (Purchases is Few)

$$\alpha$$
 – predikat6 =

$$= \mu_{PsdHIGH} \cup \mu_{PjINORMAL}$$
$$= \mu_{PsdHIGH} (25) \cup \mu_{PJLNORMAL} (25)$$
$$= \min (0; 0)$$

#### = 0

## No fuzzy output region is formed

7. IF (Inventory is Low) and (Sales is Increasing) then (Purchases is Many)

 $\alpha$  – *predikat*7 =

- $= \mu_{PsdLOW} \cup \mu_{PjlINCREASING}$
- $= \mu_{PsdLOW}(25) \cup \mu_{PjlINCREASING}(25)$

 $= \min(0, 464; 0)$ 

= 0

# No fuzzy output region is formed

8. IF (Inventory is Normal) and (Sales is Increasing) then (Purchases is Many)

$$\alpha - predikat8 =$$

$$= \mu_{PsdNORMAL} \cup \mu_{PjlINCERASING}$$

$$= \mu_{PsdNORMAL} (25) \cup \mu_{PjlINCERASING} (25)$$

 $=\min\left(0;0\right)$ 

# = 0

# No fuzzy output region is formed

9. IF (Inventory is High) and (Sales is Increasing) then (Purchases is Many)

$$\alpha$$
 – predikat9 =

$$= \mu_{PsdHIGH} \cup \mu_{PjIINCERASING}$$
$$= \mu_{PsdHIGH} (25) \cup \mu_{PjIINCERASING} (25)$$
$$= \min (0; 0)$$

# = 0

# No fuzzy output region is formedd. Deffuzification

The last stage in the research with Fuzzy Mamdani is the stage of affirmation (deffuzyfication). The steps in deffuzification with the Centroid method are as follows:

The first inference is a linear function, so:

$$M1 = \int_{0}^{48,24} 0,464 \ x \ dx$$
$$M1 = \left. \frac{0,464 \ x^{2}}{2} \right|_{0}^{48,24} \left|_{0}^{48,24} \right|_{0}^{48,24}$$
$$M1 = (0,232) \ (48,24)^{2} - (0,232) \ (0)^{2}$$
$$M1 = 539,887$$

Area for the first Inference: A1 = (0, 464) (48, 24 - 0)A1 = 22, 384

The second inference is an ascending function, so:

$$M2 = \int_{48,24}^{90} \frac{90 - x}{90 - 0} x \, dx$$
$$M2 = \left. \frac{90 x^2}{2 (90)} - \frac{x^3}{3 (90)} \right|_{48,24}^{90}$$
$$M2 = \left( \frac{90 (90)^2}{2 (90)} - \frac{(90)^3}{3 (90)} \right) - \left( \frac{90 (48,24)^2}{2 (90)} - \frac{(48,24)^3}{3 (90)} \right)$$
$$M2 = 602,225$$

Area for the second Inference:

$$A2 = (0, 464) \left(\frac{(90 - 48, 24)}{2}\right)$$
$$A2 = 9, 69$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

# The center point can be obtained as follows:

$$z* = \frac{\int_{a}^{b} x . \mu (x) . dx}{\int_{a}^{b} \mu (x) . dx}$$
$$z* = \frac{M1 + M2}{A1 + A2}$$
$$z* = \frac{539,887 + 602,225}{22,384 + 9,69}$$
$$z* = 35,608 \approx 36$$

In the Enervon C Tab Strip 4S/25 STRP product, the excess remaining inventory can be said to be good because the sales of these products are quite fast and are in demand by customers. The calculation results were carried out on the percentage of Enervon C Tab Strip 4S/25 STRP product fulfillment, which was 79%. The following table shows the results of the number of purchases using the Fuzzy Mamdani method for Enervon C Tab Strip 4S/25 STRP product in Table 3.

# 4.4 Solving with Fuzzy Sugeno Method

a. Fuzzy Rules

- IF (Inventory is Low) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is Medium) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is High) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is Low) and (Sales is Normal) then (Purchases is mf2)
- IF (Inventory is Medium) and (Sales is Normal) then (Purchase is mf2)
- IF (Inventory is High) and (Sales is Normal) then (Purchases is mf2)
- IF (Inventory is Low) and (Sales is Increase) then (Buying is mf3)
- IF (Inventory is Medium) and (Sales is Increase) then (Purchasing is mf3)
- IF (Inventory is High) and (Sales is Increase) then (Buying is mf3)

Where

 $mf1 = \sum(average number of demand) = 65$ 

mf2 =  $\sum$ (average number of demand) + 10 = 75 mf3 =  $\sum$ (average number of demand) + 20 = 85 b. Determining the compositions of the rule

Similar to the use of the Mamdani method, the Sugeno method, After performing the Fuzzyfication stage which determines the degree of membership for each Fuzzy set and forms the Fuzzy rules from each of the related Fuzzy variables, the next step that needs to be done is to compose the Fuzzy basic rules. The fuzzy operators that will be used are AND and -predicate

# c. Defuzzification

Fuzzy Sugeno method uses a weighted average derived from the calculation of the composition of the rules on the nine formed rules. The equation obtained is as follows

$$z = \frac{\sum_{a=1}^{9} x_a \mu(x_a)}{\sum_{a=1}^{9} \mu(x_a)}$$

# Table 3: Result of Purchase of Fuzzy Mamdani Enervon C Tab Strip 4S/25 STRP method

	Supple	ement Me	dicine	Stock		Fulfilled/not	Percentage	
Year 2020/2021	<u>Enervon</u> C	Tab Strip 4	S/25 STRP		Safety Stock			
	Inventory	Sales	Purchase					
September	25	25	0	36	75	not fulfilled	-52%	
October	0	0	0	71	75	not fulfilled	-5%	
November	50	50	50	92	75	fulfilled	23%	
December	150	100	150	83	75	fulfilled	11%	
January	50	70	0	122	75	fulfilled	63%	
February	130	100	150	113	75	fulfilled	51%	
March	60	150	100	107	75	fulfilled	43%	
April	10	73	125	118	75	fulfilled	57%	
May	78	75	0	171	75	fulfilled	128%	
June	3	3	0	203	75	fulfilled	171%	
July	75	100	75	244	75	fulfilled	225%	
August	25	25	50	254	75	fulfilled	239%	
			Mean				79%	

# Table 4: Result of Purchase of Fuzzy Sugeno Enervon C Tab Strip 4S/25 STRP method

Year	Supple	ement Me	edicine		Safety			
2020/2021	Enervon C Tab Strip 4S/25 STRP			- Stock	Stock	Fulfilled/Not	Percentage	
	Inventory	Sales	Purchase	are				
September	90	65	25	65	75	Not fulfilled	-13%	
October	130	65	0	130	75	Fulfilled	73%	
November	198	68	50	148	75	Fulfilled	97%	
December	228	80	100	128	75	Fulfilled	71%	
January	201	73	70	131	75	Fulfilled	75%	
February	211	80	100	111	75	Fulfilled	48%	
March	196	85	150	46	75	Not fulfilled	-39%	
April	120	74	73	47	75	Not fulfilled	-37%	
May	121	74	75	46	75	Not fulfilled	-39%	
June	111	65	3	108	75	Fulfilled	44%	
July	188	80	100	88	75	Fulfilled	17%	
August	153	65	25	128	75	Fulfilled	71%	
			Mean				31%	

Before calculating with Fuzzy Sugeno, there was a stock shortage that occurred in Enervon C Tab Strip 4S/25 STRP products in January, February, May, June, July, and August 2021. After calculating with Fuzzy Sugeno, the stock was fulfilled and can meet customer needs at XYZ Pharmacy. In the Enervon C Tab Strip 4S/25 STRP product, the excess remaining inventory can be said to be good because the sale of the product is quite fast and is in demand by customers. When viewed from the number of safety stock that has been carried out in the previous calculation, in September 2020, March, April, and May 2021, the remaining inventory results were not met according to the safety stock with a total of 75 packs. The calculation results were carried out on the percentage of Enervon C Tab Strip 4S/25 STRP product fulfillment, which was 31%.

# 5 CONCLUSION

Based on the results of the application of Fuzzy Sugeno to determine the number of purchases for Enervon C Tab Strip 4S/25 STRP products, it can be concluded as follows:

- 1. In Fuzzy Mamdani's calculation, the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 79% while the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 79%. It can be concluded that the application of Fuzzy Mamdani is better than the Fuzzy Sugeno method for calculating the inventory of Enervon C Tab Strip 4S/25 STRP products.
- 2. In the calculation of safety stock, for Enervon C Tab Strip 4S/25 STRP, the results are 75 packs per month, while
- (1) In the calculation of the reorder point, the results are 80 packs per month

# REFERENCES

 Sitio dan S.L.Mulani, Penerapan Fuzzy Inference System Sugeno untuk Menentukan Jumlah Purchases Obat (Studi Kasus: Garuda Sentra Medika). Jurnal Informatika Universitas Pamulang, 3(2), 104, 2018. ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

- [2] S. Kusumadewi dan H. Purnomo. Aplikasi Logika Fuzzy untuk Pendukung Keputusan. Yogyakarta; Graha Ilmu, 2004.
- [3] S. Batubara, "Analisis Perbandingan Metode Fuzzy Mamdani Dan Fuzzy Sugeno Untuk Penentuan Kualitas Cor Beton Instan," It J. Res. Dev., vol. 2, no. 1, pp. 1–11, 2017, doi: 10.25299/itjrd. 2017. vol2 (1). 644.
- [4] B. Warsito, A. Rusgiyono, and M. A. Amirillah, "Pemodelan General Regression Neural Network Untuk Prediksi Tingkat Pencemaran Udara Kota Semarang," Media Stat., vol. 1, no. 1, 2012, doi: 10.14710/medstat.1.1.43-51.
- [5] Yulamini, "Penggunaan Metode Fuzzy Inference System (Fis) Mamdani Dalam Pemilihan Peminatan Mahasiswa Untuk Tugas Akhir," J. Inform. Darmajaya, vol. 15, no. 1, pp. 10–23, 2015, doi: 10.30873/ji. v20i2.
- [6] Setiadji. Himpunan dan Logika Samar serta Aplikasinya. Yogyakarta: Graha Ilmu, 2009.
- [7] S. Kusumadewi. Analisis & Desain Sistem Fuzzy Menggunakan Toolbox Matlab. Yogyakarta; Graha Ilmu, 2002.
- [8] A. Naba dan F.I.S.Suryantoro. Belajar cepat Fuzzy Logic menggunakan mattlab. Yogyakarta: Andi Offset, 2009
- [9] S. Assauri. Manajemen Produksi & Operasi. Jakarta: LBFE UI, 1980
- [10] D. Sunyoto. Manajemen dan Pengembangan Sumber Daya Manusia. Yogyakarta: Center for Academic Publishing Service, 2015
- [11] H.M. Jogiyanti. Analisis dan Desain Sistem Informasi. Yogyakarta: Andi Offset, 1990
- [12] Modul Apsi 2021, Universitas Trisakti, Jakarta, Indonesia, 2021, 1.1-IV.14
- [13] James W. Demmel, Yozo Hida, William Kahan, Xiaoye S. Li, Soni Mukherjee, and Jason Riedy. 2005. Error Bounds from Extra Precise Iterative Refinement. Technical Report No. UCB/CSD-04-1344. University of California, Berkeley.
- [14] David Harel. 1979. First-Order Dynamic Logic. Lecture Notes in Computer Science, Vol. 68. Springer-Verlag, New York, NY. https://doi.org/10.1007/3-540-09237-4
- [15] Jason Jerald. 2015. The VR Book: Human-Centered Design for Virtual Reality. Association for Computing Machinery and Morgan & Claypool.
- [16] Prokop, Emily. 2018. The Story Behind. Mango Publishing Group. Florida, USA.
   [17] R Core Team. 2019. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. https://www.R-project. org/
- [18] Brian K. Reid. 1980. A high-level approach to computer document formatting. In Proceedings of the 7th Annual Symposium on Principles of Programming Languages. ACM, New York, 24–31. https://doi.org/10.1145/567446.567449
- [19] John R. Smith and Shih-Fu Chang. 1997. Visual Seek: a fully automated contentbased image query system. In Proceedings of the fourth ACM international conference on Multimedia (MULTIMEDIA '96). Association for Computing Machinery, New York, NY, USA, 87–98. https://doi.org/10.1145/244130.244151
- [20] TUG 2017. Institutional members of the LaTeX Users Group. Retrieved May 27, 2017 from http://wwtug.org/instmem.html
- [21] Alper Yilmaz, Omar Javed, and Mubarak Shah. 2006. Object tracking: A survey. ACM Comput. Surv. 38, 4 (December 2006), 13–es. https://doi.org/10.1145/1177352. 1177355

by Sofia Debi Puspa Debi Puspa

Submission date: 10-Jun-2024 02:11PM (UTC+0700) Submission ID: 2399432592 File name: iconetsi-\_Fuzzy\_Interface.pdf (623.63K) Word count: 4203 Character count: 20764

Fanitauspitasari\* Industrial Engineering, Trisakti University, Jakarta fani.puspitasari@trisakti.ac.id Sofia 12 ebi Puspa Mechanical Engineering, Trisakti University, Jakarta sofia.debi.puspa@trisakti.ac.id. Christian Kenny Verel Industrial Engineering, Trisakti University, Jakarta christiankennyy@gmail.com

# ABSTRACT

The Health Service Industry is one of the important and crucial industries to be maintained in order to support the welfare of the community. XYZ Pharmacy, which is located in the Jakarta area, is one of the industrial companies engaged in Health Services and focuses on the skin and genital area. The need for planning the number of purchases of medicinal products for Inventory at XYZ Pharmacy is very important. It was found that there were problems with the company, namely experiencing a very large amount of stock and decreasing stock in supplementation of the stock and the stock in supplementation of the stock and the s products expired and lost customer trust. The purpose of this study was to determine the number of drug purchases at XYZ Pharmacy to reduce decreasing or excess drug stock. The method used in this study is the Fuzzy Sugeno and Fuzzy Mamdani method. The 13 lication of the Fuzzy Sugeno and Fuzzy Mamdani methods uses three variables, namely: the number of inventories, the number of sales, and the number of drug purchases with the help of MATLAB software. Determination of safety stock and reorder points conducted by XYZ Pharmacy is carried out to minimize inventory running out which has an impact on customer satisfaction levels. The results of this study are In Fuzzy Mamdani's calculation, the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 79%. In Fuzzy Sugeno's calculation, the Enervon C Tab Stop 4S/25 STRP product has a fulfilled presentation result of 31%. It can be concluded that the application of Fuzzy Mamdani is better than the Fuzzy Sugeno method for calculating the inventory of Enervon C Tab Strip 4S/25 STRP products. In the calculation of the Safety Stock of the Enervon C Tab Strip 4S/25 STRP product, the results are 75 packs per month with reorder points of 80 packs per month for Calcium Carbonat + Vitamin D3 400 of 61 packs per month with reorder points of 65 packs per month.

#### 8 CCS CONCEPTS

• Insert your first CCS term here; • Insert your second CCS term here; • Insert your third CCS term here;

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work ow ned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia 2022 Association for Computing Machinery. ACM ISBN 978-1-4503-9718-6/22/09...\$15.00 https://doi.org/10.1145/355778.3557870

# KEYWORDS

Fuzzy inference system, Inventory, Purchases and Sales, Safety stock

#### ACM Reference Format:

Fani Puspitasari, 6 fia Debi Puspa, and Christian Kenny Verel. 2022. Implementation of The Fuzzy Inference System to Determine The Amount of Purchase of Supplem 15 Drug Products Based on Inventory and Sales Data at XYZ Pharmacy. In Proceedings of the International Conference on Engineering and Information Technology for Sustainable Industry (ICONETSI), September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia. ACM, New York, NY, USA, 7 pages. https://doi.org/10.1145/3557738.3557870

# **1 INTRODUCTION**

The health care industry is one of the most important sectors that has a great influence on people's welfare. One of the health service industries is pharmaceutical services or known as pharmacies. Pharmacy is one of the health services that help, maintain, and realize the community in the creation of optimal health. One of the most important elements in the operation of a pharmacy is the inventory element. The right supply of drugs in the pharmacy will affect the performance and activities in terms of operations. In inventory storage, there needs to be a more effective and efficient way to organize and control large amounts of inventory. Without proper supplies, pharmacies will be faced with the risk of not being able to meet the needs of their customers. Inventory is carried out to ensure certainty that when needed these products are available [1].

[1]. 20 This study uses the application of the Fuzzy Inference System method, which can be used to optimize the amount of drug inventory for each certain time period and determine the right time to purchase drugs for supplies at the pharmacy. In the Fuzzy Inference System method, this study made observations using the Fuzzy Sugeno method to determine the number of pgechases of supplemental medicinal products. The calculation of the Sugeno method has an output of constant numbers or linear equations. This method has the advantage of being very clear and easy to use compared to other methods.

Determination of sufficient stock, excess, and shortage of stock is calculated based on the reduction of the amount of inventory with the number of sales. The Enervon C Tab Strip 4S/25 STRP Supplement ran out of stock in October 2020 and July 2021 and experienced very thin stock and sometimes even sales that exceeded the existing inventory. Because of this problem, customers will usually move to another place with very complete product conditions. In table 1, the months of January, March, May, June, and August ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

Fani Puspitasari et al.

Year 2020/2021		Supplement Drugs		Description
-	Enervo	on C Tab Strip 4S/25	STRP	
18	Inventory	Sales		
September	25	25	0	Sufficient stock
October	0	0	0	Sufficient stock
December	150	100	150	Excess stock 50 pack
January	50	70	0	Short stock 20 pack
February	130	100	150	Excess stock 30 pack
March	130	150	100	Short stock 20 pack
April	105	73	125	Excess stock 32 pack
May	32	75	0	Short stock 43 pack
June	-43	3	0	Short stock 40 pack
July	29	100	75	Short stock 71 pack
August	-21	25	50	Short stock 46 pack

Table 1: Enervon C Tab Strip 4S/25 STRP supplement data sample

have a number of stocks that are less than the total sales, so the company borrows drugs from other pharmacies to meet the number of customer requests. There is a sample data for the Enervon C Tab Strip 4S/25 STRP supplement for the period September 2020 to August 2021 in Table 1.

The objectives to be achieved in this research are as follows:

- Determining the number of purchases of supplementary medicinal products Enervon C Tab Strip 4S/25 STRP using the Fuzzy Mamdani method and the Fuzzy Sugeno method based on three input variables of inventory, purchases, and sales at XYZ Pharmacy.
- Knowing the minimum amount of drug stock (safety stock) that is carried out to meet customer demand at the XYZ Pharmacy on Enervon C Tab Strip 4S/25 STRP supplement drug products
- Knowing the reorder point or reorder point that is used by XYZ Pharmacy in fulfilling customer requests at XYZ Pharmacy on Enervon C Tab Strip 4S/25 STRP supplement drug products

# 2 FUZZY

# 51 Fuzzy Logic

Tables are "float elements" which should be inserted after their first text reference and have specific styles for identification. Do not use images to present tables, or they will be inaccessible to readers using assistive technologies. Fuzzy logic was first developed by Lotfi A Zadeh in 194 who is a professor at the University of California, Berkeley [3]. There are several things that need to be known in understanding the fuzzy system, namely:

1. Fuzzy variable is a variable to be discussed in a fuzzy system.

10 xamples are: age, temperature, speed, and distance [2].
 2. Fuzzy set is a group that reproduct a certain condition or condition in a fuzzy variable. Fuzzy set has 2 attributes [2], namely:

 Linguistics, namely naming a group that represents a certain situation or condition using natural language, such as: Near, Medium, Far

- 2. Numeric, which is a value (number) that indicates the size of a variable, such as: 30,40,45.
- 3. The 7 iverse of speech is the entire value obtained for operation in a fuzzy variable, the universe of speech is a set of real numbers that always increases (increases) monotonically from left to right [2]. For example, the universe of talks for the temp ature variable: [0 40].
- 4. Domain is the entire value that is allowed in the universe of talk and can be operated in a fuzzy set [2]. Like the universe of conversation, the domain is a set of real numbers that always increases (increases) monotonically from left to right as shown in Figure 6.2. Examples of domains are Near [0 5], Medium [7, 10], and Far [15, 20].

#### 2.2 Fuzzy Mamdani

This method was first proposed by Ebrahim Mamdani in 1975. This method is the simplest method and is often used for research compared to other methods [6]. To determine the output there are several stages, namely:

- a. The formation of a fuzzy set is that there are input and output variables.
- b. Fuzzyfication is done to squeeze a crisp number into the fuzzy variable from the input variable.
- c. Implication, is used to determine the form of the final fuzzy number which is determined by filling the fuzzy output set into the output variable.
- d. Aggregation is the process of combining the output functions of the implication process by following the IF THEN rules into a single fuzzy set using the MAX function. 12
- e. Deffuzyfication, this process uses the input of a fuzzy set obtained from the applicable fuzzy rules and the output is the domain number of the fuzzy set. In general, it can be written using equation 2) as follows:

$$X = \frac{\int_{1}^{x} x \mu(x) dx}{\int_{1}^{x} \mu(x) dx}$$
(1)

Information: x = output variable

X = Fuzzy output area center point  $\mu(x) =$  membership function of the output variable

# 2.3 Fuzzy Sugeno

In the Sugeno method, fuzzification, fuzzy operations, and implications are the same as the Mamdani method. The difference is only in aggregation and defuzzification. If in the 22 mdan method the aggregation is the area under the curve, then in the Sugeno method the aggregation is in the form of singletons.

Defuzzification in the Sugeno method is simpler, because it only calculates the center of single-ton

$$z^* = \frac{\sum \mu_c \left( \bar{z} \right) \cdot \bar{z}}{\sum \mu_c \left( \bar{z} \right)}$$
(2)

which in this case,  $\bar{z}$  is the singleton value

## **3 RESEARCH METHODOLOGY**

Research Methodology is the stages or steps of the process flow in conducting systematic and precise research so as to get good research results. The research method used is the Fuzzy Inference System, namely Fuzzy Sugeno. The initial stage begins with identifying the problems that occur. To clarify the research methodology, a flow chart is made as shown in Figure 1.

# 4 RESULT

#### 4.1 Safety Stock

Calculation of safety stock using data that is a service level of 95% with a service factor of 1.64 and data on the average number of sales per month. With the safety stock formula, the following results are obtained:

· Little for C ittle build it bo citte		Enervon	C	Tab	Strip	4S/25	STRP:
--	--	---------	---	-----	-------	-------	-------

Sample	x	$x^2$
September	25	625
October	0	0
November	50	2500
December	100	10000
January	70	4900
February	100	10000
March	150	22500
April	73	5329
May	75	5625
June	3	9
July	100	10000
August	25	625
Total	771	72113

Calculation:

$$SS = Z \ x \ \sigma$$
  

$$SS = 1,64 \ x \ \sqrt{\frac{\sum x^2 - \frac{(\sum x)^2}{n}}{n-1}}$$
  

$$SS = 1,64 \ x \ \sqrt{\frac{72113 - \frac{(771)^2}{12}}{12-1}}$$
  

$$SS = 1,64 \ x \ 45,303$$
  

$$SS = 74,297 = 75 \ pack$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia



#### Figure 1: Fuzzy Methodology Flowchart

The safety stock for the Enervon C Tab Strip 4S/25 STRP product is 75 packs.

#### 4.2 Reorder Point

The reorder point is the time when a reorder must be held so that the inventory can be above the safety stock or equal to zero. After the safety stock has been obtained, you can calculate the reorder point value. With the reorder point formula, the following results are obtained:

$$ROP = (d \ x \ L) + SS$$
$$ROP = \left(\frac{771}{365} \ x \ 2\right) + 75$$
$$ROP = 79, 22 \approx 80 \ pack$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

# 4.3 Solving with Fuzzy Mamdani Method

a. Fuzzification

- There are 3 fuzzy variables modeled in this study, namely:
- ◆ Inventory (psd): consists of 3 fuzzy sets, namely: low, medium, and high.
- ◆ Sales (pjl): consists of 3 fuzzy sets, namely: decreasing, normal, and increasing.
- Purchases (pbl): consists of 3 fuzzy sets, namely: few, medium, and many.

#### b. Fuzzy Rules

After performing the Fuzzyfication stage, then the formation of fuzzy logic rules is carried out. In this study, nine possible combinations were obtained from the number of variables from each fuzzy set that was formed. The rules are as follows:

- ◆ IF (Inventory is Low) and (Sales is Decreasing) then (Purchases is Few)
- ◆ IF (Inventory is Normal) and (Sales is Decreasing) then (Purchases is Few)
- ◆ IF (Inventory is High) and (Sales is Decreasing) then (Purchases is Few)
- IF (Inventory is Low) and (Sales is Normal) then (Purchases) is High)
- IF (Inventory is Normal) and (Sales is Normal) then (Purchases is Normal)
- ◆ IF (Inventory is High) and (Sales is Normal) then (Purchases is Few)
- ◆ IF (Inventory is Low) and (Sales is Increasing) then (Purchases is Many)
- IF (Inventory is Normal) and (Sales is Increasing) then (Purchases is Many)
- ◆ IF (Inventory is High) and (Sales is Increasing) then (Purchases is Many)

#### c. Determining the compositions of the rule

In this study, taking one of the product samples, namely Enervon C Tab Strip 4S/25 STRP in the September 2021 period with a total inventory of 25 packs, a total purchase of 0 packs, and a total sales of 25 packs, so that a value is obtained for each variables are as follows:

- Inventory Variable  $\mu psdLOW$  (25)=  $\frac{90-25}{90-(-50)} = \frac{65}{140} = 0,464$  $\mu psdNORMAL(25) = 0$  $\mu psdHIGH$  (25) = 0 - Sales Variables  $\mu p j l D E CREASING (25) = \frac{80-25}{90-0} = \frac{55}{90} = 0,611$  $\mu p j l NORMAL (25) = 0$  $\mu p j l INCREASING (25)=0$ - Purchase Variables  $\mu pblFEW(0) = 1$  $\mu pblNORMAL(0)=0$ 

```
\mu pblMANY(0)=0
```

After performing the Fuzzyfication stage which determines the degree of membership for each fuzzy set and forms the fuzzy rules of each related fuzzy variable, the next step that needs to be done is to compose the fuzzy basic rules. The following is the composition of the rules formed, namely:

Fani Puspitasari et al.

1. IF (Inventory is Low) and (Sales is Decreasing) then (Purchases is Few)

$$\alpha - predikat1 =$$

 $= \mu_{PsdLOW} \cup \mu_{PjlDECREASING}$ 

$$= \mu_{PsdLOW} (25) \cup \mu_{pJLDECREASING} (25)$$

 $= \min(0, 464; 0, 611) = 0, 464$ 

When  $\mu_{PbIFEW} = 0.464$  then the value of x can be determined as follows:

> $\alpha - predikat1 =$ 90 - x $=\frac{50}{90}$ = 0,464(90x0, 464)= 90 - x= 48, 24

2. IF (Inventory is Normal) and (Sales is Decreasing) then (Purchases is Few)

$$\alpha - predikat2 =$$

$$= \mu_{PsdNORMAL} \cup \mu_{PjIDECREASING}$$

$$= \mu_{PsdNORMAL} (25) \cup \mu_{PjIDECREASING} (25)$$

 $= \min(0; 0, 611)$ 

$$= 0$$

#### No fuzzy output region is formed

х

3. IF (Inventory is High) and (Sales is Decreasing) then (Purchases is Few)

 $\alpha - predikat3 =$ 

$$= \mu_{PsdHIGH} (25) \cup \mu_{PjIDECREASING} (25)$$

 $= \min(0; 0, 611)$ 

# = 0

No fuzzy output region is formed

4. IF (Inventory is Low) and (Sales is Normal) then (Purchases is High)

# $\alpha - predikat4 =$

$$= \mu_{PsdLOW} \cup \mu_{PjlNORMAL}$$

 $= \mu_{PsdLOW} (25) \cup \mu_{pJLNORMAL} (25)$ 

$$= \min(0, 464; 0)$$

= 0

#### No fuzzy output region is formed

5. IF (Inventory is Normal) and (Sales is Normal) then (Purchases is Normal)

#### $\alpha - predikat5 =$

$$= \mu_{PsdNORMAL} \cup \mu_{PjlNORMAL}$$

 $= \mu_{PsdNORMAL} (25) \cup \mu_{pJLNORMAL} (25)$ 

 $= \min(0; 0)$ 

# = 0

No fuzzy output region is formed 6. IF (Inventory is High) and (Sales is Normal) then (Purchases is

Few)

# $\alpha - predikat6 =$

 $= \mu_{PsdHIGH} \cup \mu_{PjlNORMAL}$ 

 $= \mu_{PsdHIGH} (25) \cup \mu_{pJLNORMAL} (25)$ 

 $= \min(0; 0)$ 

= 0

# No fuzzy output region is formed

7. IF (Inventory is Low) and (Sales is Increasing) then (Purchases is Many)

 $\alpha - predikat7 =$ 

 $= \mu_{PsdLOW} \cup \mu_{PjlINCREASING}$ 

 $= \mu_{PsdLOW}(25) \cup \mu_{PjIINCREASING}(25)$ = min(0, 464; 0)

 $= \min(0)$ = 0

# No fuzzy output region is formed

8. IF (Inventory is Normal) and (Sales is Increasing) then (Purchases is Many)

= 
$$\mu_{PsdNORMAL} \cup \mu_{PjIINCERASING}$$
  
=  $\mu_{PsdNORMAL}$  (25)  $\cup \mu_{PjIINCERASING}$  (25)

$$s_{dNORMAL}(25) \cup \mu p_{jlINCERASING}(2)$$

$$= \min(0; 0)$$

**No fuzzy output region is formed** 9. IF (Inventory is High) and (Sales is Increasing) then (Purchases is Many)

 $\alpha - predikat9 =$ 

$$= \mu_{PsdHIGH} \cup \mu_{PjlINCERASING}$$

 $= \mu_{PsdHIGH} (25) \cup \mu_{PjIINCERASING} (25)$ 

$$= \min(0; 0)$$
  
= 0

# No fuzzy output region is formedd. Deffuzification

The last stage in the research with Fuzzy Mamdani is the stage of affirmation (deffuzyfication). The steps in deffuzification with the Centroid method are as follows:

The first inference is a linear function, so:

$$M1 = \int_{0}^{48,24} 0,464 \ x \ dx$$
$$M1 = \left. \frac{0,464 \ x^2}{2} \right| \frac{48,24}{0}$$
$$M1 = (0,232) (48,24)^2 - (0,232) (0)^2$$
$$M1 = 539,887$$

Area for the first Inference:

A1 = (0, 464) (48, 24 - 0)

Λ

A1 = 22,384

The second inference is an ascending function, so:

$$M2 = \int_{48,24}^{90} \frac{90 - x}{90 - 0} x \, dx$$
$$M2 = \left. \frac{90 x^2}{2 (90)} - \frac{x^3}{3 (90)} \right|_{48,24}^{90}$$
$$M2 = \left( \frac{90 (90)^2}{2 (90)} - \frac{(90)^3}{3 (90)} \right) - \left( \frac{90 (48,24)^2}{2 (90)} - \frac{(48,24)^3}{3 (90)} \right)$$
$$M2 = 602,225$$
Area for the second Inference:

$$A2 = (0, 464) \left(\frac{(90 - 48, 24)}{2}\right)$$
$$A2 = 9, 69$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

#### The center point can be obtained as follows:

$$z* = \frac{\int_{a}^{b} x.\mu(x) . dx}{\int_{a}^{b} \mu(x) . dx}$$
$$z* = \frac{M1 + M2}{A1 + A2}$$
$$z* = \frac{539,887 + 602,225}{22,384 + 9,69}$$
$$z* = 35,608 \approx 36$$

In the Enervon C Tab Strip 4S/25 STRP product, the excess remaining inventory can be said to be good because the sales of these products are quite fast and are in demand by customers. The calculation results were carried out on the percentage of Enervon C Tab Strip 4S/25 S 19 product fulfillment, which was 79%. The following table shows the results of the number of purchases using the Fuzzy Mamdani method for Enervon C Tab Strip 4S/25 STRP product in Table 3.

# 4.4 Solving with Fuzzy Sugeno Method

a. Fuzzy Rules

- IF (Inventory is Low) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is Medium) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is High) and (Sales is Decreased) then (Buying is mf1)
- IF (Inventory is Low) and (Sales is Normal) then (Purchases is mf2)
- IF (Inventory is Medium) and (Sales is Normal) then (Purchase is mf2)
- IF (Inventory is High) and (Sales is Normal) then (Purchases is mf2)
- IF (Inventory is Low) and (Sales is Increase) then (Buying is mf3)
- IF (Inventory is Medium) and (Sales is Increase) then (Purchasing is mf3)
- IF (Inventory is High) and (Sales is Increase) then (Buying is mf3)

Where

 $mf1 = \sum(average number of demand) = 65$ 

 $mf2 = \sum(average number of demand) + 10 = 75 mf3 = \sum(average number of demand) + 20 = 85 b. Determining the compositions of the rule$ 

Similar to the use of the Mamdani method, the Sugeno method, After performing the Fuzzyfication stage which determines the degree of membership for each Fuzzy set and forms the Fuzzy rules from each of the related Fuzzy variables, the next step that needs to be done is to compose the Fuzzy basic rules. The fuzzy operators that will be used are AND and -predicate

c. Defuzzification

Fuzzy Sugeno method uses a weighted average derived from the calculation of the composition of the rules on the nine formed rules. The equation obtained is as follows

$$z = \frac{\sum_{a=1}^{9} x_a \mu(x_a)}{\sum_{a=1}^{9} \mu(x_a)}$$

ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

## Fani Puspitasari et al.

Table 3: Result of Purchase of Fuzzy Mamdani Enervon C Tab Strip 4S/25 STRP method

	Supple	ement Me	dicine	Stock		Fulfilled/not	Percentage	
Year 2020/2021	<u>Enervon</u> C	Tab Strip 4	S/25 STRP		Safety Stock			
	Inventory	Sales	Purchase					
September	25	25	0	36	75	not fulfilled	-52%	
October	0	0	0	71	75	not fulfilled	-5%	
November	50	50	50	92	75	fulfilled	23%	
December	150	100	150	83	75	fulfilled	11%	
January	50	70	0	122	75	fulfilled	63%	
February	130	100	150	113	75	fulfilled	51%	
March	60	150	100	107	75	fulfilled	43%	
April	10	73	125	118	75	fulfilled	57%	
May	78	75	0	171	75	fulfilled	128%	
June	3	3	0	203	75	fulfilled	171%	
July	75	100	75	244	75	fulfilled	225%	
August	25	25	50	254	75	fulfilled	239%	
			Mean				79%	

# Table 4: Result of Purchase of Fuzzy Sugeno Enervon C Tab Strip 4S/25 STRP method

Year	Supple	ement Me	edicine		Safety	Fulfilled/Not	Percentage	
2020/2021	Enervon C	Tab Strip	4S/25 STRP	- Stock	Stock			
	Inventory	Sales	Purchase					
September	90	65	25	65	75	Not fulfilled	-13%	
October	130	65	0	130	75	Fulfilled	73%	
November	198	68	50	148	75	Fulfilled	97%	
December	228	80	100	128	75	Fulfilled	71%	
January	201	73	70	131	75	Fulfilled	75%	
February	211	80	100	111	75	Fulfilled	48%	
March	196	85	150	46	75	Not fulfilled	-39%	
April	120	74	73	47	75	Not fulfilled	-37%	
May	121	74	75	46	75	Not fulfilled	-39%	
June	111	65	3	108	75	Fulfilled	44%	
July	188	80	100	88	75	Fulfilled	17%	
August	153	65	25	128	75	Fulfilled	71%	
			Mean				31%	

Before calculating with Fuzzy Sugeno, there was a stock shortage that occurred in Enervon C Tab Strip 4S/25 STRP products in January, February, May, June, July, and August 2021. After calculating with Fuzzy Sugeno, the stock was fulfilled and can meet customer needs at XYZ Pharmacy. In the Enervon C Tab Strip 4S/25 STRP product, the excess remaining inventory can be said to be good because the sale of the product is quite fast and is in demand by customers. When viewed from the number of safety stock that has been carried out in the previous calculation, in September 2020, March, April, and May 2021, the remaining inventory results were not met according to the safety stock with a total of 75 packs. The calculation results were carried out on the percentage of Enervon C Tab Strip 4S/25 STRP product fulfillment, which was 31%.

#### 5 CONCLUSION

Based on the results of the application of Fuzzy Sugeno to determine the 12 mber of purchases for Enervon C Tab Strip 4S/25 STRP products, it can be concluded as follows:

- In Fuzzy Mamdani's calculation, the Enervon C Tab Strip 4S/25 STRP product has a fulfilled presentation result of 79% while the Enervon C Tab Strip 4S 3 STRP product has a fulfilled presentation result of 79%. It can be concluded that the application of Fuzzy Mamdani is better than the Fuzzy Sugeno method for calculating the inventory of Enervon C Tab Strip 4S/25 STRP products.
- 2. In the calculation of safety stock, for Enervon C Tab Strip 4S/25 STRP, the results are 75 packs per month, while
- In the calculation of the reorder point, the results are 80 packs per month

#### REFERENCES

 Sitio dan S.L.Mulani, Penerapan Fuzzy Inference System Sugeno untuk Menentukan Jumlah Purchases Obat (Studi Kasus: Garuda Sentra Medika). Jurnal Informatika Universitas Pamulang, 3(2), 104, 2018. ICONETSI, September 21, 22, 2022, Alam Sutera, Tangerang, Indonesia

- [2] S. Kusumadewi dan H. Purnomo. Aplikasi Logika Fuzzy untuk Pendukung Keputusan. Yogyakarta; Graha Ilmu, 2004.
- [3] S. Batubara, "Analisis Perbandingan Metode Fuzzy Mamdani Dan Fuzzy Sugeno Untuk Penentuan Kualitas Cor Beton Instan," It J. Res. Dev., vol. 2, no. 1, pp. 1–11, 2017, doi: 10.25299/itjrd. 2017. vol2 (1). 644.
- [4] B. Warsito, A. Rusgiyono, and M. A. Amirillah, "Pemodelan General Regression Neural Network Untuk Prediksi Tingkat Pencemaran Udara Kota Semarang," Media Stat., vol. 1, no. 1, 2012, doi: 10.14710/medstat.11.43-51.
- [5] Yulamini, "Penggunaan Metode Fuzzy Inference System (Fis) Mamdani Dalam Pemilihan Peminatan Mahasiswa Untuk Tugas Akhir," J. Inform. Darmajaya, vol. 15, no. 1, pp. 10–23, 2015, doi: 10.30873/ji. v20i2.
- [6] Setiadji. Himpunan dan Logika Samar serta Aplikasinya. Yogyakarta: Graha Ilmu, 2009.
- [7] S. Kusumadewi. Analisis & Desain Sistem Fuzzy Menggunakan Toolbox Matlab. Yogyakarta; Graha Ilmu, 2002.
- [8] A. Naba dan F.I.S.Suryantoro. Belajar cepat Fuzzy Logic menggunakan mattlab. Yogyakarta: Andi Offset, 2009
- [9] S. Assauri. Manajemen Produksi & Operasi. Jakarta: LBFE UI, 1980
   [10] D. Sunyoto. Manajemen dan Pengembangan Sumber Daya Manusia. Yogyakarta: Center for Academic Publishing Service. 2015
- H.M. Jogiyanti. Analisis dan Desain Sistem Informasi. Yogyakarta: Andi Offset, 1990
- Modul Apsi 2021, Universitas Trisakti, Jakarta, Indonesia, 2021, 1.1-IV.14
   James W. Demmel, Yozo Hida, William Kahan, Xiaoye S. Li, Soni Mukherjee, and Jason Riedy. 2005. Error Bounds from Extra Precise Iterative Refinement. Technical Report No. UCB/CSD-04-1344. University of California, Berkeley.
- [14] David Harel. 1979. First-Order Dynamic Logic. Lecture Notes in Computer Science, Vol. 68. Springer-Verlag, New York, NY. https://doi.org/10.1007/3-540-09237-
- [15] Jason Jerald. 2015. The VR Book: Human-Centered Design for Virtual Reality. Association for Computing Machinery and Morgan & Claypool.
- [16] Prokop, Emily. 2018. The Story Behind. Mango Publishing Group. Florida, USA.
   [17] R Core Team. 2019. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. https://www.R-project.org/
- [18] Brian K. Reid. 1980. A high-level approach to computer document formatting. In Proceedings of the 7th Annual Symposium on Principles of Programming Languages. ACM, New York, 24–31. https://doi.org/10.1145/567446.567449
- [19] John R. Smith and Shih-Fu Chang. 1997. Visual Seek: a fully automated contentbased image query system. In Proceedings of the fourth ACM international conference on Multimedia (MULTIMEDIA '96). Association for Computing Machinery. New York, NY, USA. 87–98. https://doi.org/10.1145/244130.244151
- chinery, New York, NY, USA, 87–98. https://doi.org/10.1145/244130.244151
   [20] TUG 2017. Institutional members of the LaTeX Users Group. Retrieved May 27, 2017 from http://wwtug.org/instmem.html
- [21] Alper Yilmaz, Omar Javed, and Mubarak Shah. 2006. Object tracking: A survey. ACM Comput. Surv. 38, 4 (December 2006), 13–es. https://doi.org/10.1145/1177352. 1177355

ORIGIN	IALITY REPORT				
1 SIMIL	<b>5%</b> ARITY INDEX	<b>10%</b> INTERNET SOURCES	14% PUBLICATIONS	<b>9%</b> STUDENT P/	APERS
PRIMAF	RY SOURCES				
1	WWW.M Internet Sour	edien.informati	k.uni-muenche	en.de	3%
2	<b>journal.</b> Internet Sour	uir.ac.id			1%
3	Ni'matu "Design for bling controll Series, 2 Publication	l Ma'muriyah, A prototype of au d by using raspt er", Journal of P 2019	ndik Yulianto, udio guidance perry pi and fu Physics: Confei	Lili. system izzy logic rence	1%
4	E F Yoga "Design Applicat The Nur West Jay Science Publication	achi, V M Nasuti and Developme tion Mamdani M mber of Covid-1 va", IOP Confere and Engineerin	ion, G Prakars ent of Fuzzy Lo 1ethod in Pred 9 Positive Cas ence Series: M g, 2021	a. ogic licting es in laterials	1 %

Jing Tan, Linai Kuang, Lei Wang. "Method for Essential Protein Prediction Based on the

1%

Naïve Bayesian Classifier and Bioinformation Fusion", Proceedings of the 2022 11th International Conference on Bioinformatics and Biomedical Science, 2022 Publication

6

R Wulandari, B Surarso, B Irawanto, Farikhin. "Predict recovery risk rate of Covid-19", Journal of Physics: Conference Series, 2021 Publication

 Sulastri Sulastri. "Decision Support System (SPK) for Selection of New Student Admissions and Majors Using Simple Additive Weigthing (SAW) and Fuzzy Tsukomoto at SMA Negeri 1 Kalirejo", Journal of Applied Science, Engineering, Technology, and Education, 2022

Publication

8

9

# WWW.acm.org

Elta Sonalitha, Bambang Nurdewanto, Salnan Ratih, Nadia Roosmalita Sari, Aries Boedi
Setiawan, Pindo Tutuko. "Comparative
Analysis of Tsukamoto and Mamdani Fuzzy
Inference System on Market Matching to
Determine the Number of Exports for
MSMEs", 2018 Electrical Power, Electronics,
Communications, Controls and Informatics
Seminar (EECCIS), 2018 1 %

1%

1%

<1%



0	article.sapub.org	<1%
1	Submitted to Sultan Agung Islamic University Student Paper	<1%
2	Yulia Retno Sari, Lidya Rizki Ananda, Maha Rani. "The Analysis of Fuzzy Logic Method and Multiple Linear Regression in Determining National Rice Production to Improve Food Self-Sufficiency in Indonesia", IOP Conference Series: Materials Science and Engineering, 2020 Publication	< <b>1</b> %
3	Submitted to Segi University College	<1%
4	Syah Alam, Indra Surjati, Yuli Kurnia Ningsih. "Patch modification and slot arrangement of microstrip antenna for improving the axial ratio", 2017 International Conference on Broadband Communication, Wireless Sensors and Powering (BCWSP), 2017 Publication	<1 %
5	scholar.ui.ac.id	<1%
6	Diana Rumalowak, Yopi Andry Lesnussa, Francis Yunito Rumlawang. "Penerapan Logika Fuzzy Metode Mamdani Untuk	< <b>1</b> %

Menentukan Jumlah Produksi Ayudes (Studi Kasus: CV. Abadi Tiga Mandiri Ambon)", Pattimura International Journal of Mathematics (PIJMath), 2023 Publication archive.org <1% 17 Internet Source <1% www.osstfd20.ca 18 Internet Source <1 % Febiana Selvia Rini, Tri Deviasari Wulan, Teguh 19 Herlambang. "Forecasting the number of demam berdarah dengue (DBD) patients using the fuzzy method at the Siwalankerto public health center", AIP Publishing, 2023 Publication Siti Komsiyah, Malda R. Ardyanti, Irene A. <1% 20 Iswanto. "Flood-Prone Susceptibility Analysis In Garut Using Fuzzy Inference System Mamdani Method", Procedia Computer Science, 2023 Publication Erik L. Heiny, Robert L. Heiny. "An 11-Year <1 % 21 Study of the Relative Importance of Driving Accuracy and Driving Distance on Scoring Average on the PGA Tour", CHANCE, 2012 Publication

Exclude quotes On Exclude bibliography On

Exclude matches < 10 words