

herika38 herika38

539348702

 Lektor Kepala

Document Details

Submission ID

trn:oid::3618:106924563

Submission Date

Aug 3, 2025, 5:00 PM GMT+7

Download Date

Aug 3, 2025, 5:03 PM GMT+7

File Name

539348702.pdf

File Size

392.0 KB

6 Pages

3,883 Words

20,489 Characters

22% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Exclusions

- ▶ 1 Excluded Match

Match Groups

- 5 Not Cited or Quoted 7%**
Matches with neither in-text citation nor quotation marks
- 0 Missing Quotations 0%**
Matches that are still very similar to source material
- 1 Missing Citation 16%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 23% Internet sources
- 10% Publications
- 21% Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 5** Not Cited or Quoted 7%
Matches with neither in-text citation nor quotation marks
- 0** Missing Quotations 0%
Matches that are still very similar to source material
- 1** Missing Citation 16%
Matches that have quotation marks, but no in-text citation
- 0** Cited and Quoted 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 23% Internet sources
- 10% Publications
- 21% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	
	repository.karyailmiah.trisakti.ac.id	21%
2	Student papers	
	Fakultas Teknologi Kebumian dan Energi Universitas Trisakti on 2022-08-30	1%
3	Internet	
	jurnal.polibatam.ac.id	<1%



Geographic Information System (GIS) as an Information Media in the Field of Environmental Health: *Literature Review*

Maghfirah Dara Chaniago¹, Herika Muhamad Taki^{2,*}

¹Department of Environmental Engineering, Universitas Trisakti, Jakarta

²Department of Urban and Regional Planning, Universitas Trisakti, Jakarta

*Corresponding author's email: herika@trisakti.ac.id


Received: July 01, 2022

Accepted: August 22, 2022

Published: August 22, 2022

Copyright © 2022 by author(s) and
Scientific Research Publishing Inc.

Open Access



Abstract

Geographic Information System (GIS) is a system with a collection of data that has a special capacity to combine data, coordinate data, and perform data checks that produce output to be used as a source of decision making. Geographic Information Systems (GIS) can be linked to health information at a particular location, combine, analyze and produce the health information according to activities in the health sector per location. Furthermore, the use of Geographic Information Systems (GIS) is planned to determine areas, conditions, styles, patterns and models related to the health sector. Geographic Information System (GIS) can create a map display by knowing the data from the map and other related data in presenting information about an area on the map.

Keywords: Information Media, Geographic Information System (GIS), Health Sector.

1. Introduction

1.1 Sub Introduction

The development of the times and the socio-economic progress of local communities can lead to high community activities towards the quality of health services. Activities carried out in each area for health workers will be reduced if the health office carries out health management with good quality, especially by utilizing data information technology, especially Geographic Information Systems (GIS) which can be easily accessed using the internet, especially for people who can access information on the internet. The health sector in their area of residence (Taki and Lubis, 2017)

Geographic Information Systems (GIS) in the health sector can link health information that focuses on certain areas, and combine, analyze and map the results of health information according to regional health activities. Furthermore, by applying the Geographic Information System (GIS) one can find out various areas, conditions, styles, patterns, and modeling related to the health sector (Hege et al., 2014).

The objectives of environmental health are, among others, to adjust, limit or change the occurrence of environmental hazards to health in the welfare of human life (Taki, et al, 2020). Another goal is also to anticipate and optimize the regulation of various environmental sources to improve health and develop the welfare of human life by avoiding various risks of infection. Scope of environmental health according to

WHO there are 17 components in the welfare of human life. Some of them are the provision of drinking water, wastewater management and pollution control, prevention or control of soil pollution by human excreta, housing, and settlements (Beze et al, 2016).

In knowing the problems in the health sector, especially in Indonesia, several groupings are needed in conducting searches to carry out various ways to run them more effectively and efficiently (Taki and Sunandar, 2021). The grouping is determined by several factors, one of which is from various disciplines. One of the groupings of health problems, namely based on the environment and then understanding the spatial pattern, to find out the extent of the location and distribution of health problems. The spatial analysis relates to the health sector which is a combination of geography and health sciences, then to the process of geomatics and geoinformation generated from a result of spatial analysis such as regionalization of a regional problem, both formally and functionally (Endang Indriasih, 2008).

In general, in public health, Geographic Information Systems (GIS) are used to identify health problems and identify restrictions in the health sector to be more specific. In carrying out the decision-making process to carry out disease prevention strategies and conduct analysis. In general, in public health, Geographic Information Systems (GIS) are used to identify health problems and identify

restrictions in the health sector to be more specific. In carrying out the decision-making process to make efforts to prevent disease strategies and carry out the analysis.

Geographic Information System (GIS) technology today has developed rapidly. In limited use in the field of geography but has spread in various fields, especially in the health sector (Rinner et al in Rahmati and Prasetyo, 2012). In the health sector, there are various kinds of health problems that can be overcome from various disciplines but must be combined through the application of Geographic Information Systems (GIS). Geographic Information Systems (GIS) can play a role in disease prevention in terms of prevention. One of the virtues of Geographic Information Systems (GIS), namely spatial clustering analysis can be used to determine the spatial distribution pattern of a problem which is then analyzed related to environmental factors. This technology can be used to determine the spatial pattern of the community health service center so as to obtain information on site selection planning in carrying out the construction of health facilities.

The development of a computerized-based Geographic Information System (GIS) through a website, it can make it easier for the public to monitor problems related to the public interest because the application of the website is easy for the general public (Beze et al, 2016). When presenting information geographically, it can provide an overview or from a different point of view when solving a problem. Geographic Information Systems (GIS) can be developed by combining spatial and non-spatial databases so that they can provide detailed information in solving a problem (Puteri et al, 2014).

Based on this background, it is possible to implement a Geographic Information System (GIS) to improve health services. At the time of processing computerized health service data and providing information about the distribution of health services as a whole to the community (Taki, et al, 2019). In this paper, Geographic Information Systems (GIS) in the health sector will be written as Geographic Information Systems (GIS) as information media in the field of environmental health. The application of a Geographic Information System (GIS) will make it easier to carry out an activity in the health sector.

2. Method

This study uses a literature review approach from several sources based on the criteria for the environmental health approach that have been set by previous researchers. In the literature search using various accredited journals. This process is used to improve the detail of the search results.

The method used in monitoring environmental health in Harapan Baru Village is using tools from the application of Geographic Information Systems (GIS) by utilizing data sources to analyze spatial clustering (Beze et al, 2016). There are two clustering results, as follows:

1. Clustering of latrine use.
2. Clustering the use of water sources. There are three categories used in the cluster of water sources which come from PDAM, river water, and well water.

In general, the data used in this study are spatial data and non-spatial data. Spatial data consists of three tables, namely:

1. The house coordinates data point table.
2. Road data table.
3. Data table of RT/kelurahan boundary polygons.

While the non-spatial data used are:

1. House data table.
2. Occupant data table.
3. Table of latrine data.
4. Water source data table.

In addition to these data, the system developed in this study can manage user information in the form of registration data and user level settings. The table used for user settings, as follows:

1. User: id, name, email, password, token.
2. Role : id, name, display_name, description.
3. Permission : id, name, display_name, description.

3. Result and Discussion

There are four parts that will be developed in the environmental health monitoring application, namely the input system, database, process, and output.

1. Input System

The input system is in the form of separate data, namely the input of spatial data and non-spatial data. Spatial data input system using Quantum GIS application. The tools used for spatial data, namely point, line, and polygon types to be managed in applying open source are stored in shapefiles and can also be stored in geoJson form.




Fig 1. Example of Spatial Data Management Using Quantum GIS Application

Source: Beze et al, 2016

While the non-spatial data input system is processed using the Laravel framework. Each table in the form of house data, types of latrines, and water sources used by residents will be made tools for data, display data, editing and deleting data. These tools will be used based on the results of discussions with users, namely the Harapan Baru Health Center. Non-spatial data will be stored in a relational database using the MySQL application.




Fig 2. Features of Adding Residents Data with the Type of Latrine It Has

Source: Beze et al, 2016




Fig 3. Edit Resident's House Water Source Data
Source: Beze *et al*, 2016

2. Basis Data

This application database was developed on the MySQL application. The database is in the form of spatial data and non-spatial data. Spatial data consists of point data of residents' houses, road maps, and polygon data types of districts boundaries. The data is saved in shapefile and geoJson formats and placed in public or data folders

Non-spatial data is developed in the MySQL application with two groups of relations.




Fig 4. Physical Design of House Data, Types of Latrine and Water
Source: Beze *et al*, 2016

3. Process System

The process carried out in the development of the system, namely the processing of spatial data and non-spatial data. These two processes are intended to facilitate the development of running applications.




Fig 5. Web-Based GIS Context Diagram Harapan Village Community Health Monitoring New
Source: Beze *et al*, 2016

4. System Output (Output)

In the input system, the output system developed in the application is divided into two, namely the spatial data output system and the non-spatial data output system.

The spatial data output system displays household maps, maps of water sources, and maps of the distribution of latrines used by residents.

The non-spatial data output system displays house data, occupant data, water source data, and data on the type of latrine used. The data is made into tabulations.

5. GIS in Public Health

Public health in meeting the needs of the community to ensure conditions are in a healthy condition. The implementation of public health depends on three components, namely the workforce, both government and private organizations. Information and communication systems used in collecting and disseminating accurate data.

According to WHO, Geographic Information Systems (GIS) in public health can be used as:

- a. Determine the geographic distribution of the disease.
- b. Spatial and Temporal trend analysis.
- c. Mapping of populations at risk.
- d. Stratification of risk factors.
- e. Assessment of resource distribution.
- f. Planning and Determination
- g. Intervention.
- h. Disease Monitoring.

The information generated is in the form of maps of the spread of disease, graphs of survival rates (using survival analysis method) and various graphs to determine the characteristics of patient data such as graphs of the number of patients over time, bar charts of patient age distribution.

6. Implementation of GIS in Mapping the Spread of Disease

According to Prahasta (2001), Geographic Information Systems (GIS) in the health sector can be used to provide spatial data and data to describe patterns of disease spread or distribution models for health facility units including medical personnel and other health workers. Through a disease, a mapping system to find out information about the points and numbers of disease spread to make it easier to get control from related parties. This can be seen in the Geographic Information System (GIS) mapping the spread of disease using the Website-Based Google Map API derived from research results (Krisna et al, 2014).

Geographic Information System (GIS) method for mapping the spread of disease using a website-based google maps API. API as a programming function provided by applications for services so that they can be used in applications that have been created.

Google maps API is used as a programming function provided from Google maps so that it can be applied to websites or in applications that are being made for mapping the spread of disease.

An overview of the information system can be seen that administrators and users consisting of admins, users, and guest agencies related to the design of the system then enter the web server on the mapping, through the design interface the system will connect to the google map to find out the image from the map. The system will then be connected to a database to store disease data, regions, and disease cases.




Fig 6. Overview of geographic information systems mapping the spread of disease

Source: Krisna *et al*, 2014

The system can be accessed quickly and easily. Requires an internet network and provides information on mapping the spread of the disease that can cover the territory of Indonesia. This system can display a map that contains information about the area of the case of the spread of the disease, the number of cases of the spread of the disease, and the location of the case of the spread of the disease. This system uses maker tools to find out which health agencies are registered in the system, polygon tools to find out an area including provinces, districts, and sub-districts, and circle tools to find out locations affected by a disease. This system can provide results in the form of a graph of the number of cases of the spread of the disease and information about the data displayed using the period system. Display of Geographic Information System (GIS) Mapping the Spread of Disease Using Google Map API Web-Based can be seen in Figures 7 to 10.

Figure 7 describes the main page of the disease spread information system. The map is obtained from google maps.



Fig 7. The main page of the disease spread information system

Source: Krisna *et al*, 2014



Figure 8. Health agency markers and info window
Source: Krisna *et al*, 2014

Figure 8 on the map has a maker explaining the location of the health agency that has been registered on the system or website. When the user clicks on the tool maker, an info window will appear containing the names, addresses, and photos of health agencies located in each province, district, and sub-district in Indonesia.




Fig 9. Menu bar search disease

Source: Krisna *et al*, 2014

Figure 9 shows the menu bar, in conducting the disease search process. In this menu bar there is filtering data, namely in the form of the start date and the date of completion of a disease, the age used in finding data that matches the user's age. The region filter can function to find out the information needed for data processing according to the region.

The filter area is divided into 3, namely the province, district, and sub-district. To filter the name of the disease which is designed by using a check box so that various types of disease data are obtained according to the needs on the map. If the check box is not checked, then all diseases displayed on the system will be displayed on the map.




Fig 10. The appearance of polygons on the map
Source: Krisna *et al*, 2014

Figure 10 is a map display of the spread of disease using polygons and there are levels of spread cases that are distinguished from the opacity level of the polygon area. In the map view, the thicker the opacity level, the higher the number of cases of the disease. When the user knows more than 1 type of disease, the disease with the most cases will be displayed on the top layer, then the user can click on the polygon area to be able to display an info window containing information on the area and the number of disease cases.




Fig 11. Display of circles on the map
Source: Krisna *et al*, 2014

Figure 11 describes the display of cases of disease spread using circles. This view is used when the user uses the disease spread view at the sub-district level or when zooming in on the map. In the data display using circles, the aim is to provide information about the spread of disease at the coordinates of the place of residence. Users will find it easier to group distribution case points because the circle is equipped with tools to find the outermost area of the collection of spread case points per sub-district.




Fig 12. Graph display per month

Source: Krisna *et al*, 2014

Various kinds of health problems can be identified from one of the disciplines that can be combined, one of which is the mapping of Geographic Information Systems (GIS). Geographic Information System (GIS) plays an important role in tackling several types of diseases in terms of prevention. One of the concepts of the Geographic Information System (GIS) uses spatial clustering analysis data that can be used to determine the spatial distribution pattern of a disease and then analyze it related to various environmental factors. Geographic Information System (GIS) technology can be used to determine spatial patterns in community health service centers so that it can be carried out in site selection planning in building new health facilities (Higgs, 2005).

According to Higgs (2005), there are several examples of functions in analyzing spatial data that can be used as spatial data in analyzing information in the health sector.

- a. Buffering (to determine the area coverage in an incident case).
- b. Overlay analysis (to find out the specific location of the incident case).
- c. Network analysis (to be used to determine the characteristics of a network, such as road maps and transportation availability, to analyze the movement or movement of resources from one location to another, for example to measure the time it takes to access health facilities).

With a variety of applications used for making close sources and open source mapping distributions such as ArcView, ArcGIS, CrimeStat, EpiMap, SatScan, GeoDa, HealthMapper, and StatPlanet and supported by increasingly advanced technologies such as google map or google earth. Geographic Information System (GIS) can be used to analyze information in the health sector statistically, it is much easier to present information in the health sector so that it is easier to communicate for related agencies to the community.

A geographic Information System (GIS) is used to manage spatial data in analyzing strategic mapping. As input for policymakers in the health sector in applying the dissemination of mapping through Geographic Information Systems (GIS) must be carried out with a multi-disciplinary team to obtain uncertain data information from the results obtained. The main objective of mapping through the application of Geographic Information Systems (GIS) is to improve the ability to plan activities in the health sector (Endang Indriasih, 2008).

4. Conclusion

The results of the study explain that the application of Geographic Information System (GIS) technology has various benefits, especially in the health sector. Geographic Information Systems (GIS) can be developed to provide the latest and most current information about the condition of health service users. In the development of a Geographic Information System (GIS) application to monitor users on the website page to make it easier for users to understand and access the information listed in the application. In the development of non-spatial databases, Geographic Information Systems (GIS) can strengthen users so that they can find out the information conveyed by the application.

Geographic Information System (GIS) is a geospatial technology that is a system for collecting, managing, and evaluating spatial data and can be used in various fields, one of which is in the field of public health, especially epidemiology. In the program of health agencies in making efforts to prevent various diseases, it will be very effectively used for users to get support from information in conducting a review of the spread of disease because the information system can provide epidemiological data that is quickly and easily obtained for changes that occur in cases of spread disease.

REFERENCES

- Adeline, V., & Widartono, B. S. (2012). PENGGUNAAN CITRA QUICKBIRD DAN SISTEM INFORMASI GEOGRAFIS UNTUK PEMETAAN KESEHATAN LINGKUNGAN PERMUKIMAN (Kasus di Kecamatan Rawa Lumbu, Bekasi). *Jurnal Bumi Indonesia*, 1(2), 131–139. <http://lib.geo.ugm.ac.id/ojs/index.php/jbi/article/view/18>.
- Annisa Ristya R (2012). Sistem Informasi Geografis: Trend Pemanfaatan Teknologi Informasi Untuk Bidang Terkait Kesehatan.
- Beze, H., Kamasiah, & Mardiana. (2016). Pengembangan Sig Berbasis Web Pada Tutupan Hutan Kota Studi Kasus Kecamatan Samarinda Seberang dan Palaran. *Jurnal Digit*, 6(1), 37–46. <http://jurnaldigit.org/index.php/DIGIT/article/view/37>
- Diyah Krisna (2019). Sistem Informasi Geografis sebagai Pemanfaatan Teknologi Geospasial Untuk Pemetaan Penyebaran Penyakit Infeksius Yang Baru Muncul (EID) dan Zoonosis: Sebuah Penelaahan Literatur. <https://ejurnal.bppt.go.id/index.php/JSTMB/article/view/3815>.
- Endang Indriasih (2017). Sistem Informasi Geografis (SIG) Dalam Bidang Kesehatan Masyarakat. <https://media.neliti.com/media/publications/21096-EN-sistem-informasi-geografis-sig-dalam-bidang-kesehatan-masyarakat.pdf>
- Jones, K.E., N. G. Patel, M. A. Levy, A. Storeygard, D. Balk, J. L. Gittleman, and P. Daszak. 2008. Global trends in emerging infectious diseases. *Nature* 451, 990–993.
- Krisna, K. P. A., I. N. Piarsa dan P. W. Buana. 2014. Sistem Informasi Geografis Pemetaan Penyebaran Penyakit Berbasis Web, *MERPATI* Vol. 2 No.3, hal 271–279.
- Marano, N. and M. Pappaioanou. 2004. Historical, new, and reemerging links between human and animal health. *Emerg. Infect. Dis.* 10, p 2065–2066.
- Maryanto, A.R., D. A. Handono, dan D. J. Widjaya. 2011. Analisa Dan Perancangan Sistem Informasi Geografis Persebaran Demam Berdarah Dengue (DBD) Pada Dinas Kesehatan Kota Bogor. Jakarta: Jurusan Teknik Informatika Binus University. 105hal..
- Morens, D.M. and A.S. Fauci. 2013. Emerging Infectious Diseases: Threats to Human Health and Global Stability. *PLoS Pathog.* 9(7): e1003467, p 1 – 3.
- Prahasta, E. 2001. Konsep-konsep Dasar Sistem Informasi Geografis. Bandung: Informatika. 314hal.
- Raharjo, P. D. 2010. Teknik Penginderaan Jauh Dan Sistem Informasi Geografis. Untuk Identifikasi Potensi Kekeringan. *Makara, Teknologi*, Vol. 14, No. 2, hal 97-105.
- Ren Peng, Z., and M. Hsiang Tsou. 2003. Internet (GIS): Distributed Geographic Information Service for the Internet and Wireless Networks. John Wiley & Sons. New Jersey. 720p.
- Taki, H.M. and Lubis, M.Z., 2017. Modeling accessibility of community facilities using GIS: case study of Depok City, Indonesia. *Journal of Applied Geospatial Information*, 1(2), pp.36-43.
- Taki, H.M. and Sunandar, E., 2021, April. Physical geography in planning an Indonesia's new capital towards integrated tropical city. In *IOP Conference Series: Earth and Environmental Science* (Vol. 737, No. 1, p. 012007). IOP Publishing.
- Taki, H.M., Djaja, B.M., Nurlambang, T., Lubis, M.Z. and Koestoer, R.H., 2020, March. The cellular voice traffic profiling spatial urban land use for South Jakarta. In *IOP Conference Series: Earth and Environmental Science* (Vol. 481, No. 1, p. 012074). IOP Publishing.
- Taki, H.M., Maatouk, M.M.H. and Ahmadi, F., 2019. Implementation of the integrated TOD spatial model for Jakarta Metropolitan region. *KnE Social Sciences*, pp.234-246.



JAGGI

JOURNAL OF APPLIED
GEOSPATIAL INFORMATION
Online ISSN : 2579-3608
Volume 6

A stylized globe with several overlapping, curved lines representing orbits or data paths, rendered in a dark grey color.



JOURNAL OF APPLIED GEOSPATIAL INFORMATION (JAGI)

[POLITEKNIK NEGERI BATAM](#)

★ [P-ISSN : 25793608](#) <> [E-ISSN : 25793608](#) [Subject Area : Science, Social, Engineering](#)

1.39796
Impact

590
Google Citations

Sinta 3
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2017 2018 2019 2020 2021 2022 2023

[Garuda](#) [Google Scholar](#)

[Analysis Of Land Value Zone Changes Due To The Construction Of The Kediri International Airport In Grogol Sub-District, Kediri Regency](#)

[Politeknik Negeri Batam](#) [Journal of Applied Geospatial Information Vol 8 No 2 \(2024\): Journal of Applied Geospatial Information \(JAGI\) 109-115](#)

2024 [DOI: 10.30871/jagi.v8i2.6563](#) [Accred : Unknown](#)

[Implications of Clay Minerals in Landslide Disasters: Case Study of the Riau - West Sumatra Highway KM 82 - 89](#)

[Politeknik Negeri Batam](#) [Journal of Applied Geospatial Information Vol 8 No 2 \(2024\): Journal of Applied Geospatial Information \(JAGI\) 97-103](#)

2024 [DOI: 10.30871/jagi.v8i2.7135](#) [Accred : Unknown](#)

[Spatial Modeling of Infant Mortality Rate In Sampang Regency : An Ecological Study](#)

[Politeknik Negeri Batam](#) [Journal of Applied Geospatial Information Vol 8 No 2 \(2024\): Journal of Applied Geospatial Information \(JAGI\) 90-96](#)

2024 [DOI: 10.30871/jagi.v8i2.7158](#) [Accred : Unknown](#)

[Analysis of West Sumatra's Tourism Attraction on The Development of The Minangkabau International Airport Area](#)

[Politeknik Negeri Batam](#) [Journal of Applied Geospatial Information Vol 8 No 2 \(2024\): Journal of Applied Geospatial Information \(JAGI\) 116-120](#)

2024 [DOI: 10.30871/jagi.v8i2.7300](#) [Accred : Unknown](#)

[Landslide Intensity and Potential Based on Geomorphology and Their Relationship to the Stadia Level of The Karanggayam River, Kebumen Regency, Central Java Province, Indonesia](#)

[Politeknik Negeri Batam](#) [Journal of Applied Geospatial Information Vol 8 No 1 \(2024\): Journal of Applied Geospatial Information \(JAGI\) 1-5](#)

Vol. 6 No. 2 (2022): Journal of Applied Geospatial Information (JAGI)



The journal publishes one volume and two (2) issues (January - Juni & July- December) per year. The accepted manuscript will be online soon upon revised version has received and approved by the [editor in chief](#).

[Journal of Applied Geospatial Information \(JAGI\)](#) is licensed under a [Creative Commons Attribution 4.0 International License](#)

DOI: <https://doi.org/10.30871/jagi.v6i2>

Published: 2022-07-28

Articles

Development And Field Test Of Gps-Gsm Drifting Buoy For Measurement Of Sea Surface Current Data

Agung Tri Nugroho; Indra Jaya, Yuli Naulita (Author Guidelines)
607-614



Monitoring of Land Surface Change in Padang City Using Dinsar Sentinel-1a Method

Desi Syafriani, Saiyidinal Fikri, Quinoza Guvil

615-619

 PDF

Analysis of Land Cover Changes On Rainwater Runoff In Ciapus Sub-Watershed

Alimuddin Alimuddin, Feril Hariati, Fachruddin Fachruddin, Muhamad Lutfi, Muhamad Rizki

620-625

 PDF

TSS Analysis (Total Suspended Soil) Using GEE (Google Earth Engine) Cloud Technology in Belawan Waters

Mardame Pangihutan Sinaga, Jono Barita Sianipar, Ady Frenly Simanullang, Goldberd Harmuda Duva Sinaga, Ewin Handoco S, Welmar Olfan Basten Barat

626-631

 PDF

Design and Build a Pharmacy Location Mapping Information System in Batam City

Fendi Hidayat, Dwi Ratna Fitriyani, Fifin Oktaviani, Yoga Fitriana

632-637

 PDF

The Effect of Water Quality on Growth of Microalgae *Chlorella pyrenoidosa*

Srinatalia Silaen, Welmar Olfan Basten Barat

638-640

 PDF

Geographic Information System (GIS) as an Information Media in the Field of Environmental Health: Literature Review

Maghfirah Dara Chaniago, Herika Muhamad Taki

641-646

 PDF

Study of Flood Vulnerability in Pesangrahan District, South Jakarta

Herika Muhamad Taki, Anita Sitawati Wartaman

647-651

 PDF

ROFI Zone (Region of Freshwater Influence) and Its Impact on Total Dissolved Solids in the Coastal District of Sukadana Kayong Utara

Zan Zibar; I Wayan Nurjaya, Robin Saputra, Alimuddin Alimuddin (Author Guidelines); Ferdy Gustian, Mohammad Sumiran Paputungan

652-657

 PDF

Fish Catch Results Related to Temperature and Chlorophyll in Western Waters of Sumatera

Ewin Handoco S, Ria Retno Manik, Jogi Arleston

658-663

 PDF

Measurement and Analysis of Acoustic Surface Scattering for Oil Concentration

Ratna Juita Sari, Henry Munandar Manik, Susilohadi Susilohadi

664-668

 PDF

Evaluation of Settlement Space Patterns in Solok City with Remote Sensing

Siti Naila Tassa Ghuba Afti, Fitriana Syahar

669-673

 PDF

Efforts to Reduce River Water Discharge through Land Use Control (Case Study: Upstream Ciliwung Watershed, Indonesia)

Shamira Nathania, Endrawati Fatimah, Benny B Suharto

674-680

 PDF

The Impact Of The Operation Of Jati Asih Toll Gate On Land Use Changes In Jati Asih Sub-District

Tsamara Qolbi Haridza, Anita Sitawati Wartaman, Wisely Yahya

681-687

 PDF

Analysis of Design Flood Discharge and Water Level Case Study of the Batang Singkut River Section Sarolangun Regency

Fitria Melany, Harmes Harmes, Freddy Ilfan

688-692

 PDF

Analysis of Morphological Development Due to the Industrial Development in Majalaya District, Bandung Regency

Hana Sugiastu Firdaus, Arwan Putra Wijaya, Nadhea Ramadhani
693-699



Modeling Accessibility to Emergency Obstetric Care in Mountain Region on Adonara Island, Eastern Indonesia

Kalista Ina Dai Nimun, Frederika Rambu Ngana, Ali Warsito, Jehunias Leonidas Tanesib
700-704



SWOT Analysis of Galuga Final Disposal Site

Azka fadilla setiawan, Alimuddin Alimuddin, Rulhendri Rulhendri, Fadhila Muhammad Libasut Taqwa
705-710



Developing Buildings Permits Systems Platforms (BPSP) for driving change to introduce GeoBIM potentials, challenges, and opportunities

Obaid Talal Aljobaly, Mohammed Maatouk, Emad Qurnfulah
711-721



Make a Submission

Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

[Open Journal Systems](#)

Visitor Number :

00092148 [View My Stats](#)

ISSN (online) : [2579-3608](#) | **DOI :** [10.30871/jagi](#)

This work is licensed under a [Creative Commons Attribution 4.0 International License](#).

Responsive Theme Design by [OpenJournalSystems.com](#)

Jl. Ahmad Yani, Batam Center, Batam 29461

Phone: +62 778 469856 Ext 2015

[Politeknik Negeri Batam](#)

Support by: Study Program of [Geomatics Engineering](#)

Platform &
workflow by
OJS / PKP

Editorial Team

Editor in Chief:

[Muhammad Zainuddin Lubis S.I.K., M.Si](#), [SCOPUS ID: 57200087802, h-index: 7], [Orcid ID: 0000-0003-3660-4837, ResearcherID: E-7997-2017, [Semantic Scholar], Google h-index=17].

[Department of Informatics Engineering, Geomatics Technology, Batam Polytechnic, Batam Kepulauan Riau, Indonesia.](#)

[Shanghai Ocean University, College of Oceanography and Ecological Science- China](#)

Editor Assistant :

[Wenang Anurogo, S.Si., M.Sc.](#) [SCOPUS ID: 57200089165, h-index:6], [Orcid ID: 0000-0002-5695-6269, Google h-index=15]Department of Informatics Engineering, Geomatics Engineering Batam Polytechnic, Batam Kepulauan Riau, Indonesia, Indonesia.

[Dr. Andrian V.H. Simanjuntak, M.Si.](#) [SCOPUS ID: 57195483722, h-index:7], Google h-index=9]. Indonesian Agency for Meteorology Climatology and Geophysics, Jakarta, Indonesia

Managing Editor:

[Muhammad Ghazali, A.Md.T](#) Google h-index=2], Department of Informatics Engineering, Geomatics Engineering Batam Polytechnic, Batam Kepulauan Riau, Indonesia, Indonesia.

National Editorial Advisor

1. [Prof.Dr.Ir. Vincentius P Siregar, DEA](#), [SCOPUS ID: 56102074300, h-index:5], Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, IPB University, Indonesia.
2. [Prof. Henry Munandar Manik, MT., Ph.D.](#) [SCOPUS ID: 13807256100, h-index:5], Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, IPB University, Indonesia.
3. [Prof.Dr. Sismanto, M.Si](#), [SCOPUS ID: 57199052755, h-index:4], Faculty of Mathematics and Natural Science, Universitas Gadjah Mada (UGM), Yogyakarta, Indonesia.
4. [Prof. Agung Dhamar Syakti, S.Pi, M.Sc, DEA, Ph.D.](#) [SCOPUS ID: 6507346312, h-index:19], Department of Marine Science, Faculty of Marine Science and Fisheries, Maritim Raja Ali Haji University (UMRAH), Indonesia.

5. [Prof. Dr. Ir. Jonson Lumban Gao\], M.Si. \[SCOPUS ID: 56497944600 h-index:8\]](#), Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, IPB University, Indonesia.
6. [Prof. Ir. Agus Saleh Atmadipoera., DESS, Ph.D. \[SCOPUS ID: 25822241200, h-index:10\]](#), Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, IPB University, Indonesia.
7. [Dr. Eng. Husnul Kausarian, BSc \(Hons\)., MSc, \[Scopus ID: 57191994504, h-index:9\]](#), Department of Geological Engineering, Faculty of Engineering, Universitas Islam Riau (UIR), Indonesia.
8. [Prof. Dr. Ir. Sri Pujiyati., M.Si. \[SCOPUS ID: 57202905079 h-index:3\]](#), Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, IPB University, Indonesia.
9. [Dr. Pramaditya Wicaksono, S.Si., M.Sc. \[SCOPUS ID: 54279699900, h-index:15\]](#), Department of Geographic Information Science, Faculty of Geography Universitas Gadjah Mada, Sekip Utara, 55281 Yogyakarta, Indonesia.
10. [Herika, S.Si, M.Si, Ph.D, \[SCOPUS ID: 57200090300, h-index:5\]](#), Department of Urban and Regional Planning, Universitas Trisakti, Indonesia

International Editorial Advisor

1. [Prof. Josaphat Tetuko Sri Sumantyo, Ph.D. \[SCOPUS ID: 7801490558, h-index:24\]](#) Centre for Environmental Remote Sensing, Chiba University, Chiba, (Japan).
2. [Prof. Paul Doukhan, Ph.D. \[SCOPUS ID 6602566873:, h-index:18\]](#), University Cergy-Pontoise, laboratory of Mathematics, AGM (Analysis, Geometry, and Modeling) UMR 8088 CNRS, France.
3. [Prof. Andrzej Stepnowski, Ph.D., DSc. \[SCOPUS ID: 56405670500, h-index:8\]](#), Department of Geoinformatics, Gdansk University of Technology, Faculty of Electronics, Telecommunications and Informatics, 80-233 Gdansk, Poland.
4. [Prof. Fernando Castro Herrera, Ph.D. \[SCOPUS ID: 43160919700 h-index:13\]](#), University of North Texas, 1988 (USA).
5. [Dr. Zulkiflee Abd Latif. \[SCOPUS ID: 55991796500, h-index:16\]](#), Centre of Studies Surveying Science & Geomatics Faculty of Architecture, Planning & Surveying Universiti Teknologi Mara (UiTM) 40450 Shah Alam, Selangor (Malaysia).
6. [Rozaimi Che Hasan, Ph.D., \[SCOPUS ID: 54419613200, h-index:5\]](#), UTM Razak School of Engineering and Advanced Technology, Universiti Teknologi Malaysia, Kuala Lumpur, (Malaysia).
7. [Shaik Asif Hossain., \[SCOPUS ID: 57189032985, h-index:6\]](#), Department of Electronics and Telecommunication Engineering, Rajshahi University of Engineering and, Technology, Rajshahi-6204, Bangladesh.

[Make a Submission](#)

Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

Geographic Information System (GIS) as an Information Media in the Field of Environmental Health: *Literature Review*

Maghfirah Dara Chaniago¹, Herika Muhamad Taki^{2,*}

¹Department of Environmental Engineering, Universitas Trisakti, Jakarta

² Department of Urban and Regional Planning, Universitas Trisakti, Jakarta

*Corresponding author's email: herika@trisakti.ac.id


Received: July 01, 2022

Accepted: August 22, 2022

Published: August 22, 2022

Copyright © 2022 by author(s) and Scientific Research Publishing Inc.

Open Access



Abstract

Geographic Information System (GIS) is a system with a collection of data that has a special capacity to combine data, coordinate data, and perform data checks that produce output to be used as a source of decision making. Geographic Information Systems (GIS) can be linked to health information at a particular location, combine, analyze and produce the health information according to activities in the health sector per location. Furthermore, the use of Geographic Information Systems (GIS) is planned to determine areas, conditions, styles, patterns and models related to the health sector. Geographic Information System (GIS) can create a map display by knowing the data from the map and other related data in presenting information about an area on the map.

Keywords: Information Media, Geographic Information System (GIS), Health Sector.

1. Introduction

1.1 Sub Introduction

The development of the times and the socio-economic progress of local communities can lead to high community activities towards the quality of health services. Activities carried out in each area for health workers will be reduced if the health office carries out health management with good quality, especially by utilizing data information technology, especially Geographic Information Systems (GIS) which can be easily accessed using the internet, especially for people who can access information on the internet. The health sector in their area of residence (Taki and Lubis, 2017)

Geographic Information Systems (GIS) in the health sector can link health information that focuses on certain areas, and combine, analyze and map the results of health information according to regional health activities. Furthermore, by applying the Geographic Information System (GIS) one can find out various areas, conditions, styles, patterns, and modeling related to the health sector (Hege et al., 2014).

The objectives of environmental health are, among others, to adjust, limit or change the occurrence of environmental hazards to health in the welfare of human life (Taki, et al, 2020). Another goal is also to anticipate and optimize the regulation of various environmental sources to improve health and develop the welfare of human life by avoiding various risks of infection. Scope of environmental health according to

WHO there are 17 components in the welfare of human life. Some of them are the provision of drinking water, wastewater management and pollution control, prevention or control of soil pollution by human excreta, housing, and settlements (Beze et al, 2016).

In knowing the problems in the health sector, especially in Indonesia, several groupings are needed in conducting searches to carry out various ways to run them more effectively and efficiently (Taki and Sunandar, 2021). The grouping is determined by several factors, one of which is from various disciplines. One of the groupings of health problems, namely based on the environment and then understanding the spatial pattern, to find out the extent of the location and distribution of health problems. The spatial analysis relates to the health sector which is a combination of geography and health sciences, then to the process of geomatics and geoinformation generated from a result of spatial analysis such as regionalization of a regional problem, both formally and functionally (Endang Indriasih, 2008).

In general, in public health, Geographic Information Systems (GIS) are used to identify health problems and identify restrictions in the health sector to be more specific. In carrying out the decision-making process to carry out disease prevention strategies and conduct analysis. In general, in public health, Geographic Information Systems (GIS) are used to identify health problems and identify

restrictions in the health sector to be more specific. In carrying out the decision-making process to make efforts to prevent disease strategies and carry out the analysis.

Geographic Information System (GIS) technology today has developed rapidly. In limited use in the field of geography but has spread in various fields, especially in the health sector (Rinner et al in Rahmati and Prasetyo, 2012). In the health sector, there are various kinds of health problems that can be overcome from various disciplines but must be combined through the application of Geographic Information Systems (GIS). Geographic Information systems (GIS) can play a role in disease prevention in terms of prevention. One of the virtues of Geographic Information Systems (GIS), namely spatial clustering analysis can be used to determine the spatial distribution pattern of a problem which is then analyzed related to environmental factors. This technology can be used to determine the spatial pattern of the community health service center so as to obtain information on site selection planning in carrying out the construction of health facilities.

The development of a computerized-based Geographic Information System (GIS) through a website, it can make it easier for the public to monitor problems related to the public interest because the application of the website is easy for the general public (Beze *et al*, 2016). When presenting information geographically, it can provide an overview or from a different point of view when solving a problem. Geographic Information Systems (GIS) can be developed by combining spatial and non-spatial databases so that they can provide detailed information in solving a problem (Puteri *et al*, 2014).

Based on this background, it is possible to implement a Geographic Information System (GIS) to improve health services. At the time of processing computerized health service data and providing information about the distribution of health services as a whole to the community (Taki, *et al*, 2019). In this paper, Geographic Information Systems (GIS) in the health sector will be written as Geographic Information Systems (GIS) as information media in the field of environmental health. The application of a Geographic Information System (GIS) will make it easier to carry out an activity in the health sector.

2. Method

This study uses a literature review approach from several sources based on the criteria for the environmental health approach that have been set by previous researchers. In the literature search using various accredited journals. This process is used to improve the detail of the search results.

The method used in monitoring environmental health in Harapan Baru Village is using tools from the application of Geographic Information Systems (GIS) by utilizing data sources to analyze *spatial clustering* (Beze *et al*, 2016). There are two clustering results, as follows:

1. *Clustering* of latrine use.
2. *Clustering* the use of water sources. There are three categories used in the cluster of water sources which come from PDAM, river water, and well water.

In general, the data used in this study are spatial data and non-spatial data. Spatial data consists of three tables, namely:

1. The house coordinates data point table.
2. Road data table.
3. Data table of RT/kelurahan boundary polygons.

While the non-spatial data used are:

1. House data table.
2. Occupant data table.
3. Table of latrine data.
4. Water source data table.

In addition to these data, the system developed in this study can manage user information in the form of registration data and user level settings. The table used for user settings, as follows:

1. *User*: id, name, email, password, token.
2. *Role*: id, name, display_name, description.
3. *Permission*: id, name, display_name, description.

3. Result and Discussion

There are four parts that will be developed in the environmental health monitoring application, namely the input system, database, process, and output.

1. Input System

The input system is in the form of separate data, namely the input of spatial data and non-spatial data. Spatial data input system using Quantum GIS application. The tools used for spatial data, namely point, line, and polygon types to be managed in applying open source are stored in shapefiles and can also be stored in geoJson form.




Fig 1. Example of Spatial Data Management Using Quantum GIS Application

Source: Beze *et al*, 2016

While the non-spatial data input system is processed using the Laravel framework. Each table in the form of house data, types of latrines, and water sources used by residents will be made tools for data, display data, editing and deleting data. These tools will be used based on the results of discussions with users, namely the Harapan Baru Health Center. Non-spatial data will be stored in a relational database using the MySQL application.




Fig 2. Features of Adding Residents Data with the Type of Latrine It Has

Source: Beze *et al*, 2016




Fig 3. Edit Resident's House Water Source Data
Source: Beze *et al*, 2016

2. Basis Data

This application database was developed on the MySQL application. The database is in the form of spatial data and non-spatial data. Spatial data consists of point data of residents' houses, road maps, and polygon data types of districts boundaries. The data is saved in shapefile and geoJson formats and placed in public or data folders

Non-spatial data is developed in the MySQL application with two groups of relations.




Fig 4. Physical Design of House Data, Types of Latrine and Water
Source: Beze *et al*, 2016

3. Process System

The process carried out in the development of the system, namely the processing of spatial data and non-spatial data. These two processes are intended to facilitate the development of running applications.




Fig 5. Web-Based GIS Context Diagram Harapan Village Community Health Monitoring New
Source: Beze *et al*, 2016

4. System Output (Output)

In the input system, the output system developed in the application is divided into two, namely the spatial data output system and the non-spatial data output system.

The spatial data output system displays household maps, maps of water sources, and maps of the distribution of latrines used by residents.

The non-spatial data output system displays house data, occupant data, water source data, and data on the type of latrine used. The data is made into tabulations.

5. GIS in Public Health

Public health in meeting the needs of the community to ensure conditions are in a healthy condition. The implementation of public health depends on three components, namely the workforce, both government and private organizations. Information and communication systems used in collecting and disseminating accurate data.

According to WHO, Geographic Information Systems (GIS) in public health can be used as:

- Determine the geographic distribution of the disease.
- Spatial and Temporal trend analysis.
- Mapping of populations at risk.
- Stratification of risk factors.
- Assessment of resource distribution.
- Planning and Determination
- Intervention.
- Disease Monitoring.

The information generated is in the form of maps of the spread of disease, graphs of survival rates (using survival analysis method) and various graphs to determine the characteristics of patient data such as graphs of the number of patients over time, bar charts of patient age distribution.

6. Implementation of GIS in Mapping the Spread of Disease

According to Prahasta (2001), Geographic Information Systems (GIS) in the health sector can be used to provide spatial data and data to describe patterns of disease spread or distribution models for health facility units including medical personnel and other health workers. Through a disease, a mapping system to find out information about the points and numbers of disease spread to make it easier to get control from related parties. This can be seen in the Geographic Information System (GIS) mapping the spread of disease using the Website-Based Google Map API derived from research results (Krisna *et al*, 2014).

Geographic Information System (GIS) method for mapping the spread of disease using a website-based google maps API. API as a programming function provided by applications for services so that they can be used in applications that have been created.

Google maps API is used as a programming function provided from Google maps so that it can be applied to websites or in applications that are being made for mapping the spread of disease.

An overview of the information system can be seen that administrators and users consisting of admins, users, and guest agencies related to the design of the system then enter the web server on the mapping, through the design interface the system will connect to the google map to find out the image from the map. The system will then be connected to a database to store disease data, regions, and disease cases.




Fig 6. Overview of geographic information systems mapping the spread of disease
Source: Krisna *et al*, 2014

The system can be accessed quickly and easily. Requires an internet network and provides information on mapping the spread of the disease that can cover the territory of Indonesia. This system can display a map that contains information about the area of the case of the spread of the disease, the number of cases of the spread of the disease, and the location of the case of the spread of the disease. This system uses maker tools to find out which health agencies are registered in the system, polygon tools to find out an area including provinces, districts, and sub-districts, and circle tools to find out locations affected by a disease. This system can provide results in the form of a graph of the number of cases of the spread of the disease and information about the data displayed using the period system. Display of Geographic Information System (GIS) Mapping the Spread of Disease Using Google Map API Web-Based can be seen in Figures 7 to 10.

Figure 7 describes the main page of the disease spread information system. The map is obtained from google maps.



Fig 7. The main page of the disease spread information system
Source: Krisna *et al*, 2014



Figure 8. Health agency markers and info window
Source: Krisna *et al*, 2014

Figure 8 on the map has a maker explaining the location of the health agency that has been registered on the system or website. When the user clicks on the tool maker, an info window will appear containing the names, addresses, and photos of health agencies located in each province, district, and sub-district in Indonesia.




Fig 9. Menu bar search disease
Source: Krisna *et al*, 2014

Figure 9 shows the menu bar, in conducting the disease search process. In this menu bar there is filtering data, namely in the form of the start date and the date of completion of a disease, the age used in finding data that matches the user's age. The region filter can function to find out the information needed for data processing according to the region.

The filter area is divided into 3, namely the province, district, and sub-district. To filter the name of the disease which is designed by using a check box so that various types of disease data are obtained according to the needs on the map. If the check box is not checked, then all diseases displayed on the system will be displayed on the map.




Fig 10. The appearance of polygons on the map
Source: Krisna *et al*, 2014

Figure 10 is a map display of the spread of disease using polygons and there are levels of spread cases that are distinguished from the opacity level of the polygon area. In the map view, the thicker the opacity level, the higher the number of cases of the disease. When the user knows more than 1 type of disease, the disease with the most cases will be displayed on the top layer, then the user can click on the polygon area to be able to display an info window containing information on the area and the number of disease cases.




Fig 11. Display of circles on the map
Source: Krisna *et al*, 2014

Figure 11 describes the display of cases of disease spread using circles. This view is used when the user uses the disease spread view at the sub-district level or when zooming in on the map. In the data display using circles, the aim is to provide information about the spread of disease at the coordinates of the place of residence. Users will find it easier to group distribution case points because the circle is equipped with tools to find the outermost area of the collection of spread case points per sub-district.




Fig 12. Graph display per month

Source: Krisna *et al*, 2014

Various kinds of health problems can be identified from one of the disciplines that can be combined, one of which is the mapping of Geographic Information Systems (GIS). Geographic Information System (GIS) plays an important role in tackling several types of diseases in terms of prevention. One of the concepts of the Geographic Information System (GIS) uses spatial clustering analysis data that can be used to determine the spatial distribution pattern of a disease and then analyze it related to various environmental factors. Geographic Information System (GIS) technology can be used to determine spatial patterns in community health service centers so that it can be carried out in site selection planning in building new health facilities (Higgs, 2005).

According to Higgs (2005), there are several examples of functions in analyzing spatial data that can be used as spatial data in analyzing information in the health sector.

- a. Buffering (to determine the area coverage in an incident case).
- b. Overlay analysis (to find out the specific location of the incident case).
- c. Network analysis (to be used to determine the characteristics of a network, such as road maps and transportation availability, to analyze the movement or movement of resources from one location to another, for example to measure the time it takes to access health facilities).

With a variety of applications used for making close sources and open source mapping distributions such as ArcView, ArcGIS, CrimeStat, EpiMap, SatScan, GeoDa, HealthMapper, and StatPlanet and supported by increasingly advanced technologies such as google map or google earth. Geographic Information System (GIS) can be used to analyze information in the health sector statistically, it is much easier to present information in the health sector so that it is easier to communicate for related agencies to the community.

A geographic Information System (GIS) is used to manage spatial data in analyzing strategic mapping. As input for policymakers in the health sector in applying the dissemination of mapping through Geographic Information Systems (GIS) must be carried out with a multi-disciplinary team to obtain uncertain data information from the results obtained. The main objective of mapping through the application of Geographic Information Systems (GIS) is to improve the ability to plan activities in the health sector (Endang Indriasih, 2008).

4. Conclusion

The results of the study explain that the application of Geographic Information System (GIS) technology has various benefits, especially in the health sector. Geographic Information Systems (GIS) can be developed to provide the latest and most current information about the condition of health service users. In the development of a Geographic Information System (GIS) application to monitor users on the website page to make it easier for users to understand and access the information listed in the application. In the development of non-spatial databases, Geographic Information Systems (GIS) can strengthen users so that they can find out the information conveyed by the application.

Geographic Information System (GIS) is a geospatial technology that is a system for collecting, managing, and evaluating spatial data and can be used in various fields, one of which is in the field of public health, especially epidemiology. In the program of health agencies in making efforts to prevent various diseases, it will be very effectively used for users to get support from information in conducting a review of the spread of disease because the information system can provide epidemiological data that is quickly and easily obtained for changes that occur in cases of spread disease.

REFERENCES

- Adeline, V., & Widartono, B. S. (2012). PENGGUNAAN CITRA QUICKBIRD DAN SISTEM INFORMASI GEOGRAFIS UNTUK PEMETAAN KESEHATAN LINGKUNGAN PERMUKIMAN (Kasus di Kecamatan Rawa Lumbu, Bekasi). *Jurnal Bumi Indonesia*, 1(2), 131–139. <http://lib.geo.ugm.ac.id/ojs/index.php/jbi/article/view/18>.
- Annisa Ristya R (2012). Sistem Informasi Geografis: Trend Pemanfaatan Teknologi Informasi Untuk Bidang Terkait Kesehatan.
- Beze, H., Kamasiah, & Mardiana. (2016). Pengembangan Sig Berbasis Web Pada Tutupan Hutan Kota Studi Kasus Kecamatan Samarinda Seberang dan Palaran. *Jurnal Digit*, 6(1), 37–46. <http://jurnaldigit.org/index.php/DIGIT/article/view/37>
- Diyah Krisna (2019). Sistem Informasi Geografis sebagai Pemanfaatan Teknologi Geospasial Untuk Pemetaan Penyebaran Penyakit Infeksius Yang Baru Muncul (EID) dan Zoonosis: Sebuah Penelaahan Literatur. <https://ejurnal.bppt.go.id/index.php/JSTMB/article/view/3815>.
- Endang Indriasih (2017). Sistem Informasi Geografis (SIG) Dalam Bidang Kesehatan Masyarakat. <https://media.neliti.com/media/publications/21096-EN-sistem-informasi-geografis-sig-dalam-bidang-kesehatan-masyarakat.pdf>
- Jones, K.E., N. G. Patel, M. A. Levy, A. Storeygard, D. Balk, J. L. Gittleman, and P. Daszak. 2008. Global trends in emerging infectious diseases. *Nature* 451, 990–993.
- Krisna, K. P. A., I. N. Piarsa dan P. W. Buana. 2014. Sistem Informasi Geografis Pemetaan Penyebaran Penyakit Berbasis Web, *MERPATI* Vol. 2 No.3, hal 271–279.
- Marano, N. and M. Pappaioanou. 2004. Historical, new, and reemerging links between human and animal health. *Emerg. Infect. Dis.* 10, p 2065–2066.
- Maryanto, A.R., D. A. Handono, dan D. J. Widjaya. 2011. Analisa Dan Perancangan Sistem Informasi Geografis Persebaran Demam Berdarah Dengue (DBD) Pada Dinas Kesehatan Kota Bogor. Jakarta: Jurusan Teknik Informatika Binus University. 105hal..
- Morens, D.M. and A.S. Fauci. 2013. Emerging Infectious Diseases: Threats to Human Health and Global Stability. *PLoS Pathog.* 9(7): e1003467, p 1 – 3.
- Prahasta, E. 2001. Konsep-konsep Dasar Sistem Informasi Geografis. Bandung: Informatika. 314hal.
- Raharjo, P. D. 2010. Teknik Penginderaan Jauh Dan Sistem Informasi Geografis. Untuk Identifikasi Potensi Kekeringan. *Makara, Teknologi*, Vol. 14, No. 2, hal 97-105.
- Ren Peng, Z., and M. Hsiang Tsou. 2003. Internet (GIS): Distributed Geographic Information Service for the Internet and Wireless Networks. John Wiley & Sons. New Jersey. 720p.
- Taki, H.M. and Lubis, M.Z., 2017. Modeling accessibility of community facilities using GIS: case study of Depok City, Indonesia. *Journal of Applied Geospatial Information*, 1(2), pp.36-43.
- Taki, H.M. and Sunandar, E., 2021, April. Physical geography in planning an Indonesia's new capital towards integrated tropical city. In *IOP Conference Series: Earth and Environmental Science* (Vol. 737, No. 1, p. 012007). IOP Publishing.
- Taki, H.M., Djaja, B.M., Nurlambang, T., Lubis, M.Z. and Koestoer, R.H., 2020, March. The cellular voice traffic profiling spatial urban land use for South Jakarta. In *IOP Conference Series: Earth and Environmental Science* (Vol. 481, No. 1, p. 012074). IOP Publishing.
- Taki, H.M., Maatouk, M.M.H. and Ahmadi, F., 2019. Implementation of the integrated TOD spatial model for Jakarta Metropolitan region. *KnE Social Sciences*, pp.234-246.